



To view the instructions of advanced features, visit <a href="http://www.lg.com">http://www.lg.com</a> and then download Owner's Manual. Some of the content in this manual may differ from your unit.


MODEL CM4560



www.lg.com




#### Front Panel



- Display window
- 2 USB1/USB2 : Plays the audio files by connecting the USB device.
  - R USB REC. : Records to USB.
- 3 ()/ (Power): Switches the unit ON or OFF.
- 4 (Stop): Stops playback or recording.
- **5 AUTO DJ**: Selects the AUTO DJ mode.
- 7 DEMO: Shows demo mode.
- 8 PORT. IN
- 9 Disc tray
- F / WIRELESS LINK: Selects the function and input source. / Press and hold for 3 seconds to select WIRELESS PARTY LINK mode.
- >II starts or pauses playback. / Selects Stereo/Mono.
- 12 REGION EQ: Chooses region equalizer.
- **II ≫ I** (Skip/Search): Searches forward. / Skips to the next track/file.
- 14 BASS BLAST: Selects BASS effect directly.
- 15 MASTER VOLUME: Adjusts volume of speaker.
- 16 △ (Open/Close): Opens or closes the disc tray.

# **Rear Panel**



- 1 POWER IN
- 2 AUX IN (L/R) connectors
- 3 ANTENNA (FM)
- 4 SPEAKERS terminal/cord

Controller App




Download the **Music Flow Bluetooth** App to your device.

LG Sound Sync (Wireless)



For more information, download the online owner's manual. http://www.lq.com

# **Speaker Connection**



### How to disconnect the wireless network connection or the wireless device

Turn off the unit by pressing the power button for more than 5 seconds.

# Replacement of battery



# **Additional Information**

# **Specifications**

Refer to the main label on the unit.
Refer to the main label on the unit.
Networked standby : 0.5 W
(If all network ports are activated.)
Approx. 206 mm x 308 mm x 284 mm
Approx. 3 kg
5 V === 500 mA
700 W

Design and specifications are subject to change without notice.

#### Industry Canada Statement

This device complies with Industry Canada's licenceexempt RSSs. Operation is subject to the following two conditions:

- (1) This device may not cause interference; and
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

#### CAN ICES-3 (B)/NMB-3 (B)

#### IC Radiation Exposure Statement

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 20 cm (7.8 inches) between the antenna & your body.

NOTE: THE MANUFACTURER IS NOT RESPONSIBLE FOR ANY RADIO OR TV INTERFERENCE CAUSED BY UNAUTHORIZED MODIFICATIONS TO THIS EQUIPMENT. SUCH MODIFICATIONS COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT.

#### WARNING

[For product having the wireless function using 5 GHz frequency bands]

- the device for operation in the band 5150–5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;
- (ii) for devices with detachable antenna(s), the maximum antenna gain permitted for devices in the bands 5250-5350 MHz and 5470-5725 MHz shall be such that the equipment still complies with the e.i.rp. limit;
- (iii) for devices with detachable antenna(s), the maximum antenna gain permitted for devices in the band 5725-5850 MHz shall be such that the equipment still complies with the e.i.rp. limits specified for point-to-point and non-point-to-point operation as appropriate; and
- (iv) the worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in Section 6.2.2(3) shall be clearly indicated. (devices operating in the band 5250-5350 MHz with a maximum e.i.r.p. greater than 200 mW)
- High-power radars are allocated as primary users (i.e. priority users) of the bands 5250–5350 MHz and 5650–5850 MHz and that these radars could cause interference and/or damage to LE-LAN devices.

LG Customer Information Center
Centre d'information à la clientèle de LG

1-888-542-2623 CANADA

Register your product Online!
Enregistrez votre produit en ligne!

www.lg.com