



Please read this manual carefully before operating your set and retain it for future reference.

To view the instructions of advanced features, visit http://www.lg.com and then download Owner's Manual. Some of the content in this manual may differ from your unit.

MODEL RK1D



POLSKI ROMÂNĂ LATVIEŠU HRVATSKI SRPSKI БЪЛГАРСКИ МАКЕДОНСКИ
FRANÇAIS NEDERLANDS ITALIANO ESPAÑOL EAAHNIKA PORTUGUÊS MAGYAR


www.lg.com Copyright © 2018 LG Electronics Inc. All Rights Reserved.







Top / Front Panel



- 1 Display window
- 2 ((Standby) Turns the power on or off.
- 3 Kd/DD (Skip/Search)
 - Skips backward or forward.
 - Searches for a section within a file.
 - Selects the radio stations.

Ы (Play/Pause)


- Starts or pauses playback.
- Selects stereo/mono.

+/-

Adjusts speaker volume.

4 F (Function) Selects the function and input source.

Side / Rear Panel



- 1 PORT. (Portable) IN jack
- 2 USB Port You can play sound files by connecting the USB device.
- 3 FM ANTENNA
- 4 AUX IN (L/R)

Connect an auxiliary device.

5 POWER IN


Additional Information

Specifications

Power Requirements	Refer to the main label on the unit.
Power Consumption	Refer to the main label on the unit.
	Networked standby: 0.5 W (If all network ports are activated.)
Dimensions (W x H x D)	Approx. 235 mm x 947 mm x 250 mm
Bus Power Supply (USB)	5 V === 500 mA
Amplifier (Total RMS output power)	60 W RMS

Design and specifications are subject to change without notice.

Replacement of battery



How to disconnect the wireless network connection or the wireless device

Turn off the unit by pressing the power button for more than 5 seconds.

Declaration of Conformity



Hereby, LG Electronics declares that the radio equipment type Home Speaker System is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

http://www.lg.com/global/support/cedoc/cedoc#

For consideration of the user, this device should be installed and operated with a minimum distance of 20 cm between the device and the body.

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

