Printing specification

	Drawn	Checked	Approved
Signature	Jungim.Ha	Seounggeun.Kim	Jongok.Kim
MMM/DD/YYYY	Jan/05/2016	Jan/05/2016	Jan/05/2016

1. Model Description

Model name	:	**75UH5C-BF**	Brand name	:	**LG**	Part number	: **MFL69460202**
Suffix	:	**US**	Product name	:	**LG Digital Signage**	(Revision number)	**(REV06)**

2. Printing Specification

1. Trim size (Format) : **148 mm x 210 mm (A5) (W x H)**
2. Printing colors
   - Cover : **1 Color (Black)**
   - Inside : **1 Color (Black)**
3. Stock (Paper)
   - Cover : **Uncoated, wood-free paper 60 g/㎡**
   - Inside : **Uncoated, wood-free paper 60 g/㎡**
4. Bindery : **Saddle stitching**
5. Language : **ENG / FRE_CA / SPA_LA (3)**
6. Number of pages **8**

NOTE

"This part contains Eco-hazardous substances (Pb, Cd, Hg, Cr6+, PBB, PBDE, etc.) within LG standard level,
Details should be followed Eco-SCM management standard[LG(56)-A-2524].
Especially, Part should be followed and controlled the following specification.
(1) Eco-hazardous substances test report should be submitted when Part certification test and First Mass Production.
(2) Especially, Don't use or contain lead(Pb) and cadmium(Cd) in ink.


3. Origin Notification

LGEAK :	Printed in Kazakhstan	LGEKR :	Printed in Korea	LGERS :	Printed in Mexico
LGEAZ :	Printed in Brazil	LGEMA :	Printed in Poland	LGESY :	Printed in China
LGEEG :	Printed in Egypt	LGEMX :	Printed in Mexico	LGETH :	Printed in Thailand
LGEIL :	Printed in India	LGEND :	Printed in China	LGEVN :	Printed in Vietnam
LGEIN :	Printed in Indonesia	LGERA :	Printed in Russia		Made by LG Electronics (Only TW Suffix)
LGEAS :	Printed in Algeria			LGEWR :	Printed in Poland

4. Changes

Rev. Number	MMM/DD/YYYY	Signature	ECO Number	Change Contents
10				
9				
8				
7				
6	Jun/18/2018	Gowoon Lee	EKMI600165	To delete the phrase about California Proposition65.
5	Sep/07/2017	Seoungjune.Lee	EKMH900099	Add new model(86UM3C) follow as Signage Master.
4	Jun/09/2017	Seoungjune.Lee	EKMH600176	Add new model(75UH5PC) in manual.
3	Dec/26/2016	Eunjoo Kim	EKMGC00359	To change dimensions on manual
2	Apr/01/2016	J.I.HA	EKMG300464	To add Rated Voltage for 86UH5C
1	Jan/27/2016	J.I.HA	EKMG100360	To add models (86UH5C, 75UM3C) in manual

Pagination sheet



LG Digital Signage

(MONITOR SIGNAGE)

Affichage dynamique numérique LG


(MONITEUR DE SIGNALISATION)

Señalización digital de LG

(MONITOR DE SEÑALIZACIÓN)

75UH5C 75UM3C 86UM3C
86UH5C 75UH5PC

ENGLISH Easy Setup Guide
Please read this manual carefully before operating your set and retain it for future reference.
FRANÇAIS Guide de configuration rapide
Veuillez lire ce manuel attentivement avant d'utiliser l'appareil et conservez-le pour pouvoir vous y reporter ultérieurement.
ESPAÑOL Guía Rápida
Lea atentamente este manual antes de poner en marcha el equipo y consérvelo para futuras consultas.



MFL69460202

P/No: MFL69460202 (1806-REV06)
Printed in Korea

English You can download the web manuals for this product at the following websites. (Keyword : UH5(P)C, UM3C)

Français Vous pouvez télécharger en ligne les guides pour ce produit à partir des sites Web suivants. (Mots-clés : UH5(P)C, UM3C)

Español Puede descargar los manuales web de este producto en los siguientes sitios web. (Palabra clave : UH5(P)C, UM3C)

• www.lg.com/b2b

English


Dimensions (Width x Height x Depth) / Weight	75UH5C 75UH5PC 75UM3C	Head	1682 mm x 960 mm x 73.9 mm / 41.5 kg (66.2 inches x 37.7 inches x 2.9 inches / 91.4 lbs)
	86UH5C 86UM3C		1926.2 mm x 1097.2 mm x 78.3 mm / 49 kg (75.8 inches x 43.1 inches x 3.0 inches / 108.0 lbs)


Français

Dimensions (largeur x hauteur x profondeur) / Poids	75UH5C 75UH5PC 75UM3C	Écran	1 682 mm x 960 mm x 73,9 mm / 41,5 kg (66,2 po x 37,7 po x 2,9 po / 91,4 lb)
	86UH5C 86UM3C		1 926,2 mm x 1 097,2 mm x 78,3 mm / 49 kg (75,8 po x 43,1 po x 3,0 po / 108,0 lb)


Español


Dimensiones (ancho x alto x profundidad) / Peso	75UH5C 75UH5PC 75UM3C	Cabezal	1 682 mm x 960 mm x 73,9 mm / 41,5 kg
	86UH5C 86UM3C		1 926,2 mm x 1 097,2 mm x 78,3 mm / 49 kg
Alimentación	75UH5C 75UH5PC 75UM3C	AC 100-240 V ~ 50/60 Hz 2,7 A	
	86UH5C 86UM3C	AC 100-240 V ~ 50/60 Hz 3,5 A	



AUDIO OUT
DVI OUT
Network
LAN
AUDIO IN
AUDIO OUT
DP OUT
DVI-D IN



⊕ **UH5(P)C /86UM3C


2
1


1
2
3
4


A
B
LG
Life's Good
A
B


LG
Life's Good