

REFRIGERATOR-FREEZER

OWNER'S MANUAL (2~17)

PLEASE READ THIS OWNER'S MANUAL THOROUGHLY BEFORE OPERATING AND KEEP IT HANDY FOR REFERENCE AT ALL TIMES.

REFRIGERATEUR-CONGELATEUR

MANUEL DU PROPRIETAIRE (18~32)

SVP
AVANT D'UTILISER L'APPAREIL LISEZ
ATTENTIVEMENT LE MANUEL DU PROPRIETAIRE
ET CONSERVEZ LE SOIGNEUSEMENT POUR UNE
ULTERIEURE CONSULTATION

FRIGORÍFICO-CONGELADOR

MANUAL DEL USUARIO (33~47)

LEA ESTE MANUAL EN SU TOTALIDAD ANTES DE UTILIZAR EL EQUIPO Y MANTÉNGALO SIEMPRE A MANO PARA POSIBLES CONSULTAS

MORE FRESH WITH FOCUSED COOLING SYSTEM



CONTENTS

NSTALLATION		
NNER PARTS		
OPERATIONS		
Starting		
Display panel & Function Buttons		
Door Alarm		
Self Test		
Focused Cooling		
Super Ice Making System		
Super Cool		
Super Freeze		
Temperature Control		
Ice Making		
Fresh meat		
Defrosting		
Deodorizer(Optional)		
Water Dispenser(Optional)		
SUGGESTIONS ON FOOD STORAGE 14		
CLEANING		
GENERAL INFORMATION 15		
AMP REPLACEMENT 16		
MPORTANT WARNINGS 16		
SEFORE OALLING FOR OFRIVER		



INSTALLATION

SELECT A GOOD LOCATION

- 1. Place your refrigerator where it is easy to use.
- 2. Avoid placing the refrigerator near heat sources, direct sunlight or moisture.
- Air must circulate properly around your refrigerator to ensure efficient operation.

If your refrigerator is placed in a recessed area in the wall, allow at least a 12 inch(30 cm)or greater clearance above the refrigerator and 2 inches(5 cm) or more from the wall.

The refrigerator should be elevated 1 inch(2.5 cm)from the floor, especially if it is carpeted.


4. To avoid vibrations, the refrigerator must be leveled. If necessary, adjust the leveling screw(s) to compensate for unevenness of the floor.

To make closing the doors easily, the front should be slightly higher than the rear.

Leveling screw(s) can be turned easily by tipping the cabinet slightly.

Turn the leveling screw(s) clockwise to raise the refrigerator, counterclockwise to lower it.

Clearance




NEXT

- 1. Wipe off all dust accumulated during shipping and clean your refrigerator thoroughly.
- Install accessories such as the ice cube box, cover evaporation tray, etc., in their proper places. They are packed together to prevent possible damage during shipping.
- Connect the power supply cord(or plug)to the outlet. Don't double up with other appliances on the same outlet.
- 4. Prior to use, let the refrigerator run for 2-3 hours. Check the flow of cold air in the freezer compartment to ensure proper cooling has taken place.

Your refrigerator is now ready for use.

INNER PARTS





• If you found some parts missing from your unit, they may be parts only used in other models.


STARTING

When your refrigerator is first installed, allow it 2-3 hours to stabilize at normal operation temperatures prior to filling it with fresh or frozen foods.

If operation is interrupted, wait 5 minutes before restarting.

DISPLAY PANEL & FUNCTION BUTTONS

- Temperature leds incloses the temperature status of each compartment/refrigerator and freezer)
- Super Freeze leds indicates if the super freeze function operates or not.
- Focused Cooling leds turn on if the door is opened and locused cooling returns the normal state a few minutes after door is closed. All leds are of after certain minutes.
- * Super Cool leds indicates the super cool furnation operates or not



- Freezer
- Temperature Control Button is used to control the temperature of the freezer.
- Super Freeze Button can be used when you freeze tood or ice more quickly then normal state. Whenever you press this button, the function is on and off.

 If the function is on, the super recursion are no assumed are on attention masking if these.
- Super Cool Button is used to keep in cold storage more quickly and effectively.
 Whenever you press this button, the function is on
- and off.

 If the function is on, the super cool leds are on after shifting 5 times.
- Refrigerator
 Temperature
 Control Button is
 used to control the
 temperature of the
 refrigerator.

DOOR ALARM

When the door of the refrigerator or the freezer is left opened for a while, the alarm sounds three times 1 minute after and then three times every 30 seconds.

SELF TEST


- When a trouble is occurred, this function indicates it. In this case, if you press any operating button, the refrigerator does not operate and displays abnormal.
- At this time, don't disconnect the power cord from the outlet and inquire to the service center.
- If you press the 'FRZ. TEMP' button and 'SUPER FREEZER' button at the same time for 2 seconds over, all lamps on control panel turn on. It checks only the function, not trouble. Unpressing the two buttons, it turns to the normal condition.

FOCUSED COOLING

 When you insert new(warmer) food on a shelf, a focused cooling sensor's senses it and blows out the cooling air concentrically. So the food is cooled more quickly.

If you insert some food on the 'shelf 2', the 'sensor 1'senses it and blows out the cooling air focusingly at 'shelf 1' and 'shelf 2'.


- The 'Focused Cooling System' operates automatically.
- You can cool more effectively as put the food near to a sensor.



SUPER ICE MAKING SYSTEM

- All traditional refrigerator sustain certain temperature with periodic operation and stopping. So, you can't make the ice cube during the stopping period though you fill the ice tray with water.
- You can make ice cube with 'super ice making system' though a stopping period.

The refrigerator senses water filled trays with 'super ice making sensor' and operates although it is time to stop.




SUPER COOL

- This refrigerator can be operated the cooling fan two speed (rpm),-'normal' and 'quick'-with 'Super Cool System'. You can cool the food more quickly because the cooling fan can operate a quick speed.
- The super cool system operates, when the power is supplied first. So, you can store food more fresh. The super cool system is released when the temperature of refrigerator compartment get specified degree.
- If needed press the 'SUPER COOL' button on the display panel.


The function on and off whenever the button is pressed.

The function is released(off) if you don't cease the function and the food is cooled sufficiently.



SUPER FREEZE

- This function can be used when you want to freeze food or water more quickly.
- Press the 'SUPER FREEZE' button on the display panel and the super freeze system is on. This function is on and off whenever the button is pressed. The function is released(off)if you don't cease the function and pass some hour(about 3 hours)
- The noise can be increased instantly because of the quick speed of the fan.



TEMPERATURE CONTROL


You can set each compartment temperature using the 'REF.TEMP' and 'FRZ.TEMP'button.


Whenever pressing the button, the LEDs emit light two steps.

The temperature of each compartment is lowered as each LEDs luminesce from "COLD" to "COLDEST".

You can select the desired setting point five steps COLD to the COLDEST).


For the economic electricity, set each leds to the 'COL position.





ICE MAKING

- To make ice cubes, fill the ice tray with water and place it in the freezer.
- To remove ice cubes, hold the tray at its ends twist gently.






• To remove ice cubes easily, run water on the tray before twisting.

FRESH MEAT

- When the door is opened, the warmer air don't influence in the fresh meat. So you can store food more fresh in it.
- The shelf and inserted fresh meat must be placed at its position. If it is moved, the fresh meat can't fill the role of it.



DEFROSTING

- · Defrosting takes place automatically.
- The defrosted water flows down to the evaporating tray which located in the lower back side of the refrigerator and is evaporated automatically.

DEODORIZER(OPTIONAL)

- By using an "palladium catalyst" deodorizing performance is quaranteed.
- Unpleasant odor of food in fresh food compartment is deodorized with no harm to you and the food.Z

How to use

- As the catalyst is located in cooling air outlet for circulating air in fresh food compartment, there is no need for any handling.
- Do not prick the cooling air outlet with a sharp tip because the deodorizing catalyst may be damaged.
- When storing food with a strong odor, wrap it or store it in a container with a lid because odor may be passed on to other foods.







OPERATIONS(water dispenser)


WATER DISPENSER(OPTIONAL)

Features











OPERATIONS(water dispenser)

Putting The Water In The Water Tank

1 Turn the lock dial in the direction of the arrow as shown to remove it and pour water into the dispenser water tank.






3 Place the water tank in the tank holder inside the refrigerator. Make sure that the groove on the connecting part is in position with the tab. Push the connecting part into the hole unit it "Clicks".



4 Fix the connecting part in place by means of the holder ring as shown.







- Do not use anything other than water including soft drinks, milk and juice.
- Hot water needs to be cooled before being put in the water tank.
- Always use the holder ring to fix the water tank in place to prevent the tank from moving or getting loose.

Drinking

1 Press the dispenser pad with the glass.



2 The water is released when the dispenser pad is pressed. The pad returns to its original position when the glass is removed, and the water stops its flow.




 The motor rotates in reverse for a few seconds after the dispenser is released to dispose of any water remaining in the tubes. (This may cause the sound of water being sucked back inside)

OPERATIONS(water dispenser)


CLEANING

Grille and Drip Tray

1 Pull the drip tray our and remove with the grille.



2 Dispose of the water in the kitchen sink, wash the drip tray and the grille with a mild detergent and rinse thoroughly.



Water Tank

1 Remove the cap.




2 Clean the inside and outside of the water tank with dishwashing detergent and rinse thoroughly under running water.



Other Parts

Remove the cap and clean the cap and connecting part with a mild detergent and rinse thoroughly.





- · Use lukewarm water when cleaning.
- Do not use anything other than water. If it is used with soft drinks, put water in the water tank and discharge three or four cups of water shortly.

SUGGESTIONS ON FOOD STORAGE

STORING FOOD


- Store fresh food in the refrigerator compartment. How food is frozen and thawed is an important factor in maintaining it freshness and flavor.
- Do not store food which goes bad easily at low temperatures, such as bananas, pineapples, and melons.
- Allow hot food to cool prior to storing. Placing hot food in the refrigerator could spoil other food, and lead to higher electric bills!
- When storing the food, cover it with vinyl wrap or store in container with a lid. This prevents moisture from evaporating, and helps food to keep its taste and nutrients.
- Do not block air vents with food. Smooth circulation of chilled air keeps refrigerator temperatures even.
- Do not open the door frequently. Opening the door lets warm air enter the refrigerator, and cause temperatures to rise.
- The appliance is not intended for use by young children or infirm persons without supervision.
- Young children should be supervised to ensure that they do not play with the appliance.

FREEZER COMPARTMENT

- Do not store bottles in the freezer compartment-they may break when frozen.
- Do not refreeze food that has been thawed. This causes loss of taste and nutrition.
- When storing frozen food like ice cream for a long period, place it on the freezer shelf, not in the door rack.

REFRIGERATOR COMPARTMENT

- Avoid placing moist food deep inside refrigerator shelves, it could freeze upon direct contact with chilled air.
- It is desirable to store moist food (especially vegetable and fruit) in the vegetable storage compartment. If it is necessary to store on a shelf of the refrigerator, put it close to the door away from the back wall of the refrigerator to avoid being frozen by the cool circulating in the refrigerator.



- Always clean food prior to refrigeration. Vegetables and fruits should be washed and wiped, and packed food should be wiped clean, to prevent adjacent food from spoiling.
- When storing eggs in their storage rack, ensure that they are fresh, and always store them in a up-right position, which keeps them fresh longer.

CLEANING

It is important that you refrigerator be kept clean to prevent undesirable odors. Spilled food should be wipe up immediately, since it may acidify and stain plastic surfaces if allowed to settle.

Never use metallic scouring pads, brushes, coarse abrasive cleaners or strong alkaline solutions on any surface.

Before you clean, however, remember that damp objects will stick or adhere to extremely cold surfaces. Do not touch frozen surfaces with wet or damp hands.

EXTERIOR - Use a lukewarm solution of mild soap or detergent to clean the durable finish of your refrigerator. Wipe with a clean, damp cloth and then dry.

INTERIOR - Regular cleaning of the interior and interior parts is recommended. If you have the No Frost model which defrosts automatically, leave both doors open during the entire cleaning process. Disconnect the power supply, and remove food and all compartment shelves, storage trays etc.

Wash all compartments with a baking soda solution. Rinse and dry.

INTERIOR PARTS - Wash compartment shelves, door racks, storage trays and magnetic door seals etc. with the baking soda solution or a mild detergent and warm water. Rinse and dry.

WARNING

Always remove power cord from the wall outlet prior to creaning in the vicinity of electrical parts(lamps, switches, controls, etc.)

Wipe up excess moisture with a sponge or cloth to prevent water or liquid from getting into any electrical part and causing electric shock. Do not use flammable or toxic cleaning liquids

GENERAL INFORMATION

VACATION TIME

During average length vacations, you will probably find it best to leave the refrigerator in operation.

Place freezable items in freezer for longer life.

When you plan to be away for an extended period, remove all food, disconnect the power cord, clean the interior thoroughly, and leave each door OPEN to prevent odor formation.

POWER FAILURE

Most power failures are corrected in an hour or two and will not affect your refrigerator temperatures.

However, you should minimize the number of door openings while the power is off. During power failures of longer duration, place a block of dry ice on top of your frozen packages.

IF YOU MOVE

Remove or securely fasten down all loose items inside the refrigerator.


To avoid damaging the leveling screw(s), turn them all the way into the base.

ANTI-CONDENSATION PIPE

The outside wall of the refrigerator cabinet may sometimes get warm, especially just after installation.

Don't be alarmed.

This is due to the anticondensation pipe, Which pumps hot refrigerant to prevent "sweating" on the outer cabinet wall.



LAMP REPLACEMENT

FREEZER LAMP

- 1. Unplug the power cord from the outlet.
- Remove the room lamp lid by taking down while pulling it forward with your hand after inserting finger into the inside hole as shown in the figure at right.
- 3. Remove the lamp by turning it counterclockwise and replace new one.
- 4. Assemble in reverse order of disassembly. Replacement bulb must be the same specification as original.

REFRIGERATOR LAMP

- 1. Unplug the power cord from the outlet.
- 2. Remove the up most refrigerator shelf.
- Remove the room lamp lid by taking down while pulling it forward with your hand after inserting finger into the inside hole as shown in the figure at right.
- 4. Turn the lamp counterclockwise and replace new one.
- 5. Assemble in reverse order of disassembly. Replacement bulb must be the same specification as original.





IMPORTANT WARNINGS

DO NOT USE EXTENSION CORD

If possible, connect the refrigerator to its own individual electrical outlet to prevent it and other appliances or household lights from causing an overload that could cause a power outage.

POWER CORD REPLACEMENT

If the supply cord is damaged, it must be replaced by a special cord or assembly available from the manufacturer or its service agent.

ABOUT GROUNDING(EARTHING)

In the event of an electric short circuit, grounding(earthing) reduces the risk of electric shock by providing an escape wire for the electric current. In order to prevent possible electric shock, this appliance must be grounded.

Improper use of the grounding plug can result in an electric shock. Consult a qualified electrician or service person if the grounding instructions are not completely understood, or if you have doubts on whether the appliance is properly grounded.

VERY DANGEROUS ATTRACTION

All empty retrigerator can be a dangerous attraction to children. Remove either gaskers, latches, lids or the entire door from your unused appliance, or take some other action to make it harmless.

This appliance must be grounded(earthed).

DON'T WAIT! DO IT NOW!

Do not ators inflammable materials, explosives or chemicals in the refrigerator.

BEFORE CALLING FOR SERVICE

SERVICE CALLS CAN OFTEN BE AVOIDED!
IF YOU FEEL YOUR REFRIGERATOR IS NOT OPERATING PROPERLY, CHECK THESE POSSIBLE CAUSES FIRST:

PROBLEM	POSSIBLE CAUSES
REFRIGERATOR DOES NOT OPERATE	 Has a house fuse blown or circuit breaker tripped? Has the power cord plug been removed or loosened from the electrical wall outlet?
REFRIGERATOR OR FREEZER COMPARTMENT TEMPERATURE TOO WARM	 Temperature control not set on proper position. Appliance is placed close to wall or heat source. Warm weather-frequent door openings. Door left open for a time. Large amount of foods are kept in the refrigerator.
ABNORMAL NOISE(S)	 Refrigerator is installed in a weak or uneven place, or leveling screw needs adjusting. Unnecessary objects placed in the back side of the refrigerator.
REFRIGERATOR HAS ODOR	 Foods with strong odors should be tightly covered or wrapped. Interior needs cleaning
DEW FORMS ON THE CABINET SURFACE	Not unusual during periods of high humidity.Door may have been left ajar.

