

OWNER'S MANUAL

Please read this manual carefully before operating your set and retain it for future reference.

TYPE : WALL MOUNTED

P/NO: MFL42132807

www.lge.com

TABLE OF CONTENTS

B. Electrical Safety Temporary Use of an Adapter Temporary Use of an Extension Cou Symbols used in this Manual	6 rd6
C. Product Introduction Indoor Units Operation Indication Lamps Outdoor Unit	7 8
D. Operating Instructions How to insert the Batteries Wireless Remote Controller	
Maintenance Operating Method Remote Control Operation	9 10
Operation Mode E. Maintenance and Service Indoor Unit Outdoor Unit	15 15
Operation Tips! Self-Diagnosis Function Troubleshooting Tips!	17
Save time and money! Call the service immediately in the following situations	

FOR YOUR RECORDS

Write the model and serial numbers here:

Model # Serial

You can find them on a label on the side of each unit.

Dealer's Name

Date Purchased

Staple your receipt to this page in the event you need it to prove date of purchase or for warranty issues.

CREAD THIS MANUAL

Inside you will find many helpful hints on how to use and maintain your air conditioner properly. Just a little preventive care on your part can save you a great deal of time and money over the life of your air conditioner.

You'll find many answers to common problems in the chart of troubleshooting tips. If you review our chart of

Troubleshooting Tips first, you may not need to call for service at all.

PRECAUTION

- Contact the authorized service technician for repair or maintenance of this unit.
- Contact the installer for installation of this unit.
- The air conditioner is not intended for use by young children or invalids without supervision.
- Young children should be supervised to ensure that they do not play with the air conditioner.
- When the power cord is to be replaced, replacement work shall be performed by authorized personnel only using only genuine replacement parts.



Safety Precautions

To prevent injury to the user or other people and property damage, the following instructions must be followed.

Incorrect operation due to ignoring instruction will cause harm or damage. The seriousness is classified by the following indications.

AWARNING This symbol indicates the possibility of death or serious injury.

This symbol indicates the possibility of injury or damage.

Meanings of symbols used in this manual are as shown below.



Be sure not to do.

Be sure to follow the instruction.

WARNING

Always use a power plug and socket with a ground terminal.

There is a risk of electric shock.

For electrical work, contact the dealer, seller, a qualified electrician, or an Authorized Service Center. Do not disassemble or repair the product by yourself.

There is risk of fire or electric shock.

Use the correctly rated breaker or fuse.

· There is risk of fire or electric shock.

Do not install the product on a defective installation stand. Be sure that the installation area does not deteriorate with age.

· It may cause product to fall.

In outdoor unit the step-up capacitor supplies high voltage electricity to the electrical components. Be sure to discharge the capacitor completely before conducting the repair work.

An charged capacitor can cause electrical shock.

Do not use a defective or underrated circuit breaker. Use the correctly rated breaker and fuse.

There is risk of fire or electric shock .

Always ground the product as per the wiring diagram. Do not connect the ground wire to gas or water pipes lightening rod or telephone ground wire.

There is risk of fire or electric shock.

Do not modify or extend the power cable. If the power cable or cord has scrathes or skin peeled off or deteriorated then it must be replaced.

There is risk of fire or electric shock.

Never install the outdoor unit on a moving base or a place from where it can fall down.

• The falling outdoor unit can cause damage or injury or even death of a person.

When installing the unit, use the installation kit provided with the product.

Otherwise the unit may fall and cause severe injury.

Do not use a multi consent. Always use this appliance on a dedicated cicuit and breaker.

Otherwise it can cause electric shock or fire.

Install the panel and the cover of control box securely.

• There is risk of fire or electric shock due to dust , water etc.

For installation, removal or reinstall , always contact the dealer or an Authorized Service Center.

• There is risk of fire, electric shock, explosion, or injury.

When the product is soaked (flooded or submerged) in water , contact an Authorized Service Center for repair before using it again.

There is risk of fire or eletric shock.

Be sure to use only those parts which are listed in the svc parts list. Never attempt to modify the equipment.

 The use of inappropriate parts can cause an electrical shock, excessive heat generation or fire.

Safety Precautions

Salety Treeadilons		
Indoor/outdoor wiring connections must be secured tightly and the cable should be routed properly so that there is no force pulling the cable from the connection terminals.	Safely dispose off the packing materials. Like screws, nails, batteries, broken things etc after installation or svc and then tear away and thraw away the plastic packaging bags.	Make sure to check that the power cable plug is not dirty, loose or broken and then only insert the plug completely.
Improper or loose connections can cause heat generation or fire.	Children may play with them and cause injury.	Dirty, loose or broken power plug can cause electric shock or fire.
Be sure to check the refrigerant to the used. Please read the label on the product.	Don't use a power cord, a plug or a loose socket which is damaged.	Do not touch , operate, or repair the product with wet hands. Hold the plug by hand when taking out
Incorrect refrigerant used can prevent the normal operation of the unit.	Otherwise it may cause a fire or electrical shock.	There is risk of electric shock or fire.
Do not place a heater or other heating appliances near the power cable.	Do not allow water to run into electric parts. Install the unit away from water sources.	Do not store or use or even allow flammable gas or combustibles near the product.
There is risk of fire and electric shock.	There is risk of fire, failure of the product, or electric shock.	There is risk of fire.
Do not use the product in a tightly closed space for a long time. Perform ventilation regularly.	Do not open the front grille of the product during operation. (Do not touch the electrostatic filter, if the unit is so equipped.)	If strange sounds, smell or smoke comes from product.Immediately turn the breaker off or disconnect the power supply cable.
Oxygen deficiency could occur and hence harm your health.	There is risk of physical injury, electric shock, or product failure.	There is risk of electric shock or fire.
Ventilate the product room from time to time when operating it together with a stove, or heating element etc.	Turn the main power off and unplug the unit when cleaning or repairing the product.	When the product is not to be used for a long time, disconnect the power supply plug or turn off the breaker.
Oxygen deficiency can occur and hence harm your health.	There is risk of electric shock.	There is risk of product damage or failure, or unintended operation.
Take care to ensure that nobody especially kids could step on or fall onto	Take care to ensure that power cable could not be pulled out or damaged	Do not place ANYTHING on the power cable.

· This could result in personal injury and product damage.

the outdoor unit.

Do not plug or unplug the power supply plug to turn the unit ON/OFF .

When flammable gas leaks, turn off the gas and open a window for ventilation before turn the product on.

There is risk of fire or electric shock.

There is risk of fire or electric shock.

Two or more people must lift and transport the product.

Avoid personal injury.

Keep level even when installing the product.

· To avoid vibration or noise.

during operation.

- · There is risk of fire or electric shock.
 - · Do not use the telephone or turn switches on or off. There is risk of explosion or fire.

Do not install the product where it will be exposed to sea wind (salt spray) directly.

· It may cause corrosion on the product.

Do not install the product where the noise or hot air from the outdoor unit could damage or disturb the neighborhoods.

· It may cause a problem for your neighbors and hence dispute.

Install the drain hose to ensure that the condensed water is drained away properly.

· A bad connection may cause water leakage.

Always check for gas (refrigerant) leakage after installation or repair of product.

· Low refrigerant levels may cause failure of product.

		Safety Precautions
Do not use the product for special purposes, such as preserving foods, works of art, etc. It is a consumer air conditioner, not a precision refrigeration system.	Do not block the inlet or outlet of air flow.	Use a soft cloth to clean. Do not use harsh detergents, solvents or splashing water etc .
There is risk of damage or loss of property.	It may cause product failure.	There is risk of fire, electric shock, or damage to the plastic parts of the product.
Do not touch the metal parts of the product when removing the air filter.	Do not step on or put anyting on the product. (outdoor units)	Always insert the filter securely after cleaning. Clean the filter every two weeks or more often if necessary.
There is risk of personal injury.	There is risk of personal injury and failure of product.	A dirty filter reduces the efficiency.
Do not insert hands or other objects through the air inlet or outlet while the product is operating.	Be cautious when unpacking and installing the product.	If the refrigerant gas leaks during the repair, do not touch the leakaing refrigerant gas.
There are sharp and moving parts that could cause personal injury.	Sharp edges could cause injury.	The refrigernat gas can cause frostbite (cold burn)
Do not tilt the unit when removing or uninstalling it.	Do not mix air or gas other than the specified refrigerant used in the system .	If the refrigerant gas leaks during the installation, ventilate the area immediately
The condensed water inside can spill .	 If air enters the refrigerant system, an excessively high pressure results, causing equipment damage or injury. 	Otherwise it can be harmfull for your health.
Dismantling the unit, treatment of the refrigerant oil and eventual parts should be done in accordance with local and national standards.	Replace the all batteries in the remote control with new ones of the same type. Do not mix old and new batteries or different types of batteries.	Do not recharge or disassemble the batteries. Do not dispose off batteries in a fire.
	There is risk of fire or product failure.	They may burn or explode.
Do not let the air conditioner run for a long time when the humidity is very high and a door or a window is left open.	Do not expose your skin or kids or plants to the cool or hot air draft.	Do not drink the water drained from the product.
Moisture may condense and wet or damage furniture.	This could harm to your health.	It is not sanitary and could cause serious health issues.
Use a firm stool or ladder when cleaning, maintaining or repairing the product at an height.	If the liquid from the batteries gets onto your skin or clothes, wash it well with clean water. Do not use the remote if the batteries have leaked.	If you eat the liquid from the batteries, brush your teeth and see doctor. Do not use the remote if the batteries have leaked.
Be careful and avoid personal injury.	The chemicals in batteries could cause burns or other health hazards.	The chemicals in batteries could cause burns or other health hazards.

Electrical Safety

A WARNING

- This appliance must be properly grounded.
- To minimize the risk of electric shock, you must alway plug into a grounded oulet.
- · Do not cut or remove the grounding prong from the power plug.
- Attaching the adapter ground terminal to the wall receptacle cover screw does not ground the appliance unless the cover screw is metal and not insulated, and the wall receptacle is grounded through the house wiring.
- If you have any doubt whether the air conditioner is properly grounded, have the wall receptacle and circuit checked by a qualified electrician.

Temporary Use of an Adapter

We strongly discourage the use of an adapter due to potential safety hazards. For temporary connections, use only a genuine adapter, available from most local hardware stores. Ensure that the large slot in the adapter is aligned with the large slot in the receptacle for a proper polarity connection.

To disconnect the power cord from the adapter, use one hand on each to avoid damaging the ground terminal. Avoid frequently unplugging the power cord as this can lead to eventual ground terminal damage.

A WARNING

· Never use the appliance with a broken adapter.

Temporary Use of an Extension Cord

We strongly discourage the use of an extension cord due to potential safety hazards.

A WARNING

This appliance should be installed in accordance with national wiring regulations. This guide acts as a guide to help to explain product features.

Symbols used in this Manual



This symbol alerts you to the risk of electric shock.



This symbol alerts you to hazards that may cause harm to the air conditioner.



This symbol indicates special notes.


Product Introduction

Here is a brief introduction of the indoor and outdoor units. Please see the information specific to your indoor unit type.


Indoor Units

Standard Split Type

Display panel LED indicators




Art Cool Type Display panel LED indicators



Art Cool Type Wide

Display panel LED indicators




	Deluxe(Type anel LED indio	
Air discharge Front panel Signal receiver		Air inlet Plasma filter Plasma filter Air filter Plasma filter Air filter Plasma filter Plasma filter Power cord ON/OFF button
Oper	ation Inc	dication Lamps
\bigcirc	On/Off	: Lights up during the system operation, error code and auto restart setting.
\$	Sleep mode	: Lights up during sleep mode auto operation.(non-Inverter Model)
	Energy-Saving Cooling Mode	g : Lights up during Energy-Saving Cooling Mode Operation(Inverter Model only)
¢≆/₩/))	Plasma	: The function illustrates its dynamic mode by using a multiple lighting system.
Ŀ	Timer	: Lights up during timer operation.(non-Inverter Model)
×	Defrost mode	Lights up during timer operation or sleep mode auto operation (Inverter Model only) : Lights up during defrost mode or *hot start operation (Heat pump model only)
OUT / 🕥	Outdoor unit operation	: Lights up during outdoor unit operation. (Cooling model only)
88	Power Display	: Indicates the setting temperature and operation mode.
	Dust Indicator	: Lights up to indicate the time of cleaning the plasma filter. (Optional)
Coolin	a hooting	Auto operation mode

	Operation	Cooling, heating,			Auto oper	ation mode			Jet		Test	Auto
mode		Dehumidification Mode	Standard	Too hot	Hot	Comfortable	Cold	Too cold		Energy-saving cooling mode	operation	clean
	Shape of display	Setting temperature	R (-2	- /	Ω	1	2	ρ_o	Eo	Lo	Ľo

* Hot start operation: Stops the indoor fan in heating operation for minutes to prevent cold air from blowing out from unit.

* In defrost mode unit stops heating operation for few minutes to remove formation of ice on the heat exchanger coils to maintain the efficiency.



Operating Instructions

How to insert the Batteries


- 1. Remove the battery cover by pulling it according to the arrow direction.
- 2. Insert new batteries making sure that the (+) and (-) of battery are installed correctly.
- 3. Reattach the cover by sliding it back into position.

NOTE

- 1. Always use/replace both batteries of same type.
- 2. If the system is not to be used for a long time, remove the batteries to save their working life.
- 3. If the display screen of remote controller starts, fading replace both of the batteries.
- 4. Use 2 AAA(1.5 volt) batteries.

Wireless Remote Controller Maintenance

- Choose a suitable place where its safe & easy to reach.
- 2. Fix the holder to wall etc with the supplied screws firmly.
- 3. Slide the remote controller inside the holder.





NOTE

- 1. Remote controller should never be exposed to direct sunlight.
- Signal transmitter & receiver should always be clean for proper communication. Use a soft cloth to clean them.
- In case some other appliances also get operated with remote control, change their position or consult your serviceman.

Operating Method


- 1. The signal receiver is inside the unit.
- 2. Aim the remote controller towards the unit to operate it. There should not be any blockage in between.





Remote Control Operation


The remote control transmits the signals to the system.



- 1. OPERATION DISPLAY Displays the operation conditions.
- CHAOS SWING BUTTON
 Used to stop or start louver movement and set
 the desired up/down airflow direction
- 3. OPERATION MODE SELECTION BUTTON Used to select the operation mode.
- 4. OFF TIMER BUTTON Used to set the time of stopping opertion.
- 5. START/STOP BUTTON Operation starts when this button is pressed, and stops when the button is pressed again.
- 6. ROOM TEMPERATURE SETTING BUTTONS
- 7. INDOOR FAN SPEED SELECTION BUTTON Used to set the time of starting and stopping operation.

8. JET COOL

Used to start or stop the speed cooling (Speed cooling operates super high fan speed ing cooling mode.)



4th Indoor Fan Speed Selection Button

Operation Mode Cooling Operation Healthy Dehumidification Operation Mode This mode dehumidifies without overcooling. Press the START/STOP BUTTON to Æ turn the unit on. The unit will respond with a beep. Select Cooling Operation. 2 Press the Operation Mode Selection Button. Each time the button is pressed, the operation mode is shifted in the arrow direction. åΩ☆ 쓌 TEMP. TEME 3/7 18. B Healthy Dehumidification *****0☆ Cooling Heating (Heat pump model only) 芯 TEMP ٥ Ш. Healthy Cooling Dehumidification Set the temperature lower than the room temperature. 3 · The temperature can be set within a range of 18°C~30°C by 1°C To raise the temperature 蚴 TEMP. *I*∃.₀ To lower the temperature Set the fan speed. Δ · Select the fan speed in four steps-low, medium, high or CHAOS. Each time the button is pressed, the fan speed TEMP. 纰 nn1111 mode is shifted. 旧 The display shows high


Natural wind by the CHAOS logic

□ For more fresh feeling than other fan speed, press the Indoor Fan Speed Selector and set to CHAOS mode. In this mode, the wind blows like natural breeze by automatically changing fan speed according to the CHAOS logic.

fan speed.

During Healthy Dehumidification Operation:


- □ If you select the dehumidification mode on the operation selection button, the airconditioner starts to run the dehumidification function, automatically setting the room temp. and airflow volume to the best condition for dehumidification based on the sensed current room temp. In this case, however, the setting temp. is not displayed in the remote control and you are not able to control the room temp. either.
- During the healthy dehumidification function, the airflow volume is automatically set according to the optimization algorithm responding to the current room temp. status and makes the room condition healthy and comfortable even in the high humidity season.



Timer control Setting

OFF TIMER CONTROL SETTING

Jet Cool Operation



NOTE

- During the JET COOL function at any moment, the A/C starts to blow the cool air at extremely high speed for 30 minutes setting the room temp. automatically to 18°C. It is especially used to cool the room temp. in the shortest time in a hot summer. In heat pump mode the JET COOL function is not available.
- □ In order to return to the normal cooling mode from the JET COOL mode, you just press either the operation mode selection button, airflow volume selection or temp. setting button or the JET COOL button again.

Vertical Airflow Direction Control

The up/down airflow (Vertical Airflow) can be adjusted by using the remote control.



- 1. Press the Start/Stop button to start the unit.
- Press Chaos Swing button and the louvers will swing up and down. Press the Chaos Swing button again to set the vertical louver at the desired airflow direction.

NOTICE

- □ If you press the CHAOS swing button, the horizontal airflow direction is changed automatically based on the CHAOS algorithm to distribute the air in the room evenly and at the same time to make the human body feel most comfortable, as if enjoying a natural breeze.
- Always use the remote control to adjust the up/down airflow direction. Manually moving the vertical airflow direction louver by hand, could damage the air conditioner.
- When the unit is shut off, the up/down airflow direction louver will close the air outlet vent of the system.

Horizontal Airflow Direction Control

 Adjust the horizontal airflow direction by manually moving the horizontal airflow direction louver by hand.






Forced Operation

Operation procedures when the remote control can't be used. The operation will be started if the power button is pressed. If you want to stop operation, re-press the button.

	Cooling		Heat pump Model		
	Model	Room Temp. ≥ 24°C	$21^{\circ}C \le Room Temp. < 24^{\circ}C$	Room Temp. < 21°C	
Operating mode	ng mode Cooling Cooling		Healthy Dehumidification	Heating	
Indoor FAN Speed	High	High	High	High	
Setting Temperature	22°C	22°C	23°C	24°C	



Test operation

During the TEST OPERATION, the unit operates in cooling mode at high speed fan, regardless of room temperature and resets in 18 minutes.

During test operation, if remote controller signal is received, the unit operates as remote controller sets. If you want to use this operation, open the front panel upward and Press the power button let it be pressed for about 3 seconds.

If you want to stop the operation, re-press the button.

Maintenance and Service

Before performing any maintenance, turn off the main power to the system, disconnect the circuit breaker and unplug the power cord.

Indoor Unit

Clean the unit with a soft dry cloth. Do not use bleach or abrasives.

Never use any of these

- Water hotter than 40°C. It may cause deformation and discoloration.
- Volatile substances. They may damage the surface of the air conditioner.

Air Filters

The air filters behind the front panel / grill should be checked and cleaned once in every 2 weeks or more often if necessary. To remove the filters see the self explanatory diagrams for each model type. Clean the filters with a vacuum cleaner or warm soapy water. If dirt is not easily removed, wash with a solution of detergent in luke warm water. Dry well in shade after washing and reinstall the filters back in place.

Plasma Filters (Optional)

The plasma filters behind the air filter should be checked and cleaned once in every 3 months or more often if necessary. To remove the filters see the self explanatory diagrams for each model type. Clean the filters with a vacuum cleaner. If it is dirty wash it with water and dry well in shade an install back in place.


Deodorizer Filters, Virus & Allergy Filters (Optional)

Remove the deodorizer filters behind the air filter and expose them in direct sunlight for 2 hours. And then insert these filters into original position.

Removal of Filters

1. Art Cool Type :

Pull down the grille bottom, after lifting out the filter tab a bit and take the filter out slowly. Remove the plasma filter as shown. After cleaning and drying well reinstall the filter and grille by matching the hook.




2. Art Cool Type Wide :

The procedure of removal of filters is same as in Art Cool Type model as shown above.

Don't touch this plasma filter within 10 seconds after opening the inlet grille, it may cause an electric shock.








Front panel hook

3. Deluxe (Type 1):

Open the upside of the panel and lift it up as shown. The hooks of the panel will come off. Remove the air filters. Then pull out the plasma filter



After cleaning and drying well reinstall the filters in their original position.

4. Deluxe (Type 2):

Open the front panel as shown.

Then pull the filter tab slightly forward to remove the air filter.

After removing the air filter remove the plasma and deodorizer filter by slightly pulling forward.



How to use the front panel

1. Front panel closing

Move the link upward and close the front panel.



2. Front panel removing

Raise the link up to hook hanger and remove front panel forward.



5. Standard Split Type : Two different methods to open the front panel based on types of air conditioner as below ;


Type 1: Open the front panel as shown.

Then pull the filter tab slightly forward to remove the air filter. After removing the air filter remove the plasma and deodorizer filter by slightly pulling forward.



Type 2: Pull the front panel from both sides as shown.

Then pull the filter tab slightly forward to remove the filter. After removing the air filter remove the plasma and triple deodorizer filter by slightly pulling forward.



ACAUTION

Don't touch this plasma filter within 10 seconds after opening the inlet grille, it may cause an electric shock.

Outdoor Unit

The heat exchanger coils and panel vents of the outdoor unit should be checked regularly. If clogged with dirt or soot, the heat exchanger and panel vents may be professionally steam cleaned.

NOTE

Dirty or clogged coils will reduce the operating efficiency of the system and cause higher operating costs.

Operation Tips!

Do not overcool the room.		Keep blinds o closed.	r curtains	Keep the room temperature uniform.			
wastes electricity.		Do not let direct sunshine enter the room when the air conditioner is in operation.		Adjust the vertical and horizontal airflow direction to ensure a uniform temperature in the room.			
Make sure that the doors and windows are shut thight.		the air filter rly.	Ventilate the room occasionally.		Use high fan speed for effective and fast cooling.		
Avoid opening doors and windows as much as possible to keep the cool air in the room.	Blockages in the air filter reduce the airflow and lower cooling and dehumidifying effects. Clean at least once every two weeks.		Since windows are kept closed, it is a good idea to open them and ventilate the room now and ten.		The unit gives its rated cooling capacity when the fan speed is high.		

Self-Diagnosis Function

This unit has an inbuilt error diagnosis capability. Unit LED() will blink in case if thermistor fails. Please contact your serviceman/dealer in such a situation

Error Display LED (())	Check Point
	 Indoor room temperature thermistor open/short. Indoor pipe temperature thermistor open/short.

Troubleshooting Tips! Save time and money!

The air conditioner may be operating abnormally when:

Problem	Possible Causes	What To Do
	The air conditioner is unplugged.	Make sure the air conditioner plug is pushed completely into the outlet.
	The fuse is blown/circuit breaker is tripped.	Check the house fuse/circuit breaker box and replace the fuse or reset the breaker.
Air conditioner does not start	■ Power failure.	 If power failure occurs, turn the mode control to OFF. When power is restored, wait 3 minutes to restart the air conditioner to prevent tripping of the compressor overload.
	■ High voltage.	 If the voltage is unusually very high or low the circuit Breaker will trip.
	■ Airflow is restricted.	 Make sure there are no curtains, blinds, or furniture blocking the front of the air conditioner.
	■ The air filter is dirty.	Clean the filter at least every 2 weeks. See the Maintenance and Service section.
Air conditioner does not cool	The room may have been hot.	 When the air conditioner is first turned on, you need to allow time for the room to cool down.
as it should	Cold air is escaping.	 Check for open furnace floor registers and cold air returns.
	Check the temperature settings.	Make sure they are correct.
	There might be any heating source in the room.	Check and remove such source or turn it off while using the air conditioner.

Call the service immediately in the following situations

- 1. Anything abnormal such as burning smell, loud noise etc. happen. Stop the unit and turn the breaker off. Never try to repair by yourself or restart the system in such cases.
- 2. Main power cord is too hot or damaged.
- 3. Error code is generated by self diagnosis.
- 4. Water leaks from indoor unit even if the humidity is low.
- 5. Any switch, breaker (safety, earth) or fuse fails to work properly

User must carry routine checkup & cleaning to avoid unit's poor performance. In case of special situation, the job must be carried out by service person only.



دليل المالك

جهاز تكييف الهواء

يرجى الاطلاع على دليل المالك هذا جيدًا قبل تشغيل جهازك والاحتفاظ به للرجوع إليه في المستقبل.

النوع: للتركيب على الحائط

www.lge.com

دليل استخدام مكيف هواء الغرفة

جدول المحتويات

أ. احتياطات السلامة

الاسـتخدام المؤقت للمحول ٦
الاستخدام المؤقَّت لسلك التمديد ٢٠٠
الرموز المسُـتخدَّمة في هذا الدليَّل ٦
ج. مقدمة إلى المنتج ٧
الوحدات الداخلية٧
مصابيح بيان العمليات٨
الوحدة الخارجية٨
د. تعليمات التشغيل٩
كيفية تركيب البطاريات٩
صيانة جهار التحكم عن يعد
اللاسلكيُّ٩
طريقة التشغيل٩
تشغيل جهاز التحكم عن بعد ١٠
تشغیل جهاز التحکم عن بعد ۱۰ وضع التشغیل
وضع التشغيل۱۰ هـ. الصيانة والخدمة
وضع التشغيل۱۰
وضع التشغيل١٩ هـ. الصيانة والخدمة الوحدة الداخلية الوحدة الخارجية
وضع التشغيل١٥ هـ. الصيانة والخدمة٥١ الوحدة الداخلية الوحدة الخارجية١٧ إرشادات التشغيل!
وضع التشغيل١٩ هـ. الصيانة والخدمة الوحدة الداخلية١٥ الوحدة الخارجية
وضع التشغيل١٥ ه ـ. الصيانة والخدمة الوحدة الداخلية الوحدة الخارجية ارشادات التشغيل!١٧ وظيفة التشخيص إلذاتي١٧
وضع التشغيل١٥ هـ. الصيانة والخدمة٥ الوحدة الداخلية٥ الوحدة الخارجية٧ ارشادات التشغيل!١٧ وظيفة التشخيص الذاتي١٧ إرشادات اكتشاف الأعطال وإصلاحها!

_ لسحلاتك

اكتب رقم موديل الجهاز ورقمه المسلسل هنا:

رقم الموديل

الرقم المسلسل تستطيع التعرف عليهما من الملصق الموجود على جانب كل وحدة.

اسم الموزع

تاريخ الشراء

🔎 اقرأ هذا الدليل

ستجد بالداخل الكثير من الإرشادات المفيدة بخصوص كيفية استخدام مكيف الهواء وصيانته بشكل صحيح. فالقليل من العناية الوقائية من جهتك يكفي لتوفير الكثير من وقتك ومالك طوال فترة استخدام مكيف الهواء.

سنجد الكثير من الإجابات على المشكلات الشائعة في جدول إرشادات اكتشاف الأعطال وإصلاحها.

ان اطلعت على جدول **إرشادات اكتشاف الأعطال وإصلاحها** أولاً، قد لا تحتاج أبداً إلى الاتصال بمركز الخدمة.

\Lambda تنبيه

- انصل بفني الخدمة المعتمد لإصلاح أو صيانة الجهار.
- انصلّ بفنّي التركيب لتركيب هذه الوحدة.
- مكيفَ الهواء غيرً مُخصصٌ للاستخدامُ من قبل الأطفال الصغار بدون إشراف.
 - يجب مُراقبة الأطفال الصغار للتأكد من عدم عبثهم بمكيف الهواء
 - عند ضرورة استبدال سلك الكهرباء، يجب أن يقوم الشخص المعتمد بعملية الاستبدال مستخدماً فقط قطع الغيار الأصلية.



احتياطات السلامة

لتجنب إصابة المستخدم أو أي أشخاص آخرين أو تلف الممتلكات، يجب اتباع التعليمات التالية. ■ التشغيل غير الصحيح بسبب تجاهل التعليمات سيؤدي إلى الإصابة أو تلف الممتلكات. لقد تم تصنيف درجة الخطورة وفق البيان التالي.



يشير هذا الرمز إلى احتمال الوفاة أو الإصابة الخطيرة.

يشير هذا الرمز إلى احتمال الإصابة أو تلف الممتلكات.

■ المقصود بكل رمز مستخدم في هذا الدليل موضح فيما يلي.



احرص على عدم فعل ذلك

احرص على اتباع التعليمات.

استخدم دائماً على استخدام فيسه ومقيس متصل نظرف أرضي.

• هناك خطر الإصابة تصدمه كهريائية.

بالنسبة لأعمال الكهرباء، اتصل بالموزع أو البائع أو الفني المختص أو مركز الخدمة المعتمد. لا تقم بفك المنتج أو إصلاحه بنفسك.

> • هناك خطر وقوع حريق أو الإصابة بصدمة كهربائية.

استخدم مفتاح قطع أو فيوز بقيمة صحيحة.

• هناك خطر وقوع حريق أو الإصابة بصدمة كهربائية.

لا تقم بتركيب المنتج على منصة تركيب بها خلل. تأكد من عدم تهالك منطقة التركيب بمرور الوقت.

• فقد يؤدف ذلك إلى سقوط المنتج.

في الوحدة الخارحية يزود المكثف المكونات الكهربائية الأخرى بكهرباء بجهد عال. تأكد من تفريغ شحنة المكثف تماماً قبل القيام بأعمال الإصلاح.

• فالمكثف المشحون قد يؤدي إلى صدمة كهربائية.

\Lambda تحذير

لا تستخدم مقتاح قاطع به حلل أو دون العيمة المناسبة. استخدم مقتاح قطع وقبور تعيمة صحيحة.

• هناك خطر وقوع حريق أو الإصابة بصدمة كهربائية.

تأكد دائماً بتوصيل المنتج بالأرضي وفق الرسم النوضيحي للأسلاك. لا تصل سلك الأرضي بأنابيب الغاز أو المياه أو مانع الصواعق أو سلك الأرضي الخاص بالهاتف.

> • هناك خطر وقوع حريق أو الإصابة بصدمة كهربائية.

لا تقم بتعديل أو تمديد سلك الكهرباء. إن كانت هناك خدوش على سلك الكهرباء، أو إن كان الغطاء متهالكاً أو غير موحود، عندها بِلزِم تغييرِه.

• هناك خطر وقوع حريق أو الإصابة بصدمة كهربائية.

لا تقم أبداً بتركيب الوحدة الخارجية على قاعدة متحركة أو في مكان معرضة للسقوط منه.

 إن سقوط الوحدة الخارجية قد يؤدي إلى وقوع تلفيات أو الإصابة أو يؤدي إلى وفاة أي شخص.

> عند تركيب الوحدة، استخدم أدوات التركيب المرفقة مع المنتج.

• وإلا قد تسـقط الوحدة ونتسـبب في إصابات بالغة.

لا تستخدم المشترك. دائماً استخدم هذا الجهاز في دارة ومع ومفتاح قطع منفصل خاصان به.

• وإلا قد يؤدى ذلك إلى وقوع حريق أو الإصابة بصدمة كهربائية.

قم بتركيب اللوحة وغطاء صندوق التحكم بإحكام.

• هناك خطر وقوع حريق أو الإصابة بصدمة كهربائية بسبب الأتربة أو المياه أو غيرها.

> بالنسبة لأعمال التركيب أو الإزالة أو إعادة التركيب، اتصل دائماً بالموزع أو مركز الخدمة المعتمد.

• هناك خطر وقوع حريق أو الإصابة بصدمة كهربائية أو الانفجار أو الجروح.

في حالة أنغمار المنتج (كلياً أو جزئياً) بالماء، انصل بمركز الخدمة المعتمد لإصلاحه قبل استخدامه مرة أخرى.

• هناك خطر وقوع حريق أو الإصابة بصدمة كهربائية.

تأكد من استخدام فقط القطع المحددة في قائمة قطع الغيار. لا تحاول أبداً القيام بأي تعديل في الجهاز.

• إن استخدام قطع غيار غير مناسبة قد يؤدي إلى صدمة كهربائية أو انبعاث للحرارة بقدر كبير أو الحريق.

توصيلات الأسلاك الداخلية أو الخارجية يجب أن تربط بإحكام ويجب توجيه الكابل بشكل صحيح بحيث لا يتم استخدام القوة أثناء سحب الكابل من نقاط التوصيلات.

▪ فالتوصيلات غير الصحيحة أو غير المربوطة بإحكام قد تنسبب في انبعاث الحرارة أو الحريق.

تأكد من فحص المادة المستعملة في التبريد. من فضلك اقرأ الملصق الموجود على المنتج.

• فوجود مادة تبريد غير مناسبة يمنع الوحدة من العمل بشكل صحيح.

لا تضع سخان أو أي أجهزة تسخين أخرى بجوار كابل الكهرباء.

• هناك خطر وقوع حريق أو الإصابة بصدمة كهربائية.

لا تستخدم المنتج في مكان محكم الإغلاق لفترة طويلة. يجب الاهتمام بالتهوية بانتظام.

• فقد يحدث نقص في الأوكسجين ويؤثر ذلك على الصحة.

يلزم تهوية الغرفة الموجود بها المنتج من آن لأخر في حالة تشغيل المنتج في وجود موقد أو أي جهاز تسخين.

• فقد يحدث نقص في الأوكسجين ويؤثر ذلك على الصحة.

احرص على التأكد من عدم وقوف أي شخص خاصة الأطفال على الوحدة الخارجية او السقوط عليها.

• فقد يؤدي ذلك إلى الإصابة أو تلف المنتج.

لا توصل أو تفصل فيشـة التيار الكهربائي بهدف تشغيل الوحدة أو إيقاف تشغيلها.

هناك خطر وقوع حريق أو الإصابة بصدمة كهربائية.

التخلص الآمن من مواد التغليف. مثل البراغي والمسامير والبطاريات والأشياء المكسورة وغيرها بعد أعمال التركيب أو الخدمة ويجب تقطيع أكياس التغليف البلاستيكية والتخلص منها.

• قد يعبث الأطفال بتلك الأشياء وقد يؤدي ذلك إلى إصابتهم.

لا تستخدم سلك كهرباء أو فيشة أو مقبس تالف.

• وإلا قد يؤدي ذلك إلى وقوع حريق أو صدمة كهربائية.

لا تسمح بمرور الماء داخل الأجزاء الكهربائية. قم بتركيب الوحدة بعيداً عن مصادر المياه.

هناك خطر وقوع حريق أو توقف
 المنتج عن العمل أو صدمة كهربائية.

لا تفتح فتحة الهواء الأمامية للمنتج أثناء التشغيل. (لا تلمس الفلتر الإلكتروستاتي إن كان موجوداً في الوحدة.)

• فقد تحدث إصابة بدنية أو صدمة كهربائية أو توقف المنتج عن العمل.

افصل مصدر التيار الرئيسي وانزع فيشة الوحدة عند تنظيفها او صيانتها.

• هناك خطر الإصابة بصدمة كهربائية.

احرص على التأكد من عدم إمكانية سحب كابل الكهرباء نحو الخارج أو تلفه أثناء التشغيل.

• هناك خطر وقوع حريق أو الإصابة بصدمة كهربائية.

تأكد من فحص كون فيشة كابل الكهرباء غير متسخة، أو غير مربوطة بإحكام أوغير مكسورة، فقط عند إذ أدخل الفيشة بإحكام.

ففيشة الكهرباء المتسخة أو المكسورة أو غير
 المحكمة قد نتسبب في صدمة كهربائية أو حريق.

لا تلمس أو تشغل أو تصلح المنتج بأيدي مبللة. امسك الفيشة باليد عند إخراجها.

> • هناك خطر وقوع حريق أو الإصابة بصدمة كهربائية.

لا تحتفظ أو تستعمل أو تسمح بوجود غاز قابل للاشتعال أو مواد قابلة للاحتراق بالقرب من المنتج.

• فقد يؤدي ذلك إلى حريق.

إن صدر من المنتج أصوات غريبة أو رائحة أو دخان، قم فوراً بإيقاف مفتاح القطع أو افصل كابل التيار الكهربائي.

> • هناك خطر وقوع حريق أو الإصابة بصدمة كهربائية.

في حالة عدم استخدام المنتج لفترة طويلة، يجب فصل فيشة التيار الكهربائي أو إيقاف مفتاح القطع.

• هناك خطر تلف المنتج أو توقفه عن العمل أو تشغيله بصورة غير مقصودة.

> لا تضع أي شيء فوق كابل الكهرباء.

• هناك خطر وقوع حريق أو الإصابة بصدمة كهربائية.

في حالة تسرب غاز قابل للاشتعال، افصل الغاز وافتح النوافذ للتهوية قبل تشغيل المنتح.

> ∙ لا تستخدم الهاتف أو تشغل أي مفتاح تشغيل. فقد تتعرض لوقوع انفجار أو حريق.

∆تنبيه

هذا المنتج لا بد أن يحمله شخصين أو أكثر لنقله.

• تجنب الإصابة.

احتفظ بالمستوى متساوياً عند تركيب المنتج.

• لتجنب الاهتزاز أو صدور أصوات.

لا تقم بتركيب المنتج في مكان معرض لرياح البحر (رذاذ ملحي) مباشرة.

● فقد يؤدي ذلك إلى تكون الصدأ على المنتج.

لا تقم بتركيب المنتج في مكان قد يؤدي الصوت أو الهواء الساخن الصادر من الوحدة الخارجية إلى تلف ممتلكات الجيران أو إزعاجهم.

• فقد تحدث مشكلات ومنازعات بينك وبين الجيران.

قم بنركيب خرطوم النصريف لتنأكد من تصريف الماء المتكثف بعيداً بشكل مناسب.

التوصيلة غير السليمة قد تؤدي إلى تسرب الماء.

افحص دائماً تسرب الغاز (المادة المبردة) بعد تركيب المنتج أو إصلاحه.

• نقص مستوى المادة المبردة يعطل عمل المنتج.

استعمل قطعة قماش ناعمة في التنظيف. لا تستعمل منظفات قوية أو مذيبات أو قطرات الماء وغيرهم.	لا تعيق أبداً مسار تيار الهواء الداخل أو الخارج.	لا تستعمل المنتح في أغراض خاصة، كحفظ الأغذية أو الأعمال الفنية وغبرها. فهو مكيف هواء استهلاكي وليس نظام للتبريد أو الحفظ.
 هناك خطر وقوع حريق أو صدمة كهربائية أو تلف القطع البلاستيكية بالمنتج. 	• قد يعطل ذلك عمل المنتج.	∙ قد يؤدي ذلك إلى تلف المنتج أو فقدانه.
دائماً أدخل الفلتر بإحكام بعد تنظيفه. نظف الفلتر كل أسبوعين أو أقل إذا لزم الأمر.	لا تقف أو تضع أي شيء على المنتج. (الوحدات الخارجية)	لا تلمس القطع المعدنية بالمنتح عند نزع فلتر الهواء.
• الفلتر غير النظيف يقلل من كفاءة التشغيل.	• قد تحدث إصابة أو بتعطل المنتج عن العمل.	• فقد يؤدي ذلك إلى إصابات.
إن تسرب غاز التبريد أثناء أعمال الإصلاح، لا تلمس غاز التبريد المتسرب.	كن حذراً عند إخراج المنتج من التغليف وتركيبه.	لا تدخل يديك أو أي أشياء أخرى خلال فتحات دخول أو خروج الهواء أثناء تشغيل المنتج.
• قد يتسبب غاز التبريد قضمة الصقيع (عضة الجليد)	• قد تتسبب الحواف الحادة في وقوع إصابات.	• هناك قطع حادة ومتحركة قد تؤدي إلى إصايتك.
إن تسرب غاز التبريد أثناء التركيب، يجب تهوية المنطقة فوراً.	لا تخلط بين هواء أو غاز بخلاف مادة التبريد المحدد المستخدم في النظام.	لا تميل الوحدة عند فك تركيبها.
• وإلا قد يضر ذلك بالصحة.	• إذا دخل الهواء داخل نظام التبريد، سينتج عن ذلك ضغط عالي للغاية يتسبب في تلف الجهاز أو الإصابة.	• فقد ينسكب الماء المتكثف بالداخل.
لا تعد شحن البطاريات أو فكها. لا تتخلص من البطاريات في النار.	استبدل كل البطاريات الموجودة في جهاز التحكم عن بعد بأخرى جديدة من نفس النوع. لا تجمع بين البطاريات القديمة والجديدة أو بين أنواع مختلفة من البطاريات.	عملية فك الجهاز ومعالجة زيت التبريد والتعامل مع القطع الداخلية لا بد أن ينم وفق المقاييس المحلية والوطنية.
• فقد تحترق أو تنفجر.	• هناك خطر وقوع حريق أو تعطل المنتج عن العمل.	
لا تعرض جلدك أو الأطفال أو النباتات لتيار هواء بارد أو ساخن.	لا تسمح بتشغيل مكيف الهواء لفترة طويلة حينما تكون درجة الرطوبة عالية وقد ترك الباب أو النافذة مغتوحاً.	إن لامس السائل الخارج من البطاريات جلدك أو ملابسك، اغسله جيداً بماء نظيف. لا تستمل جهاز التحكم عن بعد إن حدث تسرب في البطاريات.
• قد يؤذي ذلك صحتك.	• قد تنكثف الرطوبة وتبلل أو تتلف الأثاث.	∙ المواد الكيماوية داخل البطاريات قد تتسبب في حرقك أو مخاطر صحية أخرى.

لا تشرب الماء الخارج من المنتج.

• فهو غير صحي وقد يؤدي إلى مشكلات صحية.

إن خرج السائل من البطاريات على اجلدك أو ملابسك، اغسله جيداً بماء نظيف. لا تستخدم جهاز التحكم عن بعد إن كان هناك تسرب في البطاريات.

 فالمواد الكيميائية داخل البطاريات قد تتسبب في حرقك أو إيذاء صحتك.

ً استعمل كرسي أو سلم قوي عند تنظيف أو صيانة أو إصلاح المنتج إن كان في مكان مرتفع.

• كن حذراً وتجنب الإصابة.

في حالة أكل السائل من البطاريات، فاغسل أسنانك وراجع الطبيب. لا تستخدم جهاز التحكم عن بعد إذا كان هناك تسرب في سائل البطارية.

> ● فقد تسبب المواد الكيماوية في البطاريات حروقاً أو أضراراً صحية أخرى.

السلامة مع الكهرباء

🕰 تحذير

- يجب توصيل هذا الجهاز بالأرضي. لتقليل احتمال خطر الصدمات الكهربائية، عليك دائماً التوصيل بمصدر تبار موصل بالأرضي.
 - لا تقطع أو تنزع طرف الأرضي من فيشة التيار الكهربائي.
- إن توصيل طرفُ الأرضي للمحول ببر غى غطاء مقبسُ الحائط لا يوصل الجهاز بالأرضي إلا إذا كان برغي
 - الغطاء مصنوعٍ من المعدن وغير معزول وكان مقبس الحائط موصول بالأرضي عبر أستلاك المنزل.
- إن كان لديك أي شـك بشـأن توصيل مكيف الهواء بالأرضي، اسـتدع فني متخصص لفحص مقبس الحائط والدائرة.

الاستخدام المؤقت للمحول

نحن لا نشجع أبداً استعمال المحول بسبب احتمال وقوع المخاطر. بالنسبة للتوصيلات المؤقتة، استعمل نقط محو لا أصليا، وهو منوفر في أكثر محلات الأجهزة الكهربائية. تأكد من أن الفتحة الكبيرة بالمحول محاذية للفتحة الكبيرة في المقبس ليتم التوصيل بنجاح. لفصل سلك الكهرباء من المحول، استعمل يد واحدة على كل واحد لتتجنب إتلاف طرف الأرضي. تجنب فصل سلك التيار بشكل متكرر لأن ذلك يؤدي تلف طرف الأرضي.

🕰 تحذير

• لا تستعمل الجهاز أبداً مع محول مكسور.

الاستخدام المؤقت لسلك التمديد

نحن لا نشجع أبداً استعمال أي تمديد للسلك بسبب احتمال وقوع مخاطر.

🕰 تحذير

يجب تركيب هذا الجهاز وفق قوانين تركيب الأسلاك المحلية. يعمل هذا الكتيب كدليل ليساعدك في فهم خصائص المنتج.

الرموز المستخدمة في هذا الدليل



هذا الرمز ينبهك إلى وجود خطر صدمة كهربائية.



هذا الرمز ينبهك إلى مخاطر قد تؤذي مكيف الهواء.




لة هذا الرمز يشير إلى ملاحظات خاصة

مقدمة عن المنتج

هذه مقدمة موجزة للوحدات الداخلية والخارجية. من فضلك راجع المعلومات الخاصة بنوع الوحدة الداخلية الخاصة بك.

ً الوحدات الداخلية

النوع المنقسم التقليدي مصابيح بيان لوحة العرض




تفريغ الهواء



اتنظرف	اختبار ا	وضع التبريد	نفاثة							وضع التبريد،	وضع
لتلقائي	التشغيل	الموفر لاستهلاك الطاقة	التبريد/التدفئة	بارد للغاية	بارد	ملائم	ساخن	ساخن للغاية	قياسي	التدفّنة، إز الة الرطوبة	التشغيل
Lo	Lo	Εο	Po	2	1		- {	-2	81	درجة حرارة الإعداد	شكل الشاشية

* **البداية الساخنة**: تتوقف المروحة الداخلية في التشغيل الساخن لدقائق لمنع خروج الهواء البارد من الوحدة. * في وضع إزالة الصقيع توقف الوحدة التشغيل الساخن لدقائق قليلة لإزالة الثلج المتكون على الأنابيب الملتفة للمبادل الحراري للاحتفاظ بمستوى كفاءة العمل.

الوحدة الخارجية



تعليمات التشغيل

ً كيفية إدخال البطاريات


- ١ . انزع خطاء البطارية بسحبه في اتجاه السهم.
- ٢. أدخل بطاريات جديدة وتأكد من صحة وضع قطبي البطارية (+) و(-).
 - ٣. أعد تركيب الغطاء بدفعه إلى موضعه.

ملاحظة

- ۱ . دائماً استخدم/استبدل بطاریتین من نفس النوع.
- ۲. إن كنت لن تستخدم النظام لفترة طويلة، انزع البطاريتين لتحتفظ بعمرهما الافتراضي.
- ٣. إن بدأت شاشة عرض جهاز التحكم عن بعد في الخبو، استبدل البطاريتين.

صيانة جهاز التحكم عن بعد اللاسلكي

- ١. اختر مكاناً مناسباً آمناً يسهل الوصول إليه.
- ٢. ثبت الحامل بإحكام بالحائط باستعمال البراغي المرفقة.
 - ٣. أدخل جهاز التحكم عن بعد داخل الحامل.



ملاحظة

- ۱ . يجب ألا يتعرض جهاز التحكم عن بعد إلى ضوء الشـمس المباشر.
- ۲. يجب أن يظل مستقبل ومرسـل الإشـارات نظيفين كي يعملان بكفاءة. اسـتعمل قطعة قماش ناعمة لتنظيفهما.
- ٣. قد تجد أحياناً أن هناك أجوزة أخرى تعمل أيضاً بنفس جهاز التحكم عن بعد، عليك تغيير مكان هذه الأجهزة أو اتصل بمندوب الخدمة.

طريقة التشغيل

- ۱ . مستقبل الإشارات داخل الوحدة.
- ٢. وجه جهاز التحكم عن بعد نحو الوحدة لتشغيلها. يجب ألا يكون هناك أي عائق بين جهاز التحكم والوحدة.



تشغيل جهاز التحكم عن بعد

جهاز التحكم عن بعد يرسل إشارات إلى النظام.





الرياح الطبيعية بالأسلوب المتغير

◘ للحصول على إحساس أكثر انتعاشاً بدلاً من سرعات المروحة الأخرى، اضغط زر اختيار سرعة المروحة. الداخلية واضبطه على الوضع المتغير CHAOS. فم هذا المتعرب حالة الموامكن مقام مقتدالة حدما تتغرب مقاله محقولة الألب اسبالحض

في هذا الوضع، يتحرك الهواء كنسمة طبيعية وذلك حينما تتغير سرعة المروحة طبقاً للأسلوب المتغير.

أثناء التشغيل الصحي بالتخلص من الرطوبة:

◘ إن اخترت وضع التخلص من الرطوبة نم خلال زر اختيار التشغيل، سيبدأ مكيف الهواء وظيفة التخلص من الرطوبة، ويضبط درجة حرارة الغرفة تلقائياً وحجم تيار الهواء في أفضل وضع يناسب عملية التخلص من الرطوبة في درجة حرارة الغرفة الحالية.

> في هذه الحالة، يتم عرض درجة الحرارة التي تم ضبطها في جهاز التحكم عن بعد ولن تتمكن من التحكم في درجة حرارة الغرفة.

◘ أثناء التشغيل الصحي بالتخلص من الرطوبة، يتم تلقائياً ضبط حجم تيار الهواء لتحقيق أفضل وضع استجابة لدرجة حرارة الغرفة الحالية وبالتالي تصبح حالة الغرفة صحية ومريحة حتى خلال فصول السنة التي تتسم بالرطوبة.



🕒 ضبط التحكم في ساعة التوقيت





ملاحظة

- ◘ أثناء تشغيل التبريد السريع في أي لحظة، يبدأ مكيف الهواء في ضخ الهواء البارد بسرعة قصوى لمدة 30 دقيقة ليضبط درجة حرارة الغرفة تلقائياً على 18 درجة مئوية. يستخدم هذا الأسلوب خاصة لتبريد حرارة الغرفة في اقصر وقت ممكن أيام الصيف الحارة. *وظيفة التبريد السريع غير متاحة في وضع مضخة الحرارة.*
 - للعودة إلى وضع التبريد العادي نم وضع التبريد السريع، يلزمك الضغط إما على زر وضع التشغيل، أو زر اختيار حجم تيار الهواء، أو زر ضبط درجة الحرارة، أو زر التبريد السريع مرة أخرى.



التحكم في اتجاه تيار الهواء العمودي 🙌

بمكن تعديل اتحاة تبار الهواء إلى الأعلى أو إلى الأسفل (تيار الهواء العمودي) باستخدام جهاز التحكم عن بعد.





🚺 اضغط زر التشغيل/الإيقاف.

اضغط زر التحكم في اتجاه تيار الهواء وستتحرك فتحات التهوية العمودية إلى الأعلى والى الأسفل تلقائياً.

ملاحظة

- ◘ إن ضغطت زر التحرك CHAOS، سيتغير إتحاه الهواء الأفقى تلقائياً طبقاً لقواعد التحرك المتغير لتوزيع الهواء داخل الغرفة بالتساوي وبالتالي يشعر جسم الانسان بالراحة وكأنه يستمتع بالنسمات الطبيعية.
- 🖵 استعمل دائماً جهاز التحكم عن بعد لتعديل اتجاه تيار الهواء إلى الأعلى أو إلى الأسفل. إن تحريك فتحات اتجاه تبار الهواء العمودي بواسطة اليد قد يتسبب في تلف مكيف الهواء.
 - 🗖 عند إغلاق الوحدة، فإن فتحة تيار الهواء إلى الأعلى وإلى الأسفل ستغلق قتحة إخراج الهواء.

التحكم في اتجاه تيار الهواء الأفقي


• قم بتعديل اتجاه تيار الهواء الأفقي عن طريق تحريك فتحة اتجاه تيار الهواء الأفقية يدوياً بواسطة اليد.



التشغيل سابق الضبط

خطوات التشغيل في حالة عدم استخدام جهاز التحكم عن بعد. سيبدأ التشغيل بعد ضغط زر التشغيل. إن أردت إيقاف التشغيل، اضغط الزر ثانية.

\geq	۱١		موديل التبريد			
		حرارة الغرفة < ۲۱ م	۲۱ ` ۲ <u>حرار</u> ة الغرفة < ۲۶ ` ۲	حرارة الغرفة <u>></u> ۲۶ م	سودين التبريد	
Л		نسخين	التخلص من الرطوبة الصحي	تبريد	نبريد	وضع التشغيل
		عالي	عالي	عالي	عالي	سرعة المروحة الداخلبة
1]	٢٤ ،	. 77	· **	. 77	ضبط درجة الحرارة



تشغيل الاختبار

أثناء تشغيل الاختبار، تعمل الوحدة في وضع التبريد بسرعة المروحة العالية، بصرف النظر عن درجة حرارة الغرفة، وتتوقف عن العمل بعد 18 دقيقة.

أثناء تشغيل الاختبار، إن تم استقبال إشارة نم جهاز التحكم عن بعد، ستعمل الوحدة طبقاً لضبط جهار التحكم عن بعد. إن أردت استخدام هذا الوضع، افتح اللوحة الأمامية إلى الأعلى ثم اضغط زر التشغيل واستمر في

الضغط لمدة 3 ثواني.

وإن أردت إيقاف التشغيل، أعد ضغط الزر.

الصيانة والخدمة

∆تنبيه

قبل الُقيَام بأي عمليات صيانة، افصل التيار الرئيسـي عن النظام، وافصل مفتاح القطع وسـلك الكهرباء.

الوحدة الداخلية

نظف الوحدة باستعمال قطعة قماش ناعمة وجافة. لا تستعمل المبيضات أو المواد الكاشطة.

<u>^</u>تنبيه

- لا تستخدم أياً مما يلٍي
- الماء بدرجة حرارة أعلى من ٤٠ مئوية. فقد يؤدي ذلك إلى تغيير في الشكل واللون.
 - المواد المتطايرة. فقد تتلف سطح مكيف الهواء.

فلاتر الهواء

فلاتر الهواء الموجودة خلف اللوحة الأمامية أو الحاجز الأمامي يجب فحصها وتنظيفها مرة كل أسبوعين على الأقل إذا لزم الأمر. لنزع الفلاتر انظر الرسومات التوضيحية الخاصة بكل موديل. نظف الفلاتر باستخدام المكنسة الكهربائية أو ماء دافئ به صابون. إن لم يسهل إزالة الأوساخ، استعمل محلول أو منظف وماء دافئ. جفف الفلاتر جيداً في مكان ظليل بعد غسلها ثم أعد تركيبها في مكانها.

فلاتر البلازما (اختيارية)

فلاتر البلازما الموجودة خلف فلتر الهواء يجب فحصها وتنظيفها مرة كل ٣ أشهر على الأقل إذا لزم الأمر. لنزع الفلاتر، انظر الرسومات التوضيحية الخاصة بكل موديل. نظف الفلاتر باستعمال المكنسة الكهربائية. إن استمرت متسخة، اغسلها بالماء واتركها تجف جيداً في مكان ظليل ثمر أعد تركيبها في مكانها.

فلاتر التخلص من الروائح وفلاتر الفيروسات والحساسية (اختيارية)


انزع فلاتر التخلص من الروَّائح الموجودة خلف فلتر الهواء وعرضُها لضوء الشمس المباشر لمدة ساعتين. ثم أدخل تلك الفلاتر داخل موضعها الأصلي.

نزع الفلاتر

ا *. نوع التبريد الفني:*

اسحب الجزء السفليّ من الحاجز بعد رفع لسان الفلتر قليلاً وسحب الفلتر برفق نحو الخارج. انزع فلتر البلازما كما هو موضح. يود نتظ ف الفات متحف فه جدار أعد تركيبه متكني بحاجز المواجع، طريق محاذاة الخطاف

بعد تنظيف الفلتر وتجفيفه جيدا، أعد تركيبه وتركيب حاجز الهواء عن طريق محاذاة الخطاف. خطاف اللوحة الأمامية




۲. *نوع التبريد الفني العريض:* حمامات نيري الغلات هو الغير ما المتحق

خطوات نزع الفلاتر هي نفسها المتبعة مع موديل التبريد الفني الموضحة أعلاه.

∆تنبيه

لا تلمس فلتر البلازما خلال ١٠ دقائق بعد فتح حاجز إدخال الهواء، فقد يؤدي ذلك إلى إصابتك بصدمة كهربائية.







۳. *النوع الفاخر:* (النوع ۱)

افتح الجزء العلوي من اللوحة واسحبه للأعلى كما هو موضح. ستخرج خطافات اللوحة. انزع فلاتر الهواء ثم اسحب فلتر البلازما.



Σ. *النوع الفاخر:* (النوع ۲)

افتح اللوحة الأمامية كما هو موضح. ثم اسحب لسـان الفلتر برفق إلـى الأمام لنزع فلتر الهواء. بعد إزالة فلتر الهواء، انزع فلتر البلازما وفلتر التخلص من الروائح عن طريق شـدها برفق نحو الخارج.








- كيف تستخدم اللوحة الأمامية
 - إغلاق اللوحة الأمامية
- حرك الوصلة نحو الأعلى وأغلق اللوحة الأمامية.

 ا. خلع اللوحة الأمامية ارفع الوصلة نحو للأعلى نحو معلاق الخطاف ثم اخلع اللوحة الأمامية باتجاه الأمام.





٥. النوع المقسم التقليدى: هذاك طريقتان لفتح اللوحة الأمامية حسب نوع مكيف الهواء كالآتى:

النوع ! : افتح اللوحة الأمامية كما هو موضح. ثم اسحب لسان الفلتر برفق نحو الأمام لخلع فلتر الهواء. بعد خلع فلتر الهواء، اخلع فلتر البلازما وفلتر التخلص من الروائح بسحبهما برفق باتجاه الأمام.



النوع ٢ : اسحب اللوحة الأمامية من الجانبين كما هو موضح. ثم اسحب لسان الفلتر برفق نحو الأمام لخلع فلتر الهواء. بعد خلع فلتر الهواء، اخلع فلتر البلازما وفلتر التخلص من الروائح بسحبهما برفق باتجاه الأمام. من الروائح من الروائح من الروائح من الروائح بسحبهما برفق باتجاه الأمام.

∆تنبيه

لا تلمس فلتر البلازما خلال 10 دقائق من بعد فتح حاجز إدخال الهواء، فقد يتسبب في صدمة كهربائية.

الوحدة الخارجية

يجب فحص الأنابيب الملتفة للمبادل الحراري وفتحات الهواء باللوحة الأمامية بانتظام. إن كانت مسدودة بالأوساخ أو الأتربة، يجب تنظيف المبادل الحراري وفتحات هواء اللوحة بالبخار بشـكل محترف.

ملاحظة

الأنابيب الملتفة المتسخة أو المسدودة تقلل من كفاءة تشغيل النظام وتتسبب في رفع تكلفة التشغيل.

إرشادات التشغيل

أبق حرارة الغرفة متجانسة.		احتفظ بالستائر مغلقة.		لا تفرط في تبريد الغرفة.	
يل اتجاه تيار الهواء الأفقي ي لتضمن تجانس درجة بالغرفة.	والعمود		لا تسمح بدخول ض المباشر إلى الغرفة مكيف الهواء.		هذا ليس جيداً للصحة ويزيد استهلاك الكهرباء.
استخدم سرعة المروحة العالية للوصول إلى تبريد سريع وفعال.		قم بتهوية الغ كلما دعت الم	فلتر الهواء ام	نظف بانتظ	تأكد من إغلاق الأبواب والنوافذ بإحكام.
الوحدة تعطي سعة التبريد المقررة لها حينما تكون المروحة بأعلى سرعة.	ها لتهوية	لأن النوافذ تظل م فمن الأفضل فتحر الغرفة من آن لآخ	سدادات في فلتر نلل تيار الهواء التبريد وتأثير من الرطوبة. رة واحدة كل ب علم الأقار.	الهواء تذ وكفاءة ا التخلص نظفه م	تجنب فتح الأبواب والنوافذ بقدر المستطاع للاحتفاظ بالهواء البارد داخل الغرفة.

وظيفة التشخيص الذاتي

هذه الوحدة تملك إمكانات داخلية لتشخيص الأخطاء. مصباح بيان الوحدة (①) سيومض في حالة فشـل الثرموسـتات. من فضلك اتصل بمسؤول الخدمة أو الموزع في هذه الحالة.

نقطة الفحص	مصباح بيان الأخطاء (①)	
 دارة ترموستات حرارة الغرفة الداخلي غير متصلة/تماس دارة ترموستات حرارة الأنبوب الداخلي غير متصلة/تماس 	(مرة واحدة) 	

إرشادات اكتشاف الأعطال وإصلاحها! وفر الوقت والمال!

قد يكون مكيف الهواء لا يعمل بصورة طبيعية حينما:

ماذا يجب أن تفعل	الأسباب المحتملة	المشكلة
• تأكد من دفع فيشـة مكيف الهواء تماماً نحو المقبس.	■ مكيف الهواء غير موصول بالكهرباء،	
• افحص فيوز المنزل/صندوق مفتاح القطع واستبدل الفيوز أو أعد ضبط مفتاح القطع.	■ انفجر الفيوز/توقف مفتاح القطع.	مكيف الهواء
• إن انقطع التيار الكهربائي، أدر مفتاح التحكم في وضع التشغيل إلى OFF. عند عودة التيار، انتظر 3 دقائق قبل إعادة تشغيل مكيف الهواء لتتجنب مشكلة زيادة العبء على الضاغط.	■ انقطاع التيار.	لا يعمل.
• إن كان الفولت عالي أو منخفض بشكل غير طبيعي، سيتوقف مفتاح القطع.	■ الفولت عالي.	
• تأكد من عدم وجود ستائر أو أثاث يعيق المنطقة أمام مكيف الهواء.	■ يوجد ما يمنع تيار الهواء.	
• نظف الفلتر مرة كل أسبوعين على الأقل. راجع قسم الصيانة والخدمة.	■ فلتر الهِواء متسـخ.	
• عند تشغيل مكيف الهواء لأول مرة، ستحتاج إلى أن تنتظر لبعض الوقت كي تبرد الغرفة.	■ قد تكون الغرفة حارة.	مكيف العواء لا يبرد بالشـكل المطلوب.
• تأكد من وجود فتحات مفتوحة بالأرضيات وعودة تيار الهواء البارد.	■ الهواء البارد يتسرب.	-
• تأكد من صحتها.	■ افحص إعدادات درجة الحرارة.	
• تأكد من إزالة هذا المصدر أو إغلاقه أثناء تشغيل مكيف الهواء.	■ قد يكون هناك أي مصدر للحرارة بالغرفة.	

اتصل بمركز الخدمة فوراً في الحالات التالية

- ١. أي شـيء يحدث غير طبيعي مثل رائحة احتراق، صوت عال أو غيره. أوقف تشغيل الوحدة وأوقف مفتاح القطع. لا تحاول إصلاح العطل بنفسك أو تحاول إعادة تشغيل النظام في هذه الحالات.
 - ٢. سلك التيار الرئيسـي سـاخن جداً أو تالف.
 - ٣. هناك كود خطأ ناتج عن التشخيص الذاتي.
 - ٤. الماء يتسرب من الوحدة الداخلية حتى بعد انخفاض نسبة الرطوبة.
 - ٥. أي مفتاح تحويل أو مفتاح قطع (أمان أو أرضي) أو فيوز لا يعمل بشكل صحيح.

يجب أن يقوم المستخدم بالفحص والتنظيف الدوري لتجنب احتمال الأداء الضعيف للوحدة. في الحالات الخاصة، يجب أن يقوم مسؤول الخدمة فقط بالمهمة.