


Mini Hi-Fi System Model: CM9750
 Image: Market and the speaker plugs into their corresponding colored speaker connectors.

Connection for SPEAKER LIGHTING


000


Speaker Connection

ENGLISH | SIMPLE MANUAL (1 of 2) To view the instructions of advanced features, visit <u>http://www.lg.com</u> and then download Owner's Manual. Some of the content in this manual may differ from your unit.




MFL68903703






www.lg.com






Empty folders are not searched.



1








Play the music on the connected external device.



You can connect two units to play music together.









You can adjust DJ EFFECT sound gage level between 0 to 15. The initial level is 7.

Alarm function works only after clock is set.



Mini Hi-Fi System

Model : CM9750


ENGLISH | SIMPLE MANUAL (2 of 2)

To view the instructions of advanced features, visit http://www.lg.com and then download Owner's Manual. Some of the content in this manual may differ from your unit.

Programmed Playback


This function is supported only on stop status.

To make Programmed Playback list





You can make a playlist of your favourite tracks/files from a disc or USB device using programmed Playback .

www.lg.com



Status	Recording (Only CD function)
Playback	One track/file
Programmed playback	Programmed track(s)/file(s)
Full stop	All track(s)/file(s)








Auto Function Change

This unit recognizes input signals such as **Bluetooth** and LGTV and then changes suitable function automatically.



For specific information of operating, refer to the instruction manual of your TV. If the connection fails, check the conditions of this unit and your TV : power, function. The amount of time to turn off this unit is different depending on your TV.




Specification


ENGLISH

Power Requirements	Refer to the main label on the unit.
Power Consumption	Refer to the main label on the unit.
	Networked standby : 0,4 W (If all network ports are activated.)
Bus Power Supply (USB)	5 V === 500 mA
Amplifier Total Output	3 000 W

Design and specifications are subject to change without notice.

How to disconnect the wireless network connection or the wireless device Turn off the unit by pressing the power button for more than 5 seconds.





Ferrite core may not be provided depending on each nation's regulations.

Pull the stopper [a] of the ferrite core to open.

2 Wind the power cord around the ferrite core twice (Once for 110 V cord). Wind the SPEAKERS cables around the ferrite core once. Wind the SPEAKER LIGHTING cables around the ferrite core once.

Close the ferrite core until it clicks.



CAUTION: TO REDUCE THE RISK OF ELECTRIC SHOCK DO NOT REMOVE COVER (OR BACK) NO USER-SERVICEABLE PARTS INSIDE REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.

> This lightning flash with arrowhead symbol within an equilateral triangle is intended to alert the user to the presence of uninsulated dangerous voltage within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.

The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the product.

WARNING: TO PREVENT FIRE OR ELECTRIC SHOCK HAZARD, DO NOT EXPOSE THIS PRODUCT TO RAIN OR MOISTURE. CAUTION: The apparatus shall not be exposed to water (dripping

or splashing) and no objects filled with liquids, such as vases, shall be placed on the apparatus.

WARNING: Do not install this equipment in a confined space such as a book case or similar unit.

Ō

CAUTION: Do not use high voltage products around this product. (ex. Electrical swatter) This product may malfunction due to

electrical shock. **CAUTION:** Do not block any ventilation openings. Install in accordance with the manufacturer's instructions. Slots and openings in the cabinet are provided for ventilation and to ensure reliable operation of the product and to protect it from

over heating. The openings shall be never be blocked by placing the product on a bed, sofa, rug or other similar surface. This product shall not be placed in a built-in installation such as a bookcase or rack unless proper ventilation is provided or the manufacturer's instruction has been adhered to.

CLASS 1	LASER PRODUCT
KLASSE 1	LASER PRODUKT
LUOKAN 1	LASER LAITE
KLASS 1	LASER APPARAT
CLASSE 1	PRODUIT LASER
KELAS 1	PRODUK LASER
URZADZENI	A LASEROWE KLASY

CAUTION: This product employs a Laser System. To ensure proper use of this product, please read this owner's manual carefully and retain it for future reference. Shall the unit require maintenance, contact an authorized service center. Use of controls, adjustments or the performance of procedures other than those specified herein may result in hazardous radiation

Use of controls, adjustments or the performance of procedures other than those specified herein may result in hazardous radiation exposure. To prevent direct exposure to laser beam, do not try to open the enclosure.

CAUTION concerning the Power Cord

The Power Plug is the disconnecting device. In case of an emergency, the Power Plug must remain readily accessible. This device is equipped with a portable battery or accumulator.

Safety way to remove the battery or the battery from the equipment: Remove the old battery or battery pack, follow the steps in reverse order than the assembly. To prevent contamination of the environment and bring on possible threat to human and animal health, the old battery or the battery put it in the appropriate container at designated collection points. Do not dispose of batteries or battery together with other waste. It is recommended that you use local, free reimbursement systems batteries and accumulators. The battery shall not be exposed to excessive heat such as sunshine, fire or the like. Additional Information

Music File Requirement

Sampling frequency		 MP3 : 32 - 48 kHz WMA : 32 - 48 kHz
Bit rate		 MP3 : 32 - 320 kb/s WMA : 40 - 192 kb/s
Maximum files	5	Data CD : 999 / USB : 2 000
Maximum fold	lers	Data CD : 99 / USB : 200
File extensions	õ	• ".mp3" • ".wma"
CD-ROM file format		ISO9660+JOLIET
USB Flash Driv	e	Devices that support USB2.0 or USB1.1.
Bluetooth	Codec	SBC

• The USB function of this unit does not support all USB devices.

Using NTFS file system is not supported. (Only FAT(16/32) file system is supported.)

External HDD, Card readers, Locked devices, or hard type USB devices are not supported.
The DTS is not supported. In case of DTS audio format, audio is not output.

