



Please read this manual carefully before operating your set and retain it for future reference.

Ceiling Concealed Duct - Low Static

Original instruction



P/NO · MFI 67642702



## **TABLE OF CONTENTS**

Safety Precautions3
Prior to Operation6
Maintenance and Service7
Before you Call for Service9



## FOR YOUR RECORDS

Write the model and serial numbers here:

#### Model #

#### Serial #

You can find them on a label on the side of each unit.

#### Dealer's Name

#### **Date Purchased**

Staple your receipt to this page in the event you need to prove date of purchase or to issue warranty.



### **READ THIS MANUAL**

Inside you will find many helpful hints on how to use and maintain your air conditioner properly. Just a little preventive care on your part can save you a great deal of time and money over the life of your air conditioner.

You'll find many answers to common problems in the chart of troubleshooting tips. If you review our chart of

Troubleshooting Tips first, you may not need to call for service at all.



### **PRECAUTION**

- Contact the authorized service technician for repair or maintenance of this unit.
- · Contact the installer for installation of this unit.
- The air conditioner is not intended for use by young children or invalids without supervision.
- Young children should be supervised to ensure that they do not play with the air conditioner.
- When the power cord is to be replaced, replacement work shall be performed by authorized personnel only using only genuine replacement parts.
- Installation work must be performed in accordance with the National Electric Code by qualified and authorized personnel only.



## **Safety Precautions**

To prevent injury to the user or other people and property damage, the following instructions must be followed.

■ Incorrect operation due to ignoring instruction will cause harm or damage. The seriousness is classified by the following indications.

**AWARNING** 

This symbol indicates the possibility of death or serious injury.

**▲** CAUTION

This symbol indicates the possibility of injury or damage to properties only.

■ Meanings of symbols used in this manual are as shown below.

$\bigcirc$	Be sure not to do.	
0	Be sure to follow the instruction.	

### **▲ WARNING**

#### ■ Installation

Do not use a defective or underrated circuit breaker. Use this appliance on a dedicated circuit.

· There is risk of fire or electric shock.

Install the panel and the cover of control box securely.

· There is risk of fire or electric shock.

Do not modify or extend the power cable.

· There is risk of fire or electric shock

For installation, always contact the dealer or an Authorized Service Center.

· There is risk of fire, electric shock. explosion, or injury.

For electrical work, contact the dealer, seller, a qualified electrician, or an Authorized Service Center.

Do not disassemble or repair the product. There is risk of fire or electric shock.

Always install a dedicated circuit and breaker.

· Improper wiring or installation may cause fire or electric shock

Do not install, remove, or reinstall the unit by yourself (customer).

· There is risk of fire, electric shock, explosion, or injury.

Do not install the product on a defective installation stand.

· It may cause injury, accident, or damage to the product.

Always ground the product.

· There is risk of fire or electric shock.

Use the correctly rated breaker or fuse.

· There is risk of fire or electric shock.

Be cautious when unpacking and installing the product.

· Sharp edges could cause injury. Be especially careful of the case edges and the fins on the condenser and evaporator.

Be sure the installation area does not deteriorate with age.

· If the base collapses, the air conditioner could fall with it. causing property damage, product failure, and personal injury.

#### Do not let the air conditioner run for a long time when the humidity is very high and a door or a window is left open.

 Moisture may condense and wet or damage furniture.

# Do not plug or unplug the power supply plug during operation.

 There is risk of fire or electric shock

## Do not allow water to run into electric parts.

 It may cause There is risk of fire, failure of the product, or electric shock.

#### When flammable gas leaks, turn off the gas and open a window for ventilation before turn the product on.

 Do not use the telephone or turn switches on or off.
There is risk of explosion or fire

# Do not open the inlet grill of the product during operation. (Do not touch the electrostatic filter, if the unit is so equipped.)

 There is risk of physical injury, electric shock, or product failure.

#### ■ Operation

Take care to ensure that power cable could not be pulled out or damaged during operation.

 There is risk of fire or electric shock.

## Do not touch(operate) the product with wet hands.

 There is risk of fire or electrical shock.

# Do not store or use flammable gas or combustibles near the product.

 There is risk of fire or failure of product.

If strange sounds, or small or smoke comes from product. Turn the breaker off or disconnect the power supply cable.

There is risk of electric shock or fire.

# When the product is soaked (flooded or submerged), contact an Authorized Service Center.

 There is risk of fire or electric shock.

## Do not place anything on the power cable.

There is risk of fire or electric shock

# Do not place a heater or other appliances near the power cable.

• There is risk of fire and electric shock.

# Do not use the product in a tightly closed space for a long time.

Oxygen deficiency could occur.

Stop operation and close the window in storm or hurricane. If possible, remove the product from the window before the hurricane arrives.

 There is risk of property damage, failure of product, or electric shock.

## Be cautious that water could not enter the product.

 There is risk of fire, electric shock, or product damage.

## Ventilate the product from time to time when operating it together with a stove, etc.

· There is risk of fire or electric shock.

# When the product is not be used for a long time, disconnect the power supply plug or turn off the breaker.

• There is risk of product damage or failure, or unintended operation.

## Turn the main power off when cleaning or maintaining the product.

· There is risk of electric shock.

## Take care to ensure that nobody could step on or fall onto the outdoor unit.

 This could result in personal injury and product damage.

### **A**CAUTION

#### ■ Installation

Always check for gas (refrigerant) leakage after installation or repair of product.

· Low refrigerant levels may cause failure of product.

Do not install the product where the noise or hot air from the outdoor unit could damage the neighborhoods.

· It may cause a problem for your neighbors.

Install the drain hose to ensure that water is drained away properly.

· A bad connection may cause water leakage.

Use two or more people to lift and transport the product.

· Avoid personal injury.

Keep level even when installing the product.

· To avoid vibration or water leakage.

Do not install the product where it will be exposed to sea wind (salt spray) directly.

· It may cause corrosion on the product. Corrosion, particularly on the condenser and evaporator fins, could cause product malfunction or inefficient operation.

#### Operation

Do not expose the skin directly to cool air for long periods of time. (Don't sit in the draft.)

· This could harm to your health.

Use a soft cloth to clean. Do

not use harsh detergents,

· There is risk of fire, electric

parts of the product.

shock, or damage to the plastic

Always insert the filter securely.

Clean the filter every two weeks

· A dirty filter reduces the efficiency of

the air conditioner and could cause

product malfunction or damage. Use a firm stool or ladder when

cleaning or maintaining the

or more often if necessary.

solvents, etc.

Do not use the product for special purposes, such as preserving foods, works of art, etc. It is a consumer air conditioner. not a precision refrigeration system.

 There is risk of damage or loss of property.

Do not touch the metal parts of the product when removing the air

· There is risk of personal injury.

filter. They are very sharp!

Do not insert hands or other objects through the air inlet or outlet while the product is operated.

 There are sharp and moving parts that could cause personal injury.

Replace the all batteries in the remote control with new ones of the same type. Do not mix old and new batteries

· There is risk of fire or explosion

or different types of batteries.

Do not block the inlet or outlet of air flow

It may cause product failure.

Do not step on or put anyting on the product. (outdoor units)

· There is risk of personal injury and failure of product.

Do not drink the water drained from the product.

· It is not sanitary and could cause serious health issues

Do not recharge or disassemble the batteries. Do not dispose of batteries in a

· They may burn or explode.

· Be careful and Air-Filter avoid personal injury.

product.

If the liquid from the batteries gets onto your skin or clothes, wash it well with clean water. Do not use the remote if the batteries have leaked.

 The chemicals in batteries could cause burns or other health hazards.

If you eat the liquid from the batteries, brush your teeth and see doctor. Do not use the remote if the batteries have leaked.

 The chemicals in batteries could cause burns or other health hazards.

## **Prior to Operation**

### Preparing for operation

- 1. Contact an installation specialist for installation.
- Use a dedicated circuit.

#### Usage

- 1. Being exposed to direct airflow for an extended period of time could be hazardous to your health. Do not expose occupants, pets, or plants to direct airflow for extended periods of time.
- 2. Due to the possibility of oxygen deficiency, ventilate the room when used together with stoves or other heating devices.
- 3. Do not use this air conditioner for non-specified special purposes (e.g. preserving precision devices, food, pets, plants, and art objects). Such usage could damage the items.
- 4. While using the remote control, refer the user manual of that particular remote controller.

## Cleaning and maintenance

- 1. Do not touch the metal parts of the unit when removing the filter. Injuries can occur when handling sharp metal edges.
- 2. Do not use water to clean inside the air conditioner. Exposure to water can destroy the insulation, leading to possible electric shock.
- 3. When cleaning the unit, first make sure that the power and breaker are turned off. The fan rotates at a very high speed during operation. There is a possibility of injury if the unit's power is accidentally triggered on while cleaning inner parts of the unit.

#### Service

For repair and maintenance, contact your authorized service dealer.

## **Maintenance and Service**



CAUTION: Before performing any maintenance, turn off the main power to the system.

#### Grille, Case, and Remote Control

☐ Turn the system off before cleaning. To clean, wipe with a soft, dry cloth. Do not use bleach or abrasives.

**NOTICE** Supply power must be disconnected before cleaning the indoor unit.

#### Air Filter

The air filters behind Indoor unit (the suction side) should be checked and cleaned once every 2 weeks or more often if necessary.



- ☐ Never use any of the followings:
  - Water hotter than 40°C Could cause deformation and/or discoloration.
  - · Volatile substances Could damage the surfaces of the air conditioner.



- 1. Clean the filter with a vacuum or warm, soapy water.
  - · If very dirty, wash with a solution of detergent in lukewarm water.
  - If hot water (50°C or more) is used, filter may be deformed.
- 2. After washing with water, dry well in the shade.
- 3. Re-install the air filter.

### When the air conditioner is not going to be used for a long time.

## When it is not going to be used for a long time.

- Operate the air conditioner on Air circulation mode for 2 to 3 hours.
- · This will dry out the internal parts.

Turn off the circuit breaker.



#### 



Turn off the circuit breaker when the air conditioner is not going to be used for a long time. Dirt may collect and may cause a fire.

#### When the air conditioner is to be used again.

■ Check that the air inlet and outlet of the indoor/outdoor unit are not blocked.

#### **Helpful** information

The air filters and your electiric bill. If the air filters become clogged with dust, the cooling capacity will drop, and 6% of the electricity used to operate the air conditioner will be wasted.

### Operation Tips

#### Do not overcool the room.

This is not good for the health and wastes electricity.

Clean the air filter regularly.

Blockages in the air filter reduce the airflow and lower cooling and dehumidifying effects. Clean at least once every two weeks.

Keep blinds or curtains closed.

Do not let direct sunshine enter the room when the air conditioner is in operation.

> Ventilate the room occasionally.

Since windows are kept closed, it is a good idea to open them and ventilate the room now and then.

Make sure that the doors and windows are shut tight.

Avoid opening doors and windows as much as possible to keep the cool air in the room.



### Before you call for service...



#### Troubleshooting Tips! Save time and money!

Check the following points before requesting repairs or service.... If the malfunction persists, please contact your dealer.

#### The room has a Air conditioner does The air conditioner It seems that condensation is not operate for about does not operate. peculiar odor. leaking from the air 3 minutes when conditioner. restart. · Check that this is not Condensation occurs This is the protector · Have you made a mistake in timer a damp smell exuded when the airflow from of the mechanism. operation? by the walls, carpet, the air conditioner Wait about three Has the fuse blown furniture or cloth cools the warm room minutes and items in the room. or has the circuit air. operation will begin. breaker been tripped? Does not cool or heat The air conditioner Crack sound is Remote control operation is noisy. effectively. heard. display is faint, or no display at all. · This sound is · Is the air filter dirty? For a noise that · Are the batteries See air filter cleaning sounds like water generated by the depleted? instructions. flowina. expansion/ constriction · Are the batteries · The room may have -This is the sound of of the front panel, etc. inserted in the been very hot when freon flowing inside due to changes of opposite (+) and (-) the room air the air conditioner temperature. directions? conditioner was first unit turned on. Allow time For a noise that Filter sign lamp for it to cool down. sounds like the (LED) is ON. Has the temperature compressed air been set incorrectly? releasing into Are the indoor unit's atmosphere. · Cleaning the filter. air inlet or outlet vents -This is the sound of press the Timer obstructed? the dehumidifying button and **◀** button water being processed inside the of wired remote controller at the same air conditioning unit. time for 3 sec.

#### NOTICE

WATER RESISTANT: The outdoor side of this appliance is WATER RESISTANT. The indoor side is not water resistant and should not be exposed to excess water.

#### Details of LG serial No.



1 2 3 4 5 6 7 8 9 10

#### Code Detail Code of Model Meaning The last digit of year 1 0~9 Year (Digit) ex) $1997 \rightarrow 7, 2000 \rightarrow 0$ Month 01~12 Month 2,3 ex) March $\rightarrow$ 03, August $\rightarrow$ 08 (Digit) Where manufactured 4 Nation A~Z (Alphabet) ex) $K \rightarrow Korea, C \rightarrow China$ 5 Product A~Z ex) A → Airconditioner (Alphabet) 6~10 Serial No. 0~9 **Production Quantity** (Digit)

#### **Main Service Part List**

NO	PART NAME
1	COMPRESSOR
2	MOTOR
3	MAIN PCB ASSY
4	REMOCON
5	TRANSFORMER

لالخليجية الامارات العربيه المتحده – دبي ميديا سيتي – برج شاذا الطابق 34 – ص.ب 502535

للأردن

شرُكة إل جي للإلكترونيات – المشرق العربي منطقة مشروع العبدلي- جادة رفيق الحريري- الطابق الخامس

[Manufacturer] LG Electronics Inc. Changwon 2nd factory 84, Wanam-ro, Seongsan-gu, Changwon-si, Gyeongsangnam-do, KOREA