

# Sinal digital LG


**(SINALIZAÇÃO DO MONITOR)**


32SM5D 43SM5D 49SM5D 55SM5D 65SM5D
32SM5KD 43SM5KD 49SM5KD 55SM5KD 65SM5KD
43SM3D 49SM3D 55SM3D





















*MFL69868304*

P/No: MFL69868304 (1704-REV00)
Impresso na Coréia



Você pode fazer download dos manuais na Web deste produto nos seguintes sites. (Palavra-chave: SM5D, SM3D, SM5KD)

• www.lg.com/br



SuperSign : http://partner.lge.com

**TODOS OS AJUSTES DE RF, JÁ FORAM CALIBRADOS NO PRÓPRIO MÓDULO DE RF.**

## MÓDULO WI-FI / BLUETOOTH
## MODELO: LGSBW41


ANATEL
*Agência Nacional de Telecomunicações*

3636-13-1925


(01) 07893299641633

**Este equipamento opera em caráter secundário, isto é, não tem direito a proteção contra interferência prejudicial, mesmo de estações do mesmo tipo, e não pode causar interferência a sistemas operando em caráter primário.**


| | | | |
|---|---|---|---|
| 32SM5D | 43SM5D | 49SM5D | 55SM5D |
| 32SM5KD | 43SM5KD | 49SM5KD | 55SM5KD |
| 43SM3D | 49SM3D | 55SM3D | |





⊕ **SM5D, **SM3D



HDMI OUT
PIXEL SENSOR
3.3 V 0.25 mA
IR&LIGHT SENSOR
DP OUT
DP IN
DP OUT
DVI-D IN
RGB IN
LAN
USB 3.0 IN
5 V 0.9 A
RS-232C IN
RS-232C OUT
Mac
DVI OUT
RGB OUT


65SM5D | 65SM5KD





⊕ 65SM5D


PIXEL SENSOR
IR&LIGHT SENSOR
HDMI IN 1
HDMI IN 2
DP IN
DP OUT
LAN
DVI-D IN
USB 3.0 IN
5 V ⎓ 0.9 A
RGB IN
DP OUT
HDMI OUT
DVI OUT
RGB OUT


2
1


1
2
3
4


A
B
LG
Life's Good
A
B
⏻/I