


NO	24	23	22				
012220103		This drawing is the property of UGE and it is protected by the concerned laws and regulation.					
CTQ Table							
No.	CTQ Item	Unit	Value & Tolerance			Z-Value	
			Target	LSL	USL	Zst	Zlt
1							
2							
3							
4							

WORK	BRAND	BUYER	LANGUAGE	TOTAL PAGE	PRINTING ON LAST PAGE	WARRANTY CARD	COLOR FRONT PAGE	APPLICABLE MODEL	SAFETY INFORMATION	REMARK
03	LG	LGEIL DOM	ENGLISH/HINDI	16	BARCODE WITH PART NO.	YES	BLACK & WHITE	GL-201/GL-211	YES	Orion5L/VD4 with plastic key

		3			2			1			A
		Tolerance Grade		Length(mm)							
Mark	Classification	0.5-3	3-6	6-30	30-126	126-400	400-1000	1000-2000	2000-		
	F Fine (1-X-Grade)	0.05	0.05	0.1	0.15	0.2	0.3	0.5	0.8		
	M Medium (1-X-Grade)	0.1	0.1	0.2	0.3	0.5	0.8	1.2	2.0		
	C Coarse (1-X-Grade)	0.2	0.3	0.5	1.0	1.2	2.0	3.0	4.0		
	V Very Coarse (1-X-Grade)	-	0.5	1.0	1.5	2.5	4.0	6.0	8.0		
Tolerance	Tolerance Grade		Round/Chamber(2mm)		Angle (1-Degree' Minute' Second")						
	Mark	Classification	0.5-3	3-6	6-10	10-30	30-120	120-400	400-		
	F Fine (1-X-Grade)	0.2	0.5	1.0	1"	10'	30"	10'	5'		
	M Medium (1-X-Grade)	0.2	0.5	1.0	1"	30'	20"	10'	5'		
	C Coarse (1-X-Grade)	0.4	1.0	2.0	1°30'	1"	30'	15'	10'		
V Very Coarse (1-X-Grade)	0.4	1.0	2.0	3"	2"	1"	30'	20'			



NOTES :

1. MATERIAL : SNOW WHITE PAPER 60 g/m2 $\pm$ 5%
2. ALL PRINTING TO BE DONE IN BLACK & LG GREY COLOR AS PER R&d CONTROL COPY.
3. INSPECTION CRITERIA AS PER CONTROLLED COPY GIVEN MY R&D
4. (IF APPLICABLE) ANY TYPE OF PLASTIC/FOAM USED FOR PACKING SHOULD BE ABOVE 50MICRON WITH RECYCLE SYMBOL/PRINTING NOTE AS PER PWM RULE
5. THIS PART SHOULD COMPLY WITH THE CRITERIA OF LEVEL A-I, A-II
RESTRICTED HAZARDOUS SUBSTANCES WHICH REFERS TO LGE STANDARD LG(10)-A-9023
AND THE HAZARDOUS SUBSTANCE MANAGEMENT MANUAL FOR THE SUPPLIERS.

PWM Note

"The compliance related to plastic sheet or like used for packaging should be as per the "The Plastic Waste Management Rules , 2016 as amended from time to time" and as per LG standard LG(ILN)-B-3073 as shared."

[illegible]

- The frost accumulated on the freezer parts prevents proper cooling of the fresh food compartment as the accumulated ice acts as an insulator for the cooling process.
- फ्रीजर के हिस्सों पर जमा हुआ फ्रॉस्ट ताजा भोजन डिब्बों के उचित शीतलन को रोकता है क्योंकि संचित बर्फ शीतलन प्रक्रिया के लिए इन्सुलेटर के रूप में कार्य करता है।

b) Defrosting / डिफ्रॉस्टर

- Defrosting is the process of removing excess frost and ice from freezer components to maintain proper motion की स्थिति में डिफ्रॉस्टिंग उचित बनाए रखने के लिए फ्रीजर इकाई से अतिरिक्त ठंड और बर्फ को हटाने की प्रक्रिया है
- Defrosting process improves the operating efficiency of the refrigerator and hence the energy consumption.
- डिफ्रॉस्टिंग प्रक्रिया में रेफ्रिजरेटर की परिचायन क्षमता और उर्जा उपयोग में सुधार करती है।

c) Starting, During & After Defrost / प्रारम्भ, दौरान और डिफ्रॉस्ट के बाद में।

- This appliance comes with a semi-automatic defrosting provision.
- यह उपकरण अर्ध-स्वचालित डिफ्रॉस्टिंग प्रदान करने के साथ आता है।
- Users can start the defrosting process by pressing the defrost button.
- उपयोगकर्ता डिफ्रॉस्ट बटन दबाकर डिफ्रॉस्टिंग प्रक्रिया प्रारम्भ कर सकते हैं।
- For Display model Users can start the defrosting process by pressing and holding the defrost button on display for 3 seconds.
- डिस्प्ले मॉडल के लिए उपयोगकर्ता 3 सेकंड के लिए डिस्प्ले पर डिफ्रॉस्ट बटन दबाकर और डिफ्रॉस्ट करने की प्रक्रिया शुरू कर सकते हैं।

- During the defrost process, the compressor will not operate so as the ice and frost could melt.
- डिफ्रॉस्ट प्रक्रिया के दौरान, कम्प्रेसर काम नहीं करेगा, क्योंकि बर्फ और फ्रॉस्ट पिघल सकता है।
- Defrosted water will flows to Tray Fresh Room and small water may dropping other place.
- डिफ्रॉस्टेड पानी ट्रे फ्रेश रूम में प्रवाहित होगा और कम पानी दूसरी जगह गिर सकता है।
- In this case, swipe or remove water with dried dishcloths
- इस मामले में, सूखे, डिशक्लीथ के साथ पानी को स्वादा कर या हटा दें।
- Once the defrosting is complete, the refrigerator cooling will restart automatically.
- एक बार डिफ्रॉस्टिंग पूरा हो जाने पर, रेफ्रिजरेटर की कूलिंग अपने आप फिर से चालू हो जाएगी।
- For the best efficiency of refrigerator, Push the defrost knob after every 3 days/Ice level reaches defrost indicator.

2. Caution / सावधान्य

- Before defrosting user shall ensure that no Ices, ice cream or Frozen foods are stored in the freezer, as it may melt or thaw.
- डिफ्रॉस्ट करने से पहले उपयोगकर्ता यह सुनिश्चित करेगा कि कोई भी बर्फ, आइसक्रीम या फ्रोजन खाद्य पदार्थ में संग्रहीत नहीं होने के रूप में यह पिघल सकता है।
- Not defrosting the refrigerator periodically may-

- रेफ्रिजरेटर को समय-समय पर डिफ्रॉस्ट न करने से—
 - Deteriorate the operating efficiency of the refrigerator
 - रेफ्रिजरेटर की संचालन क्षमता को खराब करना।
 - Food items stored in the fresh food compartment and vegetable compartment may get stale due to the rise in temperature of these compartments.
 - इन डिब्बों के तापमान में वृद्धि के कारण ताजा भोजन डिब्बे और सब्जी के डिब्बे में संग्रहीत भोजन खाद्य पदार्थ बारी हो सकते हैं

- Do not use sharp tools to remove ice tray, otherwise you may puncture the evaporator/Freezer resulting gas leakage thus not performance of refrigerator.
- बर्फ की ट्रे को हटाने के लिए नुकीले औजारों का प्रयोग न करें , अन्यथा आप वाष्पीकरण /फ्रीजर में सुराक्ष हो सकता है जिसके कारण परिणामस्वरूप रेफ्रिजरेटर गैस बाहर निकल निकल जाएगा जिससे रेफ्रिजरेटर का गैर प्रदर्शन हो सकता है।

• ICE MAKING/बर्फ कैसे बनाने

- Fill ice trays with water, place in freeze Box. To remove ice cube, gently twist ice tray.
- बर्फ की ट्रे को पानी से भरें और इसे फ्रीज बॉक्स में रखें। बर्फ निकालने के लिए बर्फ की ट्रे को हल्के से मोड़ें।

OPERATING PROCEDURE OF DISPLAY

- ④ **Fridge**
Press Fridge button to control the Refrigerator temperature
रेफ्रिजरेटर के तापमान को नियंत्रित करने के लिए फ्रिज बटन दबाएं।
Express Cool / एक्सप्रेस कूल
This feature is provided for fast cooling and quick ice making. To activate this mode, press & hold 'Express Cool' for 3 seconds. In this function, the compressor operates at maximum cooling capacity to quickly lower the refrigerator temperature. It shuts off automatically once optimum temperature is achieved.
In case of power cut, the refrigerator will come out of 'Express Cool' mode.
तुरंत कूलिंग और तेजी से बर्फ बनाने के लिए सुविधा प्रदान की गयी है। इस मोड को प्रवृत्त करने के लिए, एक्सप्रेस कूल बटन को दबाकर रखें। एक्सप्रेस कूलिंग के दौरान कम्प्रेसर रेफ्रिजरेटर के तापमान को तब तक से कम करने के लिए अधिकतम कूलिंग क्षमता पर काम करता है।
इष्टतम तापमान प्राप्त होने के बाद यह स्वाचालित बंद हो जाता है। बिजली चले जाने पर रेफ्रिजरेटर एक्सप्रेस मोड से बाहर आ जाएगा।
- ⑤ **Defrost / डिफ्रॉस्ट**
Press the defrost button in case of excess ice and hold for 3 seconds. For best performance of refrigerator, press defrost button every three days.
अधिक बर्फ होने की स्थिति में डिफ्रॉस्ट बटन दबाएं और 3 सेकंड के लिए रुकें। रेफ्रिजरेटर के सर्वश्रेष्ठ प्रदर्शन के लिए हर 3 दिन में डिफ्रॉस्ट बटन दबाकर डिफ्रॉस्ट करें।

- ⑥ **Lock / लॉक**
Lock feature is provided to lock the display controls. Hold the lock button for 3 seconds to activate the function. To Deactivate again press for 3 seconds.
डिस्प्ले कंट्रोल को लॉक करने के लिए लॉक बटन दबाएं। फंक्शन को सक्रिय करने के लिए 3 सेकंड के लिए लॉक बटन को दबाएं रखें। फिर से निष्क्रिय करने के लिए 3 सेकंड के लिए दबाएं।
- ⑦ **Smart Connect / ऑटो स्मार्ट कनेक्ट**
Auto Smart Connect feature implies that the appliance is capable of automatically switching to backup power sources in absence of regular power source. LED light on means Backup Power source is in use.
ऑटो स्मार्ट कनेक्ट फीचर का तात्पर्य है कि नियंत्रित पावर स्रोत के अभाव में उपकरण स्वाचालित रूप से बैकअप पावर स्रोत पर स्थित करने में सक्षम है। एलईडी लाइट ऑन का मतलब है कि बैकअप पावर स्रोत उपयोग में है।

- Minimum Requirement for Smart Connect : UPS / Inverter should be in ON condition having minimum 600VA capacity along with minimum 120Ah capacity battery connected with the refrigerator's power supply socket.
- न्यूनतम आवश्यकता के लिए: यूपएस/इन्वर्टर रेफ्रिजरेटर की बिजली आपूर्ति सॉकेट के साथ जुड़े रहने के साथ-साथ कम से कम 120Ah क्षमता की बैटरी और 600VA क्षमता वाला इन्वर्टर होना चाहिए।
- 1. While using this feature, the refrigerator will work on basic energy requirement as required by the product.
- इस सुविधा का उपयोग करते समय रेफ्रिजरेटर बुनियादी ऊर्जा पर काम करेगा।
- 2. The results of the Smart Connect feature may vary depending on the number of appliances that are running on inverter.
- स्मार्ट कनेक्ट फीचर के परिणाम, इन्वर्टर पर चल रहे उपकरणों की संख्या के आधार पर भिन्न हो सकते हैं।
- 3. For optimum running of refrigerator during Smart Connect Mode, it is recommended to switch off the other appliances which are not in use.
- इस सुविधा का उपयोग करते समय रेफ्रिजरेटर बुनियादी ऊर्जा पर काम करेगा।
- 4. It is recommended to confirm the quality of food items before consumption. / खास से पहले खाद्य वस्तुओं की गुणवत्ता की पुष्टि करने के लिए स्वादवी की जांचें।

Lamp/LED Replacement/लेम्प/एलईडी विस्थापन

- Not all appliance bulbs will fit your refrigerator. Be sure to replace the bulb with one of the same size, shape and wattage. Refer Lamp enclosure for wattage
- आपके रेफ्रिजरेटर में सभी बल्ब फिट नहीं होंगे। बदले जाने वाले बल्ब का आकार, आकृति और स्रोतज जाँच लें ताकि सही बल्ब फिट हो सके।
- Unplug the power cord from the outlet. / पॉवर सलाई कोई को आउटलेट से बाहर निकाल लें।
- Remove the lamp cover by pulling outside / बाहर की तरफ खींचकर निकाल दें।
- Make sure the bulbs are cool to touch. / सुनिश्चित करें कि बल्ब ठंडे हो चुके हों।
- Care should be taken while removing/fixing lamp as the glass may crack/break & cause injury./लेम्प को हटाने या ठीक करते समय देखभाल की जानी चाहिए क्योंकि कांच का टूटने से चोट हो सकती है और चोट का कारण बन सकता है।
- Remove the lamp by turning it counter clockwise. / घड़ी की विपरीत दिशा में घुमाकर लेम्प को निकाल दें।
- Put new lamp and tighten it by turning it clockwise. / नया बल्ब लगाएं और घड़ी की दिशा में घुमाकर कस दें।
- Make sure the bulb is properly tightened. / सुनिश्चित करें कि बल्ब ठीक से कस गया है।
- Put the cover lamp back and push it gently with your thumb till a click sound appears.
- कवर लेम्प को वापस लौटा दें और धीमे से दबाएं जब तक कि क्लिक साउंड न आए।
- LED replacement must be done by LG service engineer only
- एलईडी प्रतिस्थापन केवल LG service engineer द्वारा किया जाना चाहिए।

How to get good results

- When storing the food, cover it with vinyl wrap or store in a container with a lid. This prevents moisture from evaporating and helps food to keep its taste and nutrients.
- रेफ्रिजरेटर में खाना रखते समय उसे विनायल से ढकेल दें या ढक्कन वाले डिब्बों में रखें। यह नमी को वाष्पित होने से रोकता है और खाने के स्वाद और स्वास्थ लाभ को सुरक्षित रखने में मदद करता है।
- Don't keep hot milk or hot food in your refrigerator. This will result in an increased temperature and increase in power consumption.
- गर्म दूध या गर्म भोजन को अपने रेफ्रिजरेटर में न रखें। इससे परिवर्तमान तापमान बढ़ेगा जिससे बिजली की ज्यादा खपत होगी।
- Do not leave refrigerator open for long time. Don't open the refrigerator door too often, hot air will enter and increase the temperature.
- रेफ्रिजरेटर को खोलने पर गर्म हवा घुसने में छोड़े। रेफ्रिजरेटर का दरवाजा बार-बार न खोलें।
- इस्तेमाल नहो खोलें जाती है और तापमान को बहा देती है।
- Never overload your refrigerator or cover the shelves with paper or plastic sheets as it will reduce its efficiency.
- अपने रेफ्रिजरेटर को ओवर लोड न करें और ना ही पेपर या प्लास्टिक की पत्रिकाओं से शेल्फ को ढकें क्योंकि इससे रेफ्रिजरेटर की कार्यक्षमता कम हो जाएगी।
- Close the door properly, make sure that there is no gap between the gasket and the cabinet of your LG refrigerator.
- दरवाजा को अच्छे से बन्द करें ताकि आपके LG रेफ्रिजरेटर की कैनपेट और गैसकेट के बीच जगह ना रहे।
- Wipe excessive moisture on food or place it inside containers or plastic net bags. This will help in retaining its freshness for a longer period of time.
- खाद्य पदार्थ के ऊपर से अत्यधिक नमी को साफ करें व फिर उन्हें किसी box या प्लास्टिक जाल बैगो में रखें। ऐसा करने से आर्द्रता खाना ज्यादा समय तक ताजा रहेगा।
- Feel free to call your LG Customer Information Centre (CIC) / Branch / LG Representative in case your refrigerator has suffered a damage in transit.
- रेफ्रिजरेटर का एक जगह से दूसरी जगह ले जाने में अगर कोई नुकसान हो जाए तो अपने LG Customer Information Centre (CIC) / ब्रांच / LG के प्रतिनिधि को बुलाएं।

- It is recommended to use Voltage Stabilizer (0.5kVA) if power fluctuations are frequent and out of specified voltage range (135-290V)**. Stabilizer usage helps in increasing the refrigerator life.
- * For inverter models specified voltage range is 90V-310V**.
- यदि बिजली बार-बार कम या ज्यादा आ रही है या निर्दिष्ट वोल्टेज क्षमता (135-290V)** से भिन्न है तो यह संभावना है कि वोल्टेज रेगुलेटर (0.5kVA) का प्रयोग करें। वोल्टेजरेगुलर का इस्तेमाल रेफ्रिजरेटर का जीवन बढ़ाने में मदद करता है।
- **As per LG Test Standards. / ** एलजी मानक के अनुसार।
- If there are chill compartments in the appliance, do not store vegetables and fruits with higher moisture content in the chill compartments as they may freeze due to the lower temperature.
- अगर उपकरण में थिल्ट वाले भाग हैं, तो उच्च नमी वाली सब्जियों और फलों को थिल्ट वाले भाग में भंडारित ना करें क्योंकि कम तापमान के कारण वे सब जम सकते हैं।
- In the event of a blackout, call the electricity company and ask how long it is going to last.
- बिजली की कटावो के समय में, बिजली कंपनी को सूचना दें और पूछें वे कटावो कब तक रहने वाली है।
- Avoid door opening while power off. It may affect the food inside.
- -बिजली बंद होने पर दरवाजा खोलने से बचें बल्कि अंदर के भोजन को प्रभावित कर सकता है।
- Check the condition of food before consuming
- खास से पहले भोजन की स्थिति जाँच लें।
- If you are leaving the appliance turned off for an extended (more than or equal to 3 days) period of time, remove all food and unplug the power cord. Clean the interior, and leave the doors slightly ajar to prevent mold from growing in the appliance.
- अगर आप उपकरण को 3 दिनों से अधिक या बराबर समय तक बंद करने छोड़ रहे हैं, तो खाने की समस्त वस्तुएँ निकाल लें और बिजली के बंद होने के कारण बंद हैं। अंदर के भाग को साफ करें व फिर उपकरण में मौल्य वस्तु से बचाव के लिए दरवाजा को हल्का सा खुला रखें।
- During power failure of longer duration, place a block of dry ice on top of your frozen packages.
- अधिक लंबे समय के लिए पॉवर फेल हो जाने की स्थिति में, अपने भोजन पैकेजों के ऊपर शुद्ध आइस का टुकड़ा रखें।

Suggestions on storage

- It is advisable to store frozen foods items in freezer compartment only.
- जमे हुए खाद्य वस्तुओं को फ्रीजर कम्पार्टमेंट में ही रखने की सलाह दी जाती है।
- It is advisable to store fresh food items in refrigerator compartment only.
- ताजा खाद्य पदार्थों को रेफ्रिजरेटर कम्पार्टमेंट में ही रखने की सलाह दी जाती है।

WARRANTY CARD

The LG Refrigerator (hereinafter referred as product) comes with 1 year warranty on all Parts (except Consumables, Bulb, Loose Plastic Parts, Glass) in the first year from the date of purchase on producing the tax paid invoice provided always that the warranty card bears the rubber stamp, date and signature of our Authorized Dealer showing the Additional warranty on compressor as specified below shall be on fulfilling the above mentioned conditions.

9 (SELECTED MODEL) YEAR ADDITIONAL WARRANTY ON COMPRESSOR

The 9 year warranty (Selected Model) on Compressor will continue even after expiry of 1 year period from the date of purchase. This warranty covers Compressor only. Gas charging related gas and applicable service charges will be charged to the customer. During the additional warranty period, it does not cover any part such as PCB assembly, condenser, freezer, capillary, suction line, overload protector, relay, thermostat etc., standard service charges will be applicable within the municipal limit of town where LG Electronics India Ltd. (LGEIL) has its Authorized Service Center, service outside municipal limit will attract to and fro traveling, other incidental expenses in addition to standard service charges, as per prevailing from time to time.

- Common TERMS & CONDITIONS applicable for warranties as mentioned above:
- 1. The warranty is confined to the first purchaser of the Refrigerator only & is non-transferable.
- 2. Repairs & replacements will be carried out through the Authorized Service Centres of LG Electronics India Ltd. (hereinafter referred as LG or LGEIL). Customer may place their service call through the LG customer care or through the dealer from whom the product has been purchased. In case the customer shifts the place of residence during warranty period, it is advised to contact our helpline.
- 3. Repair under warranty shall be carried out by an authorized service personnel only. The details of centralized helpline are attached.
- 4. For units installed beyond municipal limits of the jurisdiction of company's Authorized Service Centre, it is responsibility of the purchaser to contact the nearest authorized service centre and bring the unit to the authorized service at its own cost and risk. All expense incurred in collecting the units or parts thereof from the company's authorized service centre, as well as expenses incurred with despatching of service personnel/technician toward conveyance and other incidentals etc. will be borne by the customer. Local charges for transportation and handling charges may vary from location to location. Customers are advised to verify before. In case the customer desires to bring the unit on its own to the Authorized Service Centre, the same shall be at its own risks & consequences.
- 5. The concerned authorized service centre shall be responsible for the customer's complaint whether at site or at the authorized service centre.
- 6. Call registered with the centralized helpline/Authorized service centre, wherein only cleaning of the unit/parts in the unit due to dust accumulation on portions of the units are not to be considered as defects.
- 7. In case of repairs or replacement of any parts of the unit, this warranty will thereafter continue and remain in force only for the unexpired period of the warranty. LGEIL may use parts that are new or refurbished and equivalent to new in performance and reliability. Replacement of parts would be purely at the discretion of LGEIL. In case the replacement of the entire unit is being made, (subject to the sole discretion of LGEIL), the same model shall be replaced and in the event such model has been discontinued, it shall be replaced with the model price equivalent at the time of purchase.
- 8. In case of any damage to the product/customer abuse/repairs by un-authorized personnel/ misuse detected by the Authorized Service Centre personnel, the warranty conditions are not applicable and repairs will be done subject to availability of parts and on a chargeable basis only.

- 9. This warranty shall not cover any consequential or resulting liability, damage or loss to property or life arising directly or indirectly out of any defect being noticed in the equipment during warranty period Refrigerator. The company's obligation under this warranty shall be limited to repair or providing replacement of defective parts only under the warranty period.
- 10. The company or its Authorized Service Centre reserves the right to retain any part/s or component replaced at its discretion, in the event of defect being noticed in the equipment during warranty period.
- 11. While the company will make every effort to carry out repairs at the earliest, it however is made expressly clear that the company is under no obligation to do so in a specified period of time.
- 12. In the event of any unforeseen circumstances, and spare not being available, the company's prevailing replacement rules may apply on the purchaser to accept or not a replacement solution in lieu of repair.
- 13. In any coloured internal or external components are replaced, there will be commitment to ensure that the shades match with the original or other components. The replaced shades, patterns, tints may vary from the customer's unit due to continuous usage of the unit. Any matching components changed at customer's request will be chargeable basis except the component which actually needed.
- 14. Free Installation or Demo of the product, can be availed only once & within 3 months from the date of purchase.
- 15. Any extended warranty offered by LGEIL may be supported by relevant proof.
- 16. Warranty shall expire after the warranty period as mentioned above even if the Refrigerator may not be in use for any time during the warranty period for any reason.
- 17. Only courts in state of Delhi and places where LGEIL has its branch office shall have the jurisdiction for settling any claims, disputes arising under the warranty.
- 18. Warranty is not applicable in any of the following cases where:
 - a) the warranty card is not completed properly at the time of purchase, b) the completed warranty card is not presented to authorized service personnel at the time of service of the product, c) the product is not operated according to instructions given in the Operating Instruction Booklet/Owner's Manual, d) the product is used for commercial purposes, e) the product has failed under certain conditions like water leakage, flood, fire, misuse etc., f) defects/malfunction are caused by improper or reckless use, which shall be determined by the company personnel, g) any repair work is carried out by persons other than authorized service personnel, h) defects/malfunction are caused which are beyond control like lightning, abnormal voltage, Acts of God, virus etc., i) any issue is caused by usage of 3rd party product like voltage stabilizer, power outlet socket, MCB, extension board etc., j) defects/malfunction caused while in transit to service centre or purchaser's residence, k) defects caused by rodents bite or by pest and vermin ants/insects/animals/birds etc., l) the serial number is deleted, defected or altered, m) damage is caused to the product or any parts due to transportation or shifting, n) use of knife or sharp instrument is used to remove the ice trays or ice from the freezer or to remove the frost mechanically and as a result Compressor, Evaporator, Condensers, capillary, suction line & other related items get spoiled, o) any accessory external to the equipment are supplied by dealer or LG, p) any issue of Wi-Fi connectivity or compatibility with other products or software/s is there, q) any loss of data

Disposal of your old appliance (as per e-waste Rules)

1. When this crossed out wheeled bin symbol is depicted on the product and its operator's manual, it means the product is covered by E-Waste Management Rules India published by MoEF & CC, Govt. of India and are meant to be recycled, dismantled, refurbished or disposed off.
2. **Do's**
 - a. The product is required to be handed over after to the authorized recycler for disposal.
 - b. Keep the product in isolated area, only if becomes non-functional/unreparable so as to prevent its accidental breakage.
3. **Don't**
 - a. The product should not be opened by the user himself/herself, but only by authorized service personnel.
 - b. The product is not meant for re-sale to any unauthorized agencies/scrap dealer/kabaivah.
 - c. The product is not meant for mixing into household waste stream.
 - d. Do not keep any replaced spare part(s) from the product in exposed area.
4. **Hazards of improper handling or accidental breakage:**
 - a. The refrigerant (R134a) used, if overexposed, might cause dizziness and loss of concentration. Liquid contact can cause irritation and frostbite. The refrigerant (R600a), squirting out of the pipes could ignite or cause eye injury.
 - b. The blowing agent cyclopentane is highly flammable liquid and vapour. Harmful to aquatic life. Contact with liquid may cause cold burns / frostbites. Repeated exposure causes skin dryness.
5. This product is complied with the requirement of Hazardous Substances as specified under E-Waste Management Rules India published by MoEF & CC, Govt. of India.
6. To locate a nearest collection centre or call for pick-up (limited area only) for disposal of this appliance, please contact Tel. No. **08069379999** / Toll Free No. **1800-315-9999** for details. All collection centres and pick-up facilities are done by third parties with LG Electronics India Ltd. merely as a facilitator.
7. When disposing the refrigerator, remove the door Gasket from the door.
8. When you want to dispose the refrigerator, connect to the Customer Care Centre. When you want to dispose the large living waste such as electric home appliance, you'd better connect the connect the Customer Care Centre.

Model	G1181***	G1189***	G1189***	G1189***	G1200***	G1201***	G1211***	G1211***	G1211***	G1211***	G1211***	G1211***	G1211***	G1211***	G1211***	G1211***		
Operating principle	Vapour Compression																	
Rated Total Volume (L)	180			185						201								
Rated Energy Consumption (kWh/24h)	213	213	190	169	141	131	205	190	169	149	131	141	131	111				
Pull Down Time (min)	360 min																	
Cooling Time (hours)	7 hours																	
Freezer Star Rating	2nd Star																	

Note : *** Can be A to Z or 0 to 9

All Testing results, Under Test condition conducted at LG's in-house laboratory, actual result may vary depending upon the usage and surrounding environment.



Scan the QR code to see the manual.



ENGLISH
HINDI

OWNER'S MANUAL

REFRIGERATOR



Please read this manual carefully before operating your set and retain it for future reference

कृपया उपकरण संचालन से पहले इस मैनुअल को ध्यान से पढ़ें और आगामी संदर्भ के लिए संभाल कर रखें।



MFL72022103
Rev.05_18022025

www.lg.com

Copyright © 2023-2025 LG Electronics Inc. All Rights Reserved.



MFL72022103

LG Electronics India Ltd.

Phone	Tel: 08069379999, Toll Free : 1800-315-9999
WhatsApp No.	9711709999
Mobile Application	'LG Service India Mobile App' available at Google Play
SNS	www.facebook.com/lgindiapage/ www.twitter.com/LGIndia
Address	Regd. Office: LG Electronics India Ltd., A-24/6 Mohan Cooperative Industrial Estate, Mathura Road, New Delhi-110044 CIN No. U32107DL1997PLC220109

- 24 hours, 7 days a week (except for national holidays)

