


Printing Specification

1. Specification


Models	1. Model Name:	65UQ801C05B
	2. Suffix:	TR
	3. Part No:	MFL71833945
	4. REV	REV00
SIZE	5. Number of pages	16
	6. Folded/Unfolded	3 Folded
	7. Trim size (W x H)_Unfolded (mm)	296 x 420 (+/- 5)
	8. Trim size (W x H)_folded (mm)	148 x 105
COVER	9. Bindery	-
	10. Color (Cover)	-
	11. Paper (Cover)	-
	12. Weight (cover) (g/m ²)	-
INNER	13. Color (inner)	4 (CMYK)
	14. Paper (inner)	Wood free
	15. Weight (inner) (g/m ²)	70 (+/-10)
	16. Coating	No
	17. Thomson	No
	18. Sub-material	No
19. Languages		ENG

1.1 Folding / Cover

Folded Step



Folded



2. Origin Notification

 www.lg.com P/No: MFL69707613 (1708-REV03) Printed in Korea Changes the Country name. Printed in [Country Name]		[Country Name] LGERS/ LGEMX : Mexico LGEKR: Korea LGEMA: Poland LGEIL: India Others: Each Country name.
NOTE	[Restriction of Hazardous Substances] Hazardous substances on this product should be satisfied by substance regulation of Level A-I, A-II, SVHC according to LG(52)B85011 standard. Especially, Part should be followed and controlled the following specification. (1) Hazardous substances test report should be submitted when part certification test and first mass production. (2) Especially, Don't use or contain lead (Pb) and cadmium (Cd) in ink.	

3. History

REV07					
REV06					
REV05					
REV04					
REV03					
REV02					
REV01					
REV00	05/03/2022	-	-	Checked	Aditya.K
				Approved	Nitin.H
Rev. Number	Date	Description	ECO Number	Owner	Aditya.K

UQ80*

Quick Start Guide



Images shown in manual may vary depending on model
Unpacking
Check your product box for the following items. If there are any missing accessories, contact the local dealer where you purchased your product. The illustrations in this manual may differ from the actual product and item.




50/55UQ80*



1-A



2-A




3




65UQ80*


1-B



2-B





3



CAUTION

Image shown may differ from your TV
When attaching the stand to the TV set, place the screen facing down on a cushioned table or flat surface to protect the screen from scratches.





OPTICAL DIGITAL AUDIO OUT



HDMI IN



USB IN



LAN




NOTE

- Do not look into the optical output ports, looking at the laser beam may damage your vision.
- Audio with ACP (Audio Copy Protection) function may block digital audio output.


NOTE

- Some USB Hubs may not work, if a USB device connected using a USB Hub is not detected, connect it to the USB port on the TV directly.
- Connect the external power source if your USB is needed.



ARC (Audio Return Channel)

An external audio device that supports SIMPLINK and ARC must be connected using HDMI IN eARC/ARC port. When connected with a high-speed HDMI cable, the external audio device that supports ARC outputs SPDIF audio without additional audio cable and supports the SIMPLINK function.



USB IN



HDMI IN






HDMI IN eARC/ARC




NOTE

- Some USB Hubs may not work, if a USB device connected using a USB Hub is not detected, connect it to the USB port on the TV directly.
- Connect the external power source if your USB is needed.



	A	B	C	D	E	F	F - G
	(mm)					(kg)	
50UQ801C0SB	1121	713	231	651	57.1	11.9	11.7
55UQ801C0SB	1235	776	231	715	57.5	14.2	14.0
65UQ801C0SB	1454	906	269	838	57.7	21.8	21.5
Power requirement				AC 100-240 V~ 50/60 Hz			



A	B	C × D (mm)	E
Wallmount	50UQ80*	200 x 200	M6
Wallmount	55UQ80*	300 x 300	M6
Wallmount	65UQ80*	300 x 300	M6



- Read **Safety and Reference**.
- For the power supply and power consumption, refer to the label attached to the product.

⊕ : Depending on model