
LG
Life's Good

LED TV
43UR640S*

Quick Start Guide



Images shown in manual may vary depending on model

⊕: Depending on model

Unpacking

Check your product box for the following items. If there are any missing accessories, contact the local dealer where you purchased your product. The illustrations in this manual may differ from the actual product and item.

www.lg.com

MFL71833903
(2108-REV00)

- Read **Safety and Reference.**
- For the power supply and power consumption, refer to the label attached to the product.




CAUTION


Image shown may differ from your TV

When attaching the stand to the TV set, place the screen facing down on a cushioned table or flat surface to protect the screen from scratches.


1



2



3






CAUTION


Image shown may differ from your TV

When attaching the stand to the TV set, place the screen facing down on a cushioned table or flat surface to protect the screen from scratches.


4




5




6



7




8








HDMI IN






HDMI IN/ARC







RS-232C IN
(CONTROL&SERVICE)





H/P OUT




ARC (Audio Return Channel)
An external audio device that supports SIMPLINK and ARC must be connected using HDMI IN /ARC port

When connected with a high-speed HDMI cable, the external audio device that supports ARC outputs SPDIF audio without additional audio cable and supports the SIMPLINK function

NOTE

Image shown may vary depending on model.
All connection cables & devices shown in the picture are not included along with the product.

COMMON INTERFACE



⊕: Depending on model







NOTE

Image shown may vary depending on model.
All connection cables & devices shown in the picture are not included along with the product.

⊕ : Depending on model








NOTE


- Some USB Hubs may not work, if a USB device connected using a USB Hub is not detected, connect it to the USB port on the TV directly
- Connect the external power source if your USB is needed.

NOTE

- Do not look into the optical output ports, looking at the laser beam may damage your vision
- Audio with ACP (Audio Copy Protection)function may block digital audio output.


⊕: Depending on model















































NOTE

Image shown may vary depending on model.
All connection cables & devices shown in the picture are not included along with the product.





	A	B	C	D	E	F	F - G
	(mm)					(kg)	
43UR640S0TD 43UR640S0GD 43UR640S9GD 43UR640S9TD	967	622	216	564	57.1	8.9	8.8
Power requirement					AC 100-240 V ~ 50 / 60 Hz		

IN020222