
Quick Start Guide

LED TV
LJ51**
LJ54**



⊕ : Depending on model

www.lg.com

Unpacking

Check your product box for the following items. If there are any missing accessories, contact the local dealer where you purchased your product. The illustrations in this manual may differ from the actual product and item.

*Image may vary depending on models


P/No: MFL70265901 (1703-REV00)



English

- Read **Safety and Reference.**
- For the power supply and power consumption, refer to the label attached to the product.

32LJ51*, 32LJ54**



CAUTION

Image shown may differ from your TV.


When attaching the stand to the TV set, place the screen facing down on a cushioned table or flat surface to protect the screen from scratches.


32LJ548*


CAUTION

Image shown may differ from your TV.

When attaching the stand to the TV set, place the screen facing down on a cushioned table or flat surface to protect the screen from scratches.









NOTE

Image shown may vary depending on model.
All connection cables & devices shown in the picture are not included along with the TV set.










NOTE

Image shown may vary depending on model.











NOTE


Image shown may vary depending on model.
All connection cables & devices shown in the picture are not included along with the TV set.

32LJ51*, 32LJ54**


NOTE
Image shown may vary depending on model.










32LJ548*



NOTE
Image shown may vary depending on model.









NOTE

Image shown may vary depending on model.



	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (kg)	F - (G1 + G2) (kg)
32LJ510D-TB 32LJ510U-TA 32LJ510Z-TA 32LJ514D-TB 32LJ519D-TA	739	472	168	441	84	4.90	4.85
Power requirement					19 V ⎓ 2.0 A		
32LJ542D-TD	739	472	168	441	84	5.10	5.05
Power requirement					19 V ⎓ 2.5 A		



	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (kg)	F - (G1 + G2) (kg)
32LJ548D-TG	739	472	168	461	92.6	5.90	5.85
Power requirement					AC 100-240 V ~ 50 / 60 Hz		

MFL70265901

IN002043