


Printing Specification

1. Specification

1.1 Folding / Cover

Models	1. Model Name:	75UR640S0GD
	2. Suffix:	TR
	3. Part No:	MFL72097713
	4. REV	REV01
SIZE	5. Number of pages	16
	6. Folded/Unfolded	Unfolded
	7. Trim size (W x H)_Unfolded (mm)	210 X 148 (+/-5)
	8. Trim size (W x H)_folded (mm)	-
COVER	9. Bindery	Saddle stitching
	10. Color (Cover)	1
	11. Paper (Cover)	Wood free
	12. Weight (cover) (g/m ²)	70(+/-10)
INNER	13. Color (inner)	1
	14. Paper (inner)	Wood free
	15. Weight (inner) (g/m ²)	70 (+/-10)
	16. Coating	No
	17. Thomson	No
	18. Sub-material	No
	19. Languages	ENG



2. Origin Notification

Copyright © 2021 LG Electronics Inc. All Rights Reserved. Printed in Korea Copyright © 2021 LG Electronics inc. Tous droits réservés. Imprimé en Corée www.lg.com		Changes the Country name. Printed in [Country Name in English] Imprimé en(au) [Country Name in French]	[Country Name] (ENG/FRE) LGERS / LGEMX : Printed in Mexico Imprimé au Mexique LGEKR : Printed in Korea Imprimé en Corée LGEMA : Printed in Poland Imprimé en Pologne LGEND : Printed in China Imprimé en Chine LGEIN : Printed in Indonesia Imprimé en Indonésie Others : Each Country name.
[Restriction of Hazardous Substances] Hazardous substances on this product should be satisfied by substance regulation of Level A-I, A-II, SVHC according to LG(52)B—5011 standard. Especially, Part should be followed and controlled the following specification. (1) Hazardous substances test report should be submitted when part certification test and first mass production. (2) Especially, Don't use or contain lead (Pb) and cadmium (Cd) in ink. INK REQUIREMENT FOR EU (1) The amount of MOAH/MOSH must be less than 0.1% of the weight of the INK used. *MOAH(Mineral Oil Aromatic Hydrocarbons) : Consisting of 1 to 7 aromatic cycles *MOSH(Mineral Oil Saturated Hydrocarbons) : Consisting of 16 to 35 carbon atoms (2) From 01 January 2025 : Ban on the use of MOAH in INK up to a limit of one part per million(1ppm) for compounds of 3 to 7 aromatic cycles		NOTE	


3. History

REV07				
REV06				
REV05				
REV04				
REV03				
REV02				
REV01	07/09/2024	Add L-Con remote image (HQ ECO: EKLO300223)	DCGO700031	Aditya Kumbhar
REV00	05/17/2024	-	-	Checked : Nitin H.
Rev. Number	Date	Description	ECO Number	Owner
				Santosh. C
				Aditya K.



LED TV
75/86UR640S*

Quick Start Guide



Images and Accessory parts shown in manual may vary depending on model.

+ : Depending on model

+ : Depending on country

Unpacking

Check your product box for the following items. If there are any missing accessories, contact the local dealer where you purchased your product.
The illustrations in this manual may differ from the actual product and item.



www.lg.com



MFL720977132407REV01



English


- Read **Safety and Reference**.
- For the power supply and power consumption, refer to the label attached to the product.




CAUTION

Image shown may differ from your TV
When attaching the stand to the TV set, place the screen facing down on a cushioned table or flat surface to protect the screen from scratches.



1




2



3




4







5-A 75UR64*




5-B 86UR64*



6-A 75UR64*




6-B 86UR64*






75UR64*




ARC (Audio Return Channel)
An external audio device that supports SIMPLINK and ARC must be connected using HDMI IN eARC/ARC port

When connected with a high-speed HDMI cable, the external audio device that supports ARC outputs SPDIF audio without additional audio cable and supports the SIMPLINK function

HDMI IN



HDMI IN/ARC




**RS-232C IN
(CONTROL&SERVICE)**



H/P OUT





COMMON INTERFACE





75UR64*





75UR64*



NOTE

- Some USB Hubs may not work, if a USB device connected using a USB Hub is not detected, connect it to the USB port on the TV directly.
- Connect the external power source if your USB is needed.

NOTE

- Do not look into the optical output ports, looking at the laser beam may damage your vision.
- Audio with ACP (Audio Copy Protection) function may block digital audio output.


ANTENNA /
CABLE IN



Satellite IN



USB IN



LAN



OPTICAL
DIGITAL
AUDIO OUT



EXTERNAL
SPEAKER OUT




AUDIO
LINE OUT





86UR64*



NOTE

- Some USB Hubs may not work, if a USB device connected using a USB Hub is not detected, connect it to the USB port on the TV directly
- Connect the external power source if your USB is needed.

ARC (Audio Return Channel)


An external audio device that supports SIMPLINK and ARC must be connected using HDMI IN eARC/ARC port

When connected with a high-speed HDMI cable, the external audio device that supports ARC outputs SPDIF audio without additional audio cable and supports the SIMPLINK function

HDMI IN




HDMI IN/ARC



**RS-232C IN
(CONTROL&SERVICE)**




USB IN





86UR64*




NOTE

- Do not look into the optical output ports, looking at the laser beam may damage your vision
- Audio with ACP (Audio Copy Protection) function may block digital audio output.

OPTICAL
DIGITAL
AUDIO OUT





COMMON INTERFACE





86UR64*





86UR64*



ANTENNA /
CABLE IN




Satellite IN



HDMI IN



LAN



EXTERNAL
SPEAKER OUT
















H/P OUT



AUDIO
LINE OUT







	A	B	C	D	E	F	F - G
	(mm)					(kg)	
75UR640S0GD 75UR640S0TD 75UR640S9GD 75UR640S9TD	1678	1027	362	964	59.9	32.1	31.4
86UR640S0GD 86UR640S0TD 86UR640S9GD 86UR640S9TD	1927	1167	362	1104	59.9	45.9	45.2
Power requirement					AC 100-240 V ~ 50 / 60 Hz		

