



Scan the QR code to see the manual.



OWNER'S MANUAL

AIR CONDITIONER



Read this owner's manual thoroughly before operating the appliance and keep it handy for reference at all times.

ENGLISH

Wall Mounted



MFL72082405
Rev.01_260924

www.lg.com

Copyright © 2023 LG Electronics Inc. All Rights Reserved.

TABLE OF CONTENTS

This manual may contain images or content that may be different from the model you purchased.

This manual is subject to revision by the manufacturer.

SAFETY INSTRUCTIONS

READ ALL INSTRUCTIONS BEFORE USE.....	3
WARNING INSTRUCTIONS	3
CAUTION INSTRUCTIONS	8

OPERATION

Information.....	11
Product Overview.....	12

SMART FUNCTIONS

LG ThinQ Application.....	13
Diagnosis Using LG ThinQ	14

MAINTENANCE

Cleaning	15
----------------	----

SAFETY INSTRUCTIONS

READ ALL INSTRUCTIONS BEFORE USE

The following safety guidelines are intended to prevent unforeseen risks or damage from unsafe or incorrect operation of the appliance. The guidelines are separated into 'WARNING' and 'CAUTION' as described below.

Safety Messages

⚠ This symbol is displayed to indicate matters and operations that can cause risk.

Read the part with this symbol carefully and follow the instructions in order to avoid risk.



WARNING

This indicates that the failure to follow the instructions can cause serious injury or death.



CAUTION

This indicates that the failure to follow the instructions can cause the minor injury or damage to the product.

WARNING INSTRUCTIONS

⚠ WARNING

- To reduce the risk of explosion, fire, death, electric shock, injury or scalding to persons when using this product, follow basic precautions, including the following:

Technical Safety

- This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and

4 SAFETY INSTRUCTIONS

understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.

- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.
- Installation or repairs made by unauthorized persons can pose hazards to you and others.
- The information contained in the manual is intended for use by a qualified service technician who is familiar with the safety procedures and equipped with the proper tools and test instruments.
- Failure to read and follow all instructions in this manual can result in equipment malfunction, property damage, personal injury and/or death.
- The refrigerant and insulation blowing gas used in the appliance require special disposal procedures. Consult a service agent or a similarly qualified person before disposing of them.
- When the power cord is to be replaced, the replacement work shall be performed by authorized personnel using only genuine replacement parts.
- If the supply cord is damaged, it must be replaced by the manufacturer or its service agents or a similarly qualified person in order to avoid a hazard.
- The appliance shall be installed in accordance with national wiring regulations.
- This appliance must be properly grounded.
- Do not cut or remove the grounding prong from the power plug.
- Attaching the earth wire to the power outlet cover screw does not ground the appliance unless the cover screw is metal, uninsulated, and the power outlet is grounded through house wiring.
- Do not try to dismantle the system yourself, the dismantling of the system, treatment of the refrigerant, oil and other parts must comply with applicable legislation.

- If you have any doubt whether the air conditioner is properly grounded, have the power outlet and circuit checked by a qualified electrician.

Installation

- Contact an authorized service centre when installing or relocating the air conditioner.
- Contact the dealer, seller, qualified electrician or authorized service centre for cleaning or maintenance the air conditioner.
- Do not install, remove, or re-install the unit by yourself (customer). Installation or repairs done by unauthorized persons can pose hazards to you and others.
- For electrical work, contact the dealer, seller, a qualified electrician or an authorized service centre.
- Do not attempt to do electrical work or grounding work unless you are licensed to do so. Consult with the dealer for electrical work and grounding work.
- Do not install the product on a defective installation stand.
- Be sure the installation area does not deteriorate with age.
- Be sure to only use accessories made by LG which are specifically designed for use with the equipment and have them installed by a professional.
- Never install the outdoor unit on a moving base or a place from where it can fall down.
- Do not install the unit in potentially explosive atmospheres.
- Do not install the air conditioner in a place where flammable liquids or gases such as gasoline, propane or paint thinner are stored.
- Install the panel and the cover of the control box safely.
- Install a dedicated electric outlet and earth leakage breaker before using the appliance.
- Use a standard circuit breaker and fuse that conform to the rating of the air conditioner.

ENGLISH

6 SAFETY INSTRUCTIONS

- Do not use a multiple socket, extension power cable or adapter with this appliance.
- The indoor/outdoor wiring connections must be secured tightly, and the cable should be routed properly so that there is no force pulling the cable from the connection terminals. Improper or loose connections can generate heat or cause a fire.
- Do not connect the ground wire to a gas pipe, a lightning rod, or a telephone ground wire.
- Use non-flammable gas (nitrogen) to check for leaks and to purge air; using compressed air or flammable gas may cause fire or explosion.

Operation

- Do not modify or extend the power cable. Scratches or peeling insulation on the power cables may result in fire or electric shock, and the cables should be replaced.
- Make sure that the power cable is neither dirty, loose, nor broken.
- Do not place any objects on the power cable.
- Take care to ensure that the power cable could not be pulled out or damaged during operation.
- Never touch, operate, or repair the air conditioner with wet hands.
- Do not insert hands or other objects through the air inlet or outlet while the air conditioner is operating.
- Make sure that nobody, especially children, climbs on or hits the outdoor unit.
- Be sure to use only those parts listed in the service parts list. Never attempt to modify the equipment.
- Do not touch the refrigerant pipe, water pipe or any internal parts while the unit is operating or immediately after operation.
- Do not leave flammable substances such as gasoline, benzene, or thinner near the air conditioner.
- Do not use the air conditioner for an extended period of time in a small place without proper ventilation.

- Be sure to ventilate sufficiently when the air conditioner and a heating appliance such as a heater are used simultaneously.
 - There is the possibility of oxygen deficiency.
- Do not block the inlet or outlet airflow.
- Cut off the power supply if there is any noise, smell, or smoke coming from the air conditioner.
- Contact an authorized service centre if the air conditioner is submerged by flood waters.
- In the event of a gas leak (such as Freon, propane gas, or LP gas), ventilate sufficiently before using the air conditioner again.
- Stop operation and close the window during a storm or hurricane. If possible, remove the product from the window before the hurricane arrives.

Maintenance

- Before cleaning or performing maintenance, disconnect the power supply and wait until the fan stops.
 - The fan rotates at a very high speed during operation.
 - There is a possibility of injury if the unit's power is accidentally triggered on while you are cleaning the inner parts of the unit.
- Appliance shall be disconnected from its power source during service and replacing parts.

Refrigerant

- Follow the standards of the corresponding region or country for handling the refrigerant and the air conditioner and for disassembling the air conditioner.
- Use only the refrigerant specified on the air conditioner label.
- Do not input air or gas into the system except the specified refrigerant.
- Do not touch the leaking refrigerant during installation or repair.
- If the refrigerant gas leaks during the installation, ventilate the area immediately.

8 SAFETY INSTRUCTIONS

- Be sure to check for refrigerant leaks after installing or repairing the product.
- In the case of refrigerant leakage, consult the dealer. When the air conditioner is to be installed in a small room, it is necessary to take proper measures so that the amount of any leaked refrigerant does not exceed the limiting concentration even when it leaks. If the refrigerant leaks exceeding the level of limiting concentration, an oxygen deficiency accident may happen.

CAUTION INSTRUCTIONS

CAUTION

- To reduce the risk of minor injury to persons, malfunction, or damage to the product or property when using this product, follow basic precautions, including the following:
-

Installation

- Use a forklift or 2 or more people to transport the air conditioner.
- Do not install the air conditioner in an area where it is directly exposed to sea wind (salt spray).
- Install the drain hose properly for the smooth drainage of water condensation.
- Install the air conditioner in a place where the noise from the outdoor unit or the exhaust fumes will not inconvenience the neighbours.
- Safely dispose of packing materials such as screws, nails, plastic bags or batteries using proper packaging after installation or repair.
- Exercise caution when unpacking or installing the air conditioner.
- Be especially careful of the case edges and the fins on the condenser and evaporator.
- To avoid vibration or water leakage, keep the product level even when installing it.
- When installing the unit, use the installation kit provided with the product.

- The edges of heat exchanger fins are sharp enough to cut. To avoid injury, wear gloves or cover the fins while working around them.

Operation

- Do not drink the water drained from the air conditioner.
- Do not place objects in direct proximity to the outdoor unit and do not let leaves and other debris accumulate around the unit. Leaves are a hotbed for small animals which can enter the unit. Once inside the unit, such animals can cause malfunctions, smoke or fire if they come into contact with electrical parts.
- Do not let the air conditioner run for a long time when humidity is very high or when a door or a window has been left open.
- Do not expose people, animals, or plants to the cold or hot wind from the air conditioner for extended periods of time.
- Do not use the product for special purposes, such as preserving foods, works of art, etc. The air conditioner is designed for consumer purposes, and is not a precision refrigeration system. There is risk of damage or loss of property.
- Do not turn on the breaker or power when the front panel, cabinet, top cover, or control box cover are removed or opened.
- Do not open the front grille of the product during operation. Do not touch the electrostatic filter, if the unit is so equipped.
- Take care to prevent water from entering the product.
- Make sure that there are no obstacles close to the outdoor unit. The presence of obstacles close to the outdoor unit may reduce the performance of the outdoor unit or increase its operating sound.
- Do not turn off the power immediately after stopping operation. Always wait for at least five minutes before turning off the power.

Maintenance

- Use a sturdy stool or ladder when cleaning, maintaining, or repairing the air conditioner at a height.

10 SAFETY INSTRUCTIONS


- Do not plug or unplug the power supply plug to turn the unit on or off.
- Never use strong cleaning agents or solvents or spray water when cleaning the air conditioner. Use a soft cloth.
- Never touch the metal parts of the air conditioner when removing the air filter.
- Tear apart and throw away plastic packaging bags so that children will not play with them.
- When the product will not be used for a long time, disconnect the power supply plug or turn off the breaker.
- Do not tilt the unit when removing or uninstalling it. The condensed water inside can spill.
- Check the foundation for damage on a regular basis, especially if the product has been in use for a long time.
- Always insert the filter securely. Clean the filter every two weeks or more often if necessary. A dirty filter reduces the efficiency of the air conditioner and could cause product malfunction or damage.

OPERATION

Information

See More Information

- 1 Find the model number.




1 Label

- 2 Enter the model number on the LG website at: <https://www.lg.com/support/manuals>.

Searching Online Manual


This abridged owner's manual addresses user safety, operation, and maintenance information. To view the complete owner's manual, scan the QR code on the cover page.



12 OPERATION

Product Overview

Wall-Mounted Unit



- | | |
|--|--------------------------------|
| ① Air Filter | ② Air Intake Vents |
| ③ Air Outlet Vents | ④ Air Deflector (Up-Down Vane) |
| ⑤ Air Deflector (Left-Right Louver) | ⑥ Power Button |
| ⑦ Product Display and Wireless Remote Control Receiver | |

NOTE

- The number and location of parts may vary depending on the model of the appliance.
 - Features may change depending on the model type.
-

SMART FUNCTIONS

LG ThinQ Application

This feature is only available on models with Wi-Fi.

The **LG ThinQ** application allows you to communicate with the appliance using a smartphone.

LG ThinQ Application Features

Communicate with the appliance from a smartphone using the convenient smart features.

- **Smart Diagnosis**

- If you experience a problem while using the appliance, this smart diagnosis feature will help you diagnose the problem.

- **Settings**

- Allows you to set various options on the appliance and in the application.

NOTE


- If you change your wireless router, internet service provider, or password, delete the registered appliance from the **LG ThinQ** application and register it again.
- The application is subject to change for appliance improvement purposes without notice to users.
- Functions may vary by model.

Before Using LG ThinQ Application


1 Check the distance between the appliance and the wireless router (Wi-Fi network).

- If the distance between the appliance and the wireless router is too far, the signal becomes weak. It may take a long time to register or fail to install the application.

- 2** Turn off the **Mobile data** or **Cellular Data** on your smartphone.



- 3** Connect your smartphone to the wireless router.



NOTE

- To verify the Wi-Fi connection, check that the  icon on the control panel is lit.
- The appliance supports 2.4 GHz Wi-Fi networks only. To check your network frequency, contact your Internet service provider or refer to your wireless router manual.
- **LG ThinQ** is not responsible for any network connection problems or any faults, malfunctions, or errors caused by network connection.
- If the appliance is having trouble connecting to the Wi-Fi network, it may be too far from the router. Purchase a Wi-Fi repeater (range extender) to improve the Wi-Fi signal strength.
- The Wi-Fi connection may not connect or may be interrupted because of the home network environment.

14 SMART FUNCTIONS

NOTE

- The network connection may not work properly depending on the Internet service provider.
- The surrounding wireless environment can make the wireless network service run slowly.
- If the appliance cannot be connected due to problems with the wireless signal transmission, unplug the appliance and wait about a minute before trying again.
- If the firewall on your wireless router is enabled, disable the firewall or add an exception to it.
- The wireless network name (SSID) should be a combination of English letters and numbers. (Do not use special characters.)
- Smartphone user interface (UI) may vary depending on the mobile operating system (OS) and the manufacturer.
- If the security protocol of the router is set to **WEP**, you may fail to set up the network. Please change it to other security protocols (**WPA2** is recommended) and register the product again.

This offer is valid to anyone in receipt of this information for a period of three years after our last shipment of this product.

Diagnosis Using LG ThinQ

This feature is only available on models with the  or  logo.

Use this feature to help you diagnose and solve problems with your appliance.

NOTE

- For reasons not attributable to LGE's negligence, the service may not operate due to external factors such as, but not limited to, Wi-Fi unavailability, Wi-Fi disconnection, local app store policy, or application unavailability.
- The feature may be subject to change without prior notice and may have a different form depending on where you are located.

Installing LG ThinQ Application

Search for the **LG ThinQ** application from the Google Play Store or Apple App Store on a smartphone. Follow instructions to download and install the application.

Open Source Software Notice Information

To obtain the source code that is contained in this product, under GPL, LGPL, MPL, and other open source licenses that have the obligation to disclose source code, and to access all referred license terms, copyright notices and other relevant documents, please visit <https://opensource.lge.com>.

LG Electronics will also provide open source code to you on CD-ROM for a charge covering the cost of performing such distribution (such as the cost of media, shipping, and handling) upon email request to opensource@lge.com.

Using LG ThinQ to Diagnose Issues

If you experience a problem with your Wi-Fi equipped appliance, it can transmit troubleshooting data to a smartphone using the **LG ThinQ** application.

- Launch the **LG ThinQ** application and select the **Smart Diagnosis** feature in the menu. Follow the instructions provided in the **LG ThinQ** application.

MAINTENANCE

Cleaning

Cleaning Interval

⚠ WARNING

- Before cleaning or performing maintenance, disconnect the power supply and wait until the fan stops.

Cleaning the Appliance

If the appliance will not be used for an extended period of time, dry the appliance to maintain it in the best condition. Clean the appliance regularly to maintain optimal performance and to prevent possible breakdown.

- Dry the appliance in **Fan** mode for 3 to 4 hours and disconnect the power. There may be internal damage if moisture is left in the appliance's components.
- Before using the appliance again, dry the inner components of the appliance in **Fan** mode for 3 to 4 hours. This will help to reduce the odor generated from moisture.

Type	Description	Interval
Indoor unit	Clean the surface of the indoor unit using a soft, dry cloth.	Regularly
	Have a professional clean the condensate drain pan.	Once a year
	Have a professional clean the condensate drain pipe.	Every 4 months
	Replace the wireless remote control batteries.	Once a year
Air filter	Clean with a vacuum or hand wash.	2 weeks
Ionizer (on some models)	Use a dry cotton ball to reduce dust.	Every 6 months

NOTE

- Never use water that is hotter than 40 °C when you clean the filters. Doing so may cause deformation or discolouration.
- Never use volatile substances when you clean the filters. Doing so may damage the surface of the appliance.

16 MAINTENANCE


Cleaning the Air Filter

NOTE

- Do not bend the air filter, as it may break.
- Assemble the air filter properly to prevent dust and other substances from entering the product.

1 Turn off the power to the appliance.


2 Locate the knobs of the air filter on the top front of the product.




① Knobs

② Air Filter


3 Pull the knobs upward slightly and then lift the entire filter to remove it.




4 Clean the air filter with a vacuum cleaner or wash it with lukewarm water and a mild detergent.




5 Dry the filter in the shade.




6 Insert the tabs on the air filter into the slots on the back of the front panel.



7 Push the tabs down until they click into place.




8 To make sure the filter is assembled properly, press down along the entire front length of the filter.













5 جفف المرشح في الظل.**تنظيف مرشح الهواء****ملاحظة**

- لا تبتي مرشح الهواء؛ فقد يتعرض للكسر.
- قم بتجميع مكونات مرشح الهواء بصورة سلية لتلافي دخول الغبار والمواد الأخرى إلى المنتج.

1 افصل التيار الكهربائي عن الجهاز.**6 أدخل الألسنة الموجودة على مرشح الهواء في الفتحات الموجودة في الجزء الخلفي للوحة الأمامية.****7 ادفع الألسنة لأسفل حتى تسمع صوت النقرة الدال على عودتها لموانها.****8 للتأكد من تركيب المرشح بطريقة صحيحة، اضغط لأسفل على امتداد الطول الكامل للجزء الأمامي للمرشح.****2 حدد مكان مقابض مرشح الهواء أعلى الجزء الأمامي من المنتج.****① المقابض****② مرشح الهواء****3 اسحب المقابض لأعلى قليلاً ثم احمل المرشح كله لإزالته.****4 نظف مرشح الهواء باستخدام مكنسة كهربائية أو اغسله بماء فاتر وسائل تنظيف خفيف.**

الصيانة

التنظيف

الفترات الفاصلة بين التنظيف

⚠ تحذير

- قبل التنظيف أو إجراء أعمال الصيانة، أفصل مصدر إمداد التيار الكهربائي وانتظر حتى تتوقف المروحة.

تنظيف الجهاز

إذا كان الجهاز لن يستخدم لفترة طويلة، فجفف الجهاز للحفاظ عليه في أفضل حالة. نظف الجهاز بانتظام للحفاظ على الأداء الأمثل ولمنع الأعطال المحتملة.

- جفف الجهاز في وضع المروحة لمدة 3-4 ساعات وافصل الطاقة. قد يكون هناك تلف داخلي إذا تبقي رطوبة في مكونات الجهاز.
- قبل استخدام الجهاز مرة أخرى، جفف المكونات الداخلية للجهاز في وضع المروحة لمدة 4-3 ساعات. سيساعد هذا على تقليل الرائحة الناتجة عن الرطوبة.

الفترة الفاصلة	الوصف	النوع
بانظام	نظف سطح الوحدة الداخلية باستخدام قطعة قماش ناعمة وجافة.	
مرة واحدة في السنة	اطلب من أحد المختصين أن ينظف وعاء تصريف ناتج التكثيف.	الوحدة الداخلية
كل 4 أشهر	اطلب من أحد المختصين أن ينظف أنبوب تصريف ناتج التكثيف.	
مرة واحدة في السنة	استبدل بطاريات جهاز التحكم اللاسلكي عن بُعد.	
أسبوعان	قم بتنظيفه باستخدام مكنسة كهربائية أو بواسطة الغسيل اليدوي.	مرشح الهواء
كل 6 أشهر	استخدم كرة من القطن الجاف لتنقیل الغبار.	منقى الهواء (في بعض الطرز)

ملاحظة

- لا تستخدم مطلاً ماء بدرجة حرارة أعلى من 40 °C عند تنظيف المرشحات. فقد يؤدي ذلك إلى تشوّه المرشحات أو تغيير لونها.
- لا تستخدم مطلاً مواداً متطايرة عند تنظيف المرشحات. فقد يؤدي ذلك إلى اتلاف سطح الجهاز.

تنبيه تطبيق LG ThinQ

ابحث عن تطبيق **LG ThinQ** على Apple App Store & Google Play Store من على هاتف ذكي. اتبع التعليمات لتنزيل التطبيق وتنبيهه.

معلومات حول إشعار البرامج مفتوحة المصدر

للحصول على التعليمات البرمجية للمصدر ضمن **GPL** و**MPL**، والحصول على التراخيص مفتوحة المصدر الأخرى التي لديها التزامات للكشف عن التعليمات البرمجية الخاصة بالمصدر، المضمنة في هذا المنتج، وللوصول إلى كل أحكام الترخيص المشار إليها، وإشعارات حقوق النشر وكل الوثائق ذات الصلة، يرجى زيارة <https://opensource.lge.com>

ستوفر LG Electronics أيضاً التعليمات البرمجية المفتوحة المصدر على قرص مقابل رسم يغطي تكلفة القيام بهذا التوزيع (مثلاً تكلفة وسائل النقل والشحن والتسلیم) بناءً على طلب يُرسل عبر البريد الإلكتروني opensource@lge.com. يسري هذا العرض لأي شخص يتسلم هذه المعلومات لمدة ثلاثة سنوات بعد آخر عملية شحن لهذا المنتج.

تشخيص المشكلات باستخدام تطبيق LG ThinQ

تتوفر هذه الميزة فقط في الطرز الذي تحمل العلامة  أو . يمكنك الاستعانة بهذه الميزة لتشخيص المشكلات التي تواجهك أثناء استخدام الجهاز وحلها.

ملاحظة

- لأسباب لا ترجع إلى إهمال من جانب LG، قد لا تعمل الخدمة بسبب عوامل خارجية منها، على سبيل المثال وليس الحصر، عدم توفر اتصال Wi-Fi، أو انقطاع اتصال Wi-Fi، أو سياسة متجر التطبيقات المحلي، أو عدم توفر التطبيق.
- قد تتعرض هذه الميزة لتغيرات دون سابق إنذار وقد يختلف شكلها وفقاً للمنطقة التي تسكن فيها.

استخدام تطبيق LG ThinQ بغرض تشخيص المشكلات

إذا واجهت مشكلة أثناء استخدام الجهاز المزود بشبكة Wi-Fi، فحينها يمكن نقل بيانات استكشاف الأخطاء وإصلاحها إلى هاتف ذكي باستخدام تطبيق **LG ThinQ**.

- قم بتنشئ تطبيق **LG ThinQ** واختر ميزة **Smart Diagnosis** .**LG ThinQ** من القائمة. اتبع التعليمات الواردة في تطبيق **LG ThinQ**.

الوظائف الذكية 11

الوظائف الذكية

تطبيق LG ThinQ

لا تتوفر هذه الميزة إلا في بعض الطرازات المزودة بشبكة Wi-Fi. يسمح تطبيق **LG ThinQ** لك بالتوصل مع الجهاز باستخدام هاتف ذكي.

مزايا تطبيق LG ThinQ

تواصل مع الجهاز من هاتف ذكي باستخدام الميزات الذكية والمرحة.

- Smart Diagnosis**

- تساعدك ميزة التشخيص الذكي على تشخيص أي مشكلة تواجهك أثناء استخدام الجهاز.

- الإعدادات**

- يسمح لك بتعيين خيارات متعددة على الجهاز وفي التطبيق.


ملاحظة

- التحقق من اتصال Wi-Fi، أفحص رمز  على لوحة التحكم لمعرفة ما إذا كان مضيئاً.
- يدعم الجهاز شبكات Wi-Fi بتردد 2.4 GHz فقط. لمعرفة تردد الشبكة الخاصة بك، اتصل بمزود خدمة الإنترنت أو راجع دليل جهاز التوجيه اللاسلكي.
- تطبيق **LG ThinQ** ليس مسؤولاً عن أي مشاكل الاتصال بالشبكة أو أي اخطاء، أو خلل، أو أخطاء تنتجه عن طريق الاتصال بالشبكة.
- إذا كان لدى الجهاز مشكلة اتصال بشبكة Wi-Fi، قد تكون بعيدة كل البعد عن جهاز التوجيه. اشتر جهاز تقوية Wi-Fi (موضع المدى) لتحسين قوة Wi-Fi إشارة.
- قد لا يتم الاتصال بشبكة Wi-Fi أو قد يتم قطع الاتصال حسب جودة بيئة الشبكة المحلية.
- قد لا يعمل الاتصال بالشبكة بشكل صحيح وفقاً لمزود خدمة الإنترنت.
- يمكن أن تجعل البيئة اللاسلكية المحيطة خدمة الشبكة اللاسلكية تعمل ببطء.
- إذا تتعذر توصيل الجهاز بسبب وجود مشكلات في إرسال الإشارة اللاسلكية، فاقفل الجهاز من مصدر التيار وانتظر حوالي دقيقة قبل تكرار المحاولة.
- إذا كان جدار الحماية موجود على جهاز التوجيه الخاص بك ممكناً، فمُنطليه أو اضف إليه استثناء.
- ينبغي أن يكون اسم الشبكة اللاسلكية (SSID) مكوناً من أحرف وارقام باللغة الإنجليزية. (لا تستخدم رموزاً خاصة)
- قد تختلف واجهة استخدام الهاتف الذكي حسب نظام تشغيل الهاتف وحسب الشركة المصنعة.
- إذا كان بروتوكول الأمان الخاص بجهاز التوجيه مضبوطاً على WEP، فقد يتغير عليك إعداد الشبكة. الرجاء تغييره إلى بروتوكول أمان آخر (يُنصح باختيار **WPA2**) ثم أعد تسجيل المنتج.

قبل استخدام تطبيق LG ThinQ


- تأكد من المسافة بين الجهاز وجهاز التوجيه اللاسلكي (شبكة Wi-Fi).
- إذا كانت المسافة بين الجهاز وجهاز التوجيه اللاسلكي بعيدة للغاية، تصبح الإشارة ضعيفة. قد تستغرق عملية التسجيل وقتاً طويلاً أو قد يفضل تثبيت التطبيق.

- قم بإغلاق بيانات الهاتف المحمول أو البيانات الخلوية على هاتفك الذكي.



نظرة عامة على المنتج

الوحدة المثبتة على الحائط



- | | | | |
|--|---|---|---|
| فتحات تهوية مدخل الهواء | 2 | مرشح الهواء | 1 |
| حارة الهواء (الريشة التي تتحرك لأعلى ولأسفل) | 4 | فتحات تهوية مخرج الهواء | 3 |
| زر التشغيل "Power" | 6 | حارة الهواء (فتحة التهوية من اليسار إلى اليمين) | 5 |
| | | شاشة المنتج أو مستقبل جهاز التحكم اللاسلكي عن بعد | 7 |

ملاحظة

- قد يتغير عدد القطع ومكانها حسب طراز الجهاز.
- قد تتغير الميزات حسب نوع الطراز.


9 التشغيل

التشغيل

معلومات

لمزيد من المعلومات انظر

1 ابحث عن رقم الطراز.




ملصق ①

2 قم بإدخال رقم الطراز على موقع .LG: <https://www.lg.com/support/manuals>

البحث عن دليل المالك على الإنترنت

يتضمن دليل المالك المختصر معلومات عن سلامة المستخدم وكيفية التشغيل واجراء عمليات الصيانة.

للاطلاع على دليل المستخدم بالكامل، يرجى عمل مسح ضوئي على رمز الاستجابة السريعة الموجود على صفحة الغلاف.



- لا تستخدم المنتج لأغراض خاصة مثل حفظ الأطعمة أو الأعمال الفنية، وغير ذلك. مكيف الهواء مصمم لأغراض الاستخدام من جانب المستهلكين، وهو ليس نظام تبريد دقيقاً. ينطوي القيام بذلك على خطر تلف الممتلكات أو فقدانها.
- لا تشغل قاطع التيار أو الطاقة عندما تكون اللوحة الأمامية، أو المقصورة، أو الغطاء العلوي أو غطاء صندوق التحكم مفتوح أو تمت إزالته.
- لا تفتح الشبكة الأمامية للمنتج أثناء التشغيل. لا تلمس المرشح الكهروستاتيكي إذا كانت الوحدة مزودة به.
- احرص على لا تتغفل المياه داخل المنتج.
- تأكد من عدم وجود عوائق بالقرب من الوحدة الخارجية. إن وجود عوائق بالقرب من الوحدة الخارجية قد يقلل من أداء الوحدة الخارجية أو يؤدي إلى ارتفاع صوت التشغيل.
- لا تقم بايقاف تشغيل الطاقة على الفور بعد إيقاف التشغيل. انتظر دائماً لمدة خمس دقائق على الأقل قبل إيقاف تشغيل الطاقة.

الصيانة

- استخدم كرسيًا أو سلماً ثابتاً عند إجراء أعمال التنظيف، أو الصيانة، أو الإصلاح لمكيف الهواء على ارتفاع.
- لا تقم بتوصيل قابس مصدر الطاقة أو تفصله لتشغيل الوحدة أو إيقاف تشغيلها.
- لا تستخدم مطلاً مواد تنظيف أو مذيبات قوية أو ترش الماء عند تنظيف مكيف الهواء. استخدم قطعة قماش ناعمة.
- لا تلمس مطلاً الأجزاء المعدنية لمكيف الهواء عند إخراج مرشح الهواء.
- مرقّ أكياس التغليف البلاستيكية وتخلص منها حتى لا يعيث الأطفال بها.
- عندما لا يتم استخدام المنتج لفترة طويلة، افصل قابس مصدر الطاقة أو قم بايقاف تشغيل قاطع الدائرة.
- لا تقم بإتمالة الوحدة عند إزالتها أو فك تركيبها؛ فهناك احتمالية انسكاب الماء المكافَّ بالداخل.
- تحقق باستمرار من أساس المشكلة بحثاً عن التلف بصفة منتظمة، خاصة إذا كان المنتج قيد الاستخدام لفترة طويلة.
- قم بإحكام إدخال المرشح؛ ثم نظف المرشح كل أسبوعين أو أكثر إذا لزم الأمر. يقلل المرشح المتتسخ من كفاءة أداء مكيف الهواء وقد يتسبب في حدوث خلل في المنتج أو يؤدي إلى تلفه.

إرشادات التنبية

! تنبية

- للحد من مخاطر حدوث إصابات طفيفة للأشخاص، أو حدوث عطل، أو ثلف المنتج أو الممتلكات عند استخدام المنتج، يجب اتباع احتياطات السلامة الأساسية، بما فيها ما يلي:

التركيب

- استخدم رافعة شوكية أو اطلب مساعدة شخصين أو أكثر لنقل مكيف الهواء.
- لَا تقم بتركيب مكيف الهواء في موضع يكون فيه معرضًا بشكل مباشر لنسيم البحر (الرذاذ المالح).
- ركب خرطوم الصرف بصورة سلية لتصريف الماء المتكتّف دون مشكلات.
- قم بتركيب مكيف الهواء في مكان لا تؤدي فيه الضوضاء المبنعة من الوحدة الخارجية أو أبخرة العادم إلى إزعاج الجيران.
- تخلص من مواد التغليف والتعبئة مثل البراغي، أو المسامير أو الأكياس البلاستيكية أو البطاريات بطريقة آمنة باستخدام العبوات المناسبة لذلك، بعد تركيب المنتج أو إصلاحه.
- توكح الحذر عند فك تغليف مكيف الهواء أو تركيبه.
- انتبه بشكل خاص إلى حواف المنتج وشفرات المكثف والمبخر.
- لتتجنب حدوث اهتزاز أو تسرب الماء، حافظ على استواء المنتج حتى عند تركيبه.
- عند تركيب الوحدة، استخدم مجموعة التركيب الموجودة مع المنتج.
- شفرات المبادل الحراري حادة بما يكفي لقطع الأشياء. لتجنب حدوث إصابة، ارتدي القفازات أو قم بتنعيمية الشفرات أثناء العمل حولها.

التشغيل

- لا تشرب مياه صرف مكيف الهواء.
- لا تضع الأشياء مباشرة بالقرب من الوحدة الخارجية ولا تدع أوراق الشجر والمخلفات تتجمع حول الوحدة. تُعد أوراق الشجر مرتعاً للحيوانات الصغيرة التي قد تدخل إلى الوحدة. وقد تسبب هذه الحيوانات عند دخولها إلى الوحدة في حدوث أعطال، أو انبعاث دخان، أو نشوب حريق إذا اقتربوا من الأجزاء الكهربائية.
- لا تترك مكيف الهواء يعمل لفترة طويلة في الأحياء شديدة الرطوبة أو عند ترك باب أو نافذة مفتوحة.
- لا تُعرض الأشخاص، أو الحيوانات، أو النباتات للهواء البارد أو الساخن المنبعث من مكيف الهواء لفترات طويلة.

- لا تسد مدخل أو مخرج تدفق الهواء.
- افصل مصدر إمداد التيار الكهربائي في حالة انبعثت أي ضوضاء أو رائحة، أو دخان من مكيف الهواء.
- اتصل بمركز خدمات معتمد في حالة غمر مكيف الهواء بالماء.
- في حالة حدوث تسرب غاز (مثل الفريون، أو غاز البروبان، أو غاز النفط المسال)، فقم بتهوية المكان بصورة كافية قبل استخدام مكيف الهواء مرة أخرى.
- قم بإيقاف التشغيل وإغلاق النافذة حال حدوث عاصفة أو إعصار. وإن أمكن، فقم بإزالة المنتج من على النافذة قبل وصول الإعصار.

الصيانة

- قبل التنظيف أو إجراء أعمال الصيانة، افصل مصدر إمداد التيار الكهربائي وانتظر حتى تتوقف المروحة.
 - تدور المروحة بسرعة عالية جداً أثناء التشغيل.
 - هناك إمكانية حدوث إصابة إذا تم تشغيل طاقة الوحدة عن طريق الخطأ أثناء تنظيف الأجزاء الداخلية للوحدة.
- يجب فصل الجهاز من مصدر الطاقة خلال عملية الصيانة واستبدال الأجزاء.

سائل التبريد

- اتبع المعايير الخاصة بالتعامل مع سائل التبريد ومكيف الهواء وفك مكيف الهواء في المنطقة أو الدولة المعنية.
- لا تستخدم سوى سائل التبريد المحدد في ملصق مكيف الهواء.
- لا تُدخل هواءً أو غازاً في النظام فيما عدا سائل التبريد المحدد.
- لا تلمس سائل التبريد المتتسرب أثناء تركيب أو الإصلاح.
- إذا تسرب غاز التبريد أثناء التركيب، فقم بتهوية المكان على الفور.
- احرص على التأكد من عدم وجود أي تسرب لسائل التبريد بعد تركيب المنتج أو إصلاحه.
- في حال تسرب سائل التبريد، استشر الموزع. عند تركيب مكيف الهواء في غرفة صغيرة، يجب اتخاذ التدابير المناسبة بحيث لا تتجاوز كمية أي سائل تبريد التركيز المحدد حتى عندما يتسرّب. إذا تسرب سائل التبريد متجاوزاً مستوى التركيز المحدد، فقد يحدث مشكلة نقص في الأكسجين.

5 إرشادات السلامة

- لا تقم بتركيب مكيف الهواء في أماكن تحتوي على سوائل أو غازات قابلة للاشتعال مثل الجازولين، أو البروبان، أو مخفف الطلاء، أو غير ذلك الكثير.
- ركّب اللوحة وغطاء صندوق التحكم بأمان.
- قم بتركيب مأخذ كهربائي مخصص وقاطع تسرب أرضي قبل استخدام الجهاز.
- استخدم قاطع دائرة كهربائية ومنصهراً من النوع القياسي مطابقين لتصنيف مكيف الهواء.
- لا تستخدم مقبس متعدد، أو كبل تمديد للطاقة، أو محول بهذا الجهاز.
- يجب إحكام تثبيت توصيلات الأسلاك الداخلية / الخارجية، كما يجب توجيه الكبل بشكل سليم، لتجنب تعرضه لأي قوة تسحب الكبل من أطراف التوصيل. قد تؤدي التوصيلات غير الصحيحة أو المفوككة إلى توليد حرارة أو نشوب حريق.
- لا تقم بتوصيل سلك الطرف الأرضي بأنبوب غاز، أو مانع صواعق، أو سلك أرضي هاتف.
- استخدم غازاً غير قابل للاشتعال (النيتروجين) للتأكد من عدم وجود حالات تسرب ولتنقية الهواء؛ قد يؤدي استخدام الهواء المضغوط أو غاز قابل للاشتعال إلى نشوب حريق أو حدوث انفجار.

التشغيل

- لا تقم بإجراء أي تعديل في كبل التيار الكهربائي أو إطالته. فقد يؤدي تعرض كبلات التيار الكهربائي إلى خدوش أو تفسير المادة العازلة الموجودة عليها إلى نشوب حريق أو التعرض لصدمة كهربائية، ويجب استبدال كبلات التيار الكهربائي.
- تأكد أن كبل التيار الكهربائي ليس متسخاً، أو مفكوكاً، أو مقطوعاً.
- لا تضع أي أغراض فوق كبل التيار الكهربائي.
- احرص على التأكد من أن كبل التيار الكهربائي لا يمكن انتزاعه أو تلفه أثناء التشغيل.
- لا تلمس المكيف الهواء أو تحاول تشغيله أو إصلاحه مطلقاً بآيد مبللة.
- لا تدخل يديك أو أدوات أخرى في مدخل أو مخرج الهواء أثناء تشغيل مكيف الهواء.
- احرص على عدم السماح لأي شخص ولا سيما الأطفال بسلق الوحدة الخارجية أو الطرق عليها.
- تأكد من استخدام القطع المذكورة فقط في قائمة قطع الخدمة. ولا تحاول مطلقاً إجراء أي تعديلات في الجهاز.
- لا تلمس أنبوب سائل التبريد، أو أنبوب الماء، أو أي أجزاء داخلية أثناء تشغيل الوحدة أو فور تشغيلها.
- لا تترك مواداً قابلة للاشتعال مثل الجازولين، أو البنزين، أو مخفف الطلاء بالقرب من مكيف الهواء.
- لا تستخدم مكيف الهواء لفترة طويلة في مكان مساحته صغيرة دون وجود تهوية مناسبة.
- احرص على وجود تهوية كافية عند استخدام مكيف الهواء وجهاز تدفئة، على سبيل المثال سخان، في وقت واحد.
- هناك إمكانية لحدوث نقص في الأكسجين.

٤ إرشادات السلامة

- المعلومات الواردة في الدليل مُعدة للاستخدام من قبل فني خدمة مؤهل معتمد على إجراءات السلامة ومزود بالأدوات المناسبة ومعدات الاختبار.
- يمكن للإخفاق في قراءة كل التعليمات الواردة في هذا الدليل واتباعها أن يؤدي إلى عطل الجهاز، وأو تضرر الممتلكات، وأو الإصابات الشخصية وأو الوفاة.
- يحتاج سائل التبريد وغاز النفخ المستخدم للعزل والمستخدمان في الجهاز إلى إجراءات خاصة للتخلص منها. ارجع إلى أحد وكلاء الخدمة أو شخص مؤهل على نحو مماثل قبل التخلص منها.
- عند استبدال سلك الطاقة، يجب أن يتولى إجراء الاستبدال الموظفون المصرح لهم باستخدام قطع الغيار الأصلية فقط.
- في حالة تلف سلك الإمداد، يجب استبداله من قبل الشركة المصنعة أو وكلاء الخدمة التابعين لها أو شخص مؤهل مماثل لتجنب الخطأ.
- يجب تركيب الجهاز وفقاً للوائح الوطنية لتركيبات الأسلاك.
- يجب تأريض هذا الجهاز بشكل صحيح.
- لا تقطع طرف الوصلة الأرضية أو تزيله من قابس الطاقة.
- إن توصيل السلك الأرضي بقطاء مقبس الطاقة لا يُؤرض الجهاز ما لم يكن برغبته الغطاء معدنياً، وغير معزول ومقبس الطاقة مُؤرضاً من خلال الأسلاك المنزلية.
- لا تقم بتفكيك الجهاز بنفسك. تفكيك الجهاز والتعامل مع غاز التبريد والزيوت وباقى القطع يجب ان يراعي القوانين المطبقة.
- إذا كانت لديك أي شك ما إذا كان مكيف الهواء مُؤرضاً بطريقة صحيحة، فاطلب من أحد الفنيين المؤهلين أن يفحص مقبس الطاقة والدائرة.

التركيب

- اتصل بمركز خدمة معتمد عند تركيب مكيف الهواء أو تغيير مكانه.
- اتصل بالموزع، أو البائع، أو فني كهرباء مؤهل، أو مركز خدمات معتمد لتنظيف مكيف الهواء أو صيانته.
- لا تقم بتنشيط الوحدة أو إزالتها أو إعادة تركيبها بنفسك (العميل). فقد يؤدي التركيب أو الإصلاح الذي يجريه أشخاص غير مصرح لهم أن يعرضك أنت والآخرين للخطر.
- لأعمال التوصيلات الكهربائية، اتصل بالموزع أو البائع أو فني كهرباء مؤهل أو مركز خدمات معتمد.
- لا تحاول إجراء أي أعمال كهربائية أو أعمال تأريض ما لم يكن لديك ترخيصاً بذلك. ولكن عليك التواصل مع الموزع لخدمات الأعمال الكهربائية وأعمال التأريض.
- لا تقم بتركيب المنتج على حامل تركيب معيب.
- تأكد من أن منطقة التركيب لن تسوء حالتها مع تقدم العمر.
- تأكد من استخدام الملحقات التي تصنعها شركة LG فقط والمصممة خصيصاً للاستخدام مع الأجهزة على أن يتم تركيبها على يد فني محترف.
- لا تقم بتركيب الوحدة الخارجية على قاعدة متعركة أو مكان يمكن أن تسقط منه.
- لا تقم بتركيب الوحدة في أجواء قابلة للاحتجاج.

إرشادات السلامة

اقرأ جميع الإرشادات قبل الاستخدام

يتمثل الغرض من إرشادات السلامة التالية في الحيلولة دون وقوع المخاطر غير المتوقعة أو الأضرار الناجمة عن التشغيل غير الآمن أو غير الصحيح للمنتج.

يتم تقسيم الإرشادات إلى "تحذير" و"تنبيه" على النحو الموضح أدناه.

رسائل السلامة

يتم عرض هذا الرمز للإشارة إلى الأمور والعمليات التي قد ينشأ عنها خطر.
اقرأ الجزء الذي يحمل هذا الرمز بعناية واتبع الإرشادات من أجل تلافي الخطر.



تحذير

يشير هذا إلى أن عدم اتباع الإرشادات قد يسبب وقوع إصابة خطيرة أو الوفاة.



تنبيه

يشير هذا إلى أن عدم اتباع الإرشادات قد يتسبب في وقوع إصابة طفيفة أو تلف المنتج.



إرشادات التحذير

تحذير

- لقليل مخاطر وقوع انفجار، أو نشوب حريق، أو حدوث وفاة، أو التعرض لصدمة كهربائية، أو حدوث إصابة، أو حروق للأشخاص عند استخدام المنتج، يجب اتباع احتياطات السلامة الأساسية، بما فيها ما يلي:

الأمان الفنى

- يمكن استخدام هذا الجهاز من قبل الأطفال الذين تتراوح أعمارهم بين 8 سنوات وأكثر والأشخاص ذوي القدرات الجسدية أو الحسية أو العقلية المنخفضة أو الذين يفتقرون إلى الخبرة والمعرفة إذا ما تم توفير الإشراف والإرشادات لهم فيما يتعلق باستخدام الجهاز بطريقة آمنة وفهم المخاطر التي ينطوي عليها. يجب الابتعاد الأطفال بالجهاز. يجب عدم قيام الأطفال بأعمال التنظيف وصيانة المستخدم دون إشراف.
- هذا الجهاز غير معد للاستخدام من قبل الأشخاص (بما في ذلك الأطفال) ذوي القدرات البدنية، أو الحسية أو الذهنية المحدودة، أو الذين يعانون من نقص الخبرة والمعرفة، ما لم يخضعوا للإشراف أو يتلقوا التعليمات بخصوص استخدام الجهاز من قبل شخص مسؤول عن سلامتهم. يجب أن يخضع الأطفال للإشراف لضمان لا يعبثوا بالجهاز.
- يمكن للتركيب أو الإصلاحات التي يجريها أشخاص غير مصرح لهم أن تعرشك أنت والآخرين للخطر.

جدول المحتويات

قد يحتوي هذا الدليل على صور أو محتوى يختلف عن الطراز
الذى قدمت بشرائه.
يخصم هذا الدليل للمراجعة من الشركة المصنعة.

إرشادات السلامة

3.....	اقرأ جميع الإرشادات قبل الاستخدام.
3.....	إرشادات التحذير.....
7.....	إرشادات التبيه.....

التشغيل

9.....	معلومات.....
10.....	نظرة عامة على المنتج.....

الوظائف الذكية

11.....	تطبيق LG ThinQ.....
12.....	تشخيص المشكلات باستخدام تطبيق LG ThinQ.....

الصيانة

13.....	التنظيف.....
---------	--------------

امسح كود QR للإطلاع على الدليل.



دليل المالك

جهاز تكييف الهواء

يرجى قراءة دليل المالك هذا بالكامل قبل تشغيل الجهاز والاحتفاظ به في متناول اليد للرجوع إليه في جميع الأوقات.



العربية

مثبت على الحائط

www.lg.com

حقوق النشر 2023 إل جي للاكترونيات. كل الحقوق محفوظة



MFL72082405

Rev.01_260924