

Printing Specification

1. Specification

1. Specification			1.1 Folding / Cover		
Models	1. Model Name:	24/27G411A,G411B,G414B	Front 2 3		
	2. Suffix:	WW			
	3. Part No:	MFL05803011			
	4. REV	REV03			
SIZE	5. Number of pages	4	4 5.... Back		
	6. Folded/Unfolded	Unfolded			
	7. Trim size (W x H)_Unfolded (mm)	210 x 148			
	8. Trim size (W x H)_folded (mm)	-			
COVER	9. Bindery	Saddle stitching			
	10. Color (Cover)	1			
	11. Paper (Cover)	Wood free			
	12. Weight (cover) (g/m ²)	80			
INNER	13. Color (inner)	1			
	14. Paper (inner)	Wood free			
	15. Weight (inner) (g/m ²)	80			
	16. Coating	-			
	17. Thomson	-			
	18. Sub-material	-			
19. Languages		ENG			

2. Origin Notification

Changes the Country name. Printed in Korea ← Printed in [Country Name in English] Imprimé en Corée ← Imprimé en(au) [Country Name in French] Copyright © 2021 LG Electronics Inc. All Rights Reserved. Copyright © 2021 LG Electronics inc. Tous droits réservés. www.lg.com		[Country Name] (ENG/FRE) LGERS/ LGEMX : Printed in Mexico Imprimé au Mexique LGEKR: Printed in Korea Imprimé en Corée LGEMA: Printed in Poland Imprimé en Pologne LGEND: Printed in China Imprimé en Chine LGEIN: Printed in Indonesia Imprimé en Indonésie Others: Each Country name.
NOTE	[Restriction of Hazardous Substances] Hazardous substances on this product should be satisfied by substance regulation of Level A-I, A-II, SVHC according to LG(52)B-5011 standard. Especially, Part should be followed and controlled the following specification. (1) Hazardous substances test report should be submitted when part certification test and first mass production. (2) Especially, Don't use or contain lead (Pb) and cadmium (Cd) in ink. INK REQUIREMENT FOR EU (1) The amount of MOAH/MOSH must be less than 0.1% of the weight of the INK used. *MOAH(Mineral Oil Aromatic Hydrocarbons): Consisting of 1 to 7 aromatic cycles *MOSH(Mineral Oil Saturated Hydrocarbons): Consisting of 16 to 35 carbon atoms (2) From 01 January 2025 : Ban on the use of MOAH in INK up to a limit of one part per million(1ppm) for compounds of 3 to 7 aromatic cycles	

3. History


REV07				
REV06				
REV05				
REV04				
REV03	02/10/2026	Add screw rotating arrow mark and update image.	ENMQ200080	
REV02	01/27/2026	Add G411B/G414B	ENMPC00386	
REV01	08/14/2025	Remove the specification information of the attachment screws	ENMP800284	
REV00	05/28/2025	-	-	Checked : Yingyu.Fan Approved : Ming.Ye
Rev. Number	Date	Description	ECO Number	Owner
				Yingying.Zang




24G411A/ 24G411A-B
27G411A/ 27G411A-B
24G411B/ 24G411B-B 24G414B/ 24G414B-B
27G411B/ 27G411B-B 27G414B/ 27G414B-B




24G411A/ 24G411A-B 24G411B/ 24G411B-B
27G411A/ 27G411A-B 27G411B/ 27G411B-B



24G414B/ 24G414B-B
27G414B/ 27G414B-B



a



b






a



b



c







(2602-REV03)

www.lg.com









24G411A/ 24G411A-B 24G411B/ 24G411B-B
27G411A/ 27G411A-B 27G411B/ 27G411B-B






24G414B/ 24G414B-B
27G414B/ 27G414B-B





a



b

