

SIMPLE MANUAL

DVD Home Theater System

Please read this manual carefully before operating your set and retain it for future reference.

To view the instructions of advanced features, visit http://www.lg.com and then download Owner's Manual. Some of the content in this manual may differ from your unit.

MODEL

LHD457




1903_Rev01

www.lg.com Copyright © 2019 LG Electronics Inc. All Rights Reserved.



Front Panel



 MIC 1/2·
 Connect a microphone.

 PORT. IN
 Connect to a Portable device.

 USB Port·
 Connect a USB device.

 △
 Disc Tray Open / Close

 >II
 Starts / Pauses playback.


 □
 Stops playback.

 F·
 Changes the input source or function.


 VOL
 Adjusts volume.

 (¹)
 Power On / Off

Speaker Assembling



Rear Panel



SPEAKERS Connect to speakers.

HDMI OUT TO TV Connect to TV.


AUX (L/R) INPUT Connect to analogue device.

VIDEO OUT Connect to TV.

ANTENNA FM Connect to radio antenna.

2 Speaker Connection

• Speaker design and connection method may be different according to models.



3 TV Connection

HDMI Connection

- 1 Connect the unit to the TV using HDMI cable.
- 2 Set the input selector to HDMI on the TV.
- **3** Follow the instructions on the TV screen using remote control.



4 Home Menu

Home menu appears on the TV screen. Enjoy various functions on the unit.



For more information, download the online owner's manual. http://www.lg.com


Additional Information

Specification

Refer to main label.
Refer to main label.
Approx. 360 mm x 62 mm x 304 mm (With foot)
5 V === 500 mA
330 W RMS

Design and specifications are subject to change without notice.

Replacement of battery




IMPORTANT SAFETY NOTICE

The cord grip for the plug fitted to this product is built into the existing power cord as supplied. If, for any reason you need to shorten the cord.

DO NOT RE-USE THE PLUG.

A new plug must be used to ensure your continued safety by securing the plug to the power cord in accordance with Plug & Socket Regulations 1994.





SAFETY PRECAUTION

THIS EQUIPMENT MUST BE DISCONNECTED FROM THE MAINS POWER SUPPLY WHEN IT IS NOT IN USE. DO NOT ALLOW THIS UNIT TO BE EXPOSED TO RAIN OR MOISTURE.

CAUTION

TO PREVENT ELECTRIC SHOCK, DO NOT REMOVE THE COVER. NO USER SERVICEABLE PARTS ARE INSIDE. REFER SERVICING TO QUALIFIED PERSONNEL.

The working life of this set is 7 years since the date of delivery to consumer. Upon the expiry of the said period, it might be unsuitable for the use according to their designation.

PRECAUTIONS

Please read these precautions before you operate this unit.

- Avoid extreme heat, cold, moisture and dust.
- Avoid using near a magnetic field. (This will adversely affect the units performance.)
- Be careful when the surface of the case is wiped with a volatile agent such as benzene, alcohol, thinner, etc. or a chemically processed cloth, the surface finish may deteriorate or its coating may peel.
- Use the unit only in a horizontal position, and do not place anything heavy on it.
- Keep the unit away from flower vases, tubs, sinks, etc. If any liquids should spill into unit, serious damage could occur. In that case, please consult qualified service personnel.
- Do not obstruct the ventilation holes: they prevent overheating. Even soft
 materials such as paper and cloth may prevent proper ventilation of the
 unit
- There are no serviceable parts inside. For service, please contact your service centre.

JEDDAH MAIN SERVICE CENTER P.O.BOX 704, JEDDAH 21421 KINGDOM OF SAUDI ARABIA TEL) 02-629-2929

JEDDAH QUICK SERVICE CENTER TEL) 02-663-3888 EXT. 340,343

RIYADH BRANCH SERVICE CENTER TEL) 01-461-5559

AL KHOBAR BRANCH SERVICE CENTER TEL) 03-857-2629/2637