


Printing Specification

1. Specification


Models	1. Model Name:	50NANO75SQA
	2. Suffix:	TR
	3. Part No:	MFL71833930
	4. REV	REV00
SIZE	5. Number of pages	16
	6. Folded/Unfolded	3 Folded
	7. Trim size (W x H)_Unfolded (mm)	296 x 420 (+/-5)
	8. Trim size (W x H)_folded (mm)	148 x 105
COVER	9. Bindery	-
	10. Color (Cover)	-
	11. Paper (Cover)	-
	12. Weight (cover) (g/m ²)	-
INNER	13. Color (inner)	4 (CMYK)
	14. Paper (inner)	Wood free
	15. Weight (inner) (g/m ²)	70 (+/-10)
	16. Coating	No
	17. Thomson	No
	18. Sub-material	No
	19. Languages	ENG

1.1 Folding / Cover

Folding Step



Folded



2. Origin Notification


www.lg.com P/No : MFL69707613 (1708-REV03) Printed in Korea Copyright © 2017 LG Electronics Inc. All Rights Reserved.		[Country Name] LGERS/ LGEMX : Mexico LGEKR: Korea LGEMA: Poland LGEIL: India Others: Each Country name.
NOTE	[Restriction of Hazardous Substances] Hazardous substances on this product should be satisfied by substance regulation of Level A-I, A-II, SVHC according to LG(52)B-5011 standard. Especially, Part should be followed and controlled the following specification. (1) Hazardous substances test report should be submitted when part certification test and first mass production. (2) Especially, Don't use or contain lead (Pb) and cadmium (Cd) in ink.	

3. History

REV07				
REV06				
REV05				
REV04				
REV03				
REV02				
REV01				
REV00	12/02/2021			Checked : Aditya.K
				Approved : Nitin.H
Rev. Number	Date	Description	ECO Number	Owner
				Aditya.K

NANO77*
NANO73*
NANO75*

Quick Start Guide




Images shown in manual may vary depending on model

Unpacking


Check your product box for the following items. If there are any missing accessories, contact the local dealer where you purchased your product. The illustrations in this manual may differ from the actual product and item.





1 55NANO73*
50/55NANO75*
50/55NANO77*




2




3




1 65NANO73*
65NANO75*
65NANO77*














2



3



CAUTION
Image shown may differ from your TV
When attaching the stand to the TV set, place the screen facing down on a cushioned table or flat surface to protect the screen from scratches.



OPTICAL DIGITAL AUDIO OUT

HDMI IN

USB IN

LAN

NOTE

- Do not look into the optical output ports, looking at the laser beam may damage your vision
- Audio with ACP (Audio Copy Protection)/function may block digital audio output.

NOTE

- Some USB Hubs may not work, if a USB device connected using a USB Hub is not detected, connect it to the USB port on the TV directly
- Connect the external power source if your USB is needed.

AV IN

USB IN

HDMI IN

HDMI IN eARC/ARC

NOTE

- Some USB Hubs may not work, if a USB device connected using a USB Hub is not detected, connect it to the USB port on the TV directly
- Connect the external power source if your USB is needed.

ARC (Audio Return Channel)
An external audio device that supports SIMPLINK and ARC must be connected using HDMI IN eARC/ARC port

When connected with a high-speed HDMI cable, the external audio device that supports ARC outputs SPDIF audio without additional audio cable and supports the SIMPLINK function

ANTENNA / CABLE IN 1

ANTENNA / CABLE IN 2

ANTENNA / CABLE IN

Satellite IN

1. Open the battery cover.

2. Insert the battery with the correct polarity.

3. Close the battery cover.

Power button on the TV and the remote control.

5s timer and power button on the remote control.

1s timer and power button on the remote control.

Dimensions: A, B, C, D, E, F, G

	A	B	C	D	E	F	F-G
	(mm)					(kg)	
50NANO776QA 50NANO756QA	1121	708	232	651	57.7	12.4	12.2
55NANO776QA 55NANO756QA	1235	774	232	715	58.1	14.8	14.6
65NANO776QA 65NANO756QA	1454	900	271	838	58.4	22.9	22.6
Power requirement					AC 100-240 V~ 50/60 Hz		

Dimensions: A, B, C, D, E

A	B	C x D (mm)	E
Wallmount	50NANO75* 50NANO77*	200 x 200	M6
Wallmount	55NANO73* 55NANO75* 55NANO77*	300 x 300	M6
Wallmount	65NANO73* 65NANO75* 65NANO77*	300 x 300	M6

Read **Safety and Reference**.

The Analog Gender adapter can be purchased separately at Customer Service.

+ : Depending on model