
Printing Specification

1. Specification


Models	1. Model Name:	UA75*
	2. Suffix:	EU
	3. Part No:	MFL72139841
	4. REV	REV04
	5. Number of pages	16
	6. Folded/Unfolded	3 Folded
SIZE	7. Trim size (W x H)_Unfolded (mm)	296 x 420
	8. Trim size (W x H)_folded (mm)	148 x 105
	9. Bindery	-
COVER	10. Color (Cover)	-
	11. Paper (Cover)	-
	12. Weight (cover) (g/㎡)	-
INNER	13. Color (inner)	4
	14. Paper (inner)	Wood-free
	15. Weight (inner) (g/㎡)	80
	16. Coating	No
	17. Thomson	No
	18. Sub-material	No
	19. Languages	ENG (1)

1.1 Folding / Cover

Folded Step



Folded



2. Origin Notification



Changes the Country name.

Printed in [Country Name in English]

Imprimé en(au) [Country Name in French]

[blank]

[

]

[Country Name] (ENG/FRE)	
LGERS / LGEMX :	Printed in Mexico Imprimé au Mexique
LGEKR :	Printed in Korea Imprimé en Corée
LGEMA :	Printed in Poland Imprimé en Pologne
LGEND :	Printed in China Imprimé en Chine
LGEIN :	Printed in Indonesia Imprimé en Indonésie
Brazil :	Printed in [Each Country name] [Image] (LGEAZ production only)
Others :	Each Country name.

NOTE

[Restriction of Hazardous Substances]

Hazardous substances on this product should be satisfied by substance regulation of Level A-I, A-II, SVHC according to LG(52)B—5011 standard.
Especially, Part should be followed and controlled the following specification.

(1) Hazardous substances test report should be submitted when part certification test and first mass production.

(2) Especially, Don't use or contain lead (Pb) and cadmium (Cd) in ink.

INK REQUIREMENT FOR EU

(1) The amount of MOAH/MOSH must be less than 0.1% of the weight of the INK used.

*MOAH(Mineral Oil Aromatic Hydrocarbons) : Consisting of 1 to 7 aromatic cycles

*MOSH(Mineral Oil Saturated Hydrocarbons) : Consisting of 16 to 35 carbon atoms

(2) From 01 January 2025 : Ban on the use of MOAH in INK up to a limit of one part per million(1ppm) for compounds of 3 to 7 aromatic cycles

3. History

Rev. Number	Date	Description	ECO Number	Owner	Sanghee.Park
REV07					
REV06					
REV05					
REV04	09/30/2025	Add option mark for Power Cord Holder (HWRMS-1790)	EKLP900935		Sanghee.Park
REV03	06/23/2025	Add a pictogram prohibiting removal of Pol film (HWRMS-1742)	EKLP600764		Sanghee.Park
REV02	04/29/2025	Added the new models (43/50/55/65/75/86UA74*, 43/50/55/65/75UA84*) Deleted the drop model (43UA85*)	DKLP400925		Sanghee.Park
REV01	02/04/2025	Added the new models (43/50/55/65UA85*)	DKLP200083		Sanghee.Park
REV00	01/02/2025	-	-	Checked	Taeho.Bae
				Approved	Jongok.Kim

LG


MFL72139841250 9REV04

43UA74*
50UA74* 43UA75* 43UA84* 50UA85*
55UA74* 50UA75* 50UA84* 55UA85*
65UA74* 55UA75* 55UA84* 65UA85*
75UA74* 65UA75* 65UA84*
86UA74* 75UA84*





x 1



www.lg.com PDF

43"
a x 2
(M4 x L16)


50/55"
b x 4
(M4 x L20)

65"
b x 6
(M4 x L20)


75"
c x 6
(M5 x L30)

86"
c x 6
(M5 x L30)


43/50/55"
1




65/75"
1



86"
1




43/50/55/65/75/86"
2




3




43"
1




50/55/65"
1




50/55"




65"




75/86"
1






43/50/55/65/75/86"
2




43/50/55/65"
3





75"
3


86"
3




43/50/55/65/75/86"








	A	B	C	D	E	F	F - G
	(mm)					(kg)	
43UA74* 43UA75* 43UA84*	968	621	200	567	67.9	7.4	7.3
50UA74* 50UA75* 50UA84* 50UA85*	1122	718	230	654	67.9	9.5	9.4
55UA74* 55UA75* 55UA84* 55UA85*	1236	780	230	718	67.9	11.6	11.5
65UA74* 65UA75* 65UA84* 65UA85*	1455	904	269	841	67.9	16.7	16.5
75UA74* 75UA84*	1678	1027	361	964	59.9	31.8	31.4
86UA74*	1927	1167	362	1104	59.9	45.9	45.2



A	B	C x D (mm)	E	F (mm)	G (m)	H (mm)
LSW240B MSW240	43UA74* 43UA75* 43UA84*	200 x 200	M6	533	≧ 1.5	228
	50UA74* 50UA75* 50UA84* 50UA85*			610		228
OLW480B MSW240	55UA74* 55UA75* 55UA84* 55UA85*	300 x 200		775		228
OLW480B	65UA74* 65UA75* 65UA84* 65UA85*			878		245
WB24GCB	75UA74* 75UA84*	400 x 400		559		212
WB24GDB	86UA74*	600 x 400	M8	599		215



* : 0~9, A~Z